| (Feb. 1951) | | | |
|-------------|--|--|--|
| | | | |
| | | | |

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

| Land Office Santa Fe | |
|----------------------|------|
| Lease No. 879403 | |
| Unit San Juan 27-5 | Unit |
| 14-08-001-950 | |

GPO 862040

SUNDRY NOTICES AND REPORTS ON WELLS

| NOTICE OF INTENTION TO DRILL | |
|--|--|
| | SUBSEQUENT REPORT OF WATER SHUT-OFF |
| NOTICE OF INTENTION TO CHANGE PLANS | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | The second secon |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING. | SUPPLEMENTARY WELL HISTORY |
| NOTICE OF INTENTION TO ABANDON WELL | |
| (INDICATE ABOVE BY CHECK MA | ARK NATURE OF REPORT, NOTICE, OR OTHER DATA) |
| | <u>July 13</u> , 19 <u>59</u> |
| Well No. 42 is located 990 ft. fro | om. $\begin{cases} x \in \mathbb{R} \\ S \end{cases}$ line and 900 ft. from $\begin{cases} x \in \mathbb{R} \\ W \end{cases}$ line of sec. 22 |
| 5W/4 Sec • 22 27N (% Sec • and Sec · No.) (Twp.) | 5W N.M.P.M. |
| | (Range) (Meridian) |
| Blanco M. V. & Wildest F. C. R | io Arriba New Mexico ty or Subdivision) (State or Territory) |
| 5-16-59 Total Depth 5625'. C.C.T. int. 5426-36; 5444-54; 5476 | sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- ill other important proposed work) D. 5578'. Water fractured Point Lookout perf. -6; 5494-5500; 5536-46 v/74,700 gallons |
| I.R. 67.7 BPM. Flush 9,240 5-16-59 Total Depth 5625'. Tempora Fictured Cliffs perf. int. | ry bridge plug at 5000'. Water fractured 3296-3310; 3332-38; 3346-66 v/22,680 gallons pr. 2950#, max. pr. 2950#, sygr.trpr. 1250#. |
| I.R. 67.7 BPM. Flush 9,240 5-16-59 Total Depth 5625'. Tempora Fictured Cliffs perf. int. water and 20,000# sand. BD I.R. 65.6 BPM. Flush 6720 I understand that this plan of work must receive approval Company El Paso Natural Gas Company Address Box 997 | gallons. ry bridge plug at 5000'. Water fractured 3296-3310; 3332-36; 3346-66 v/22,660 gallons pr. 2950#, max. pr. 2950#, aver tr. pr. 1250#. gallons. JUL 1 5 1959 CR. CON. COM. in writing by the Geological Survey before deratives The Summer ted. |
| I.R. 67.7 BFM. Flush 9,240 5-16-59 Total Depth 5625'. Tempora Fictured Cliffs perf. int. water and 20,000# sand. BD I.R. 65.6 BFM. Flush 6720 I understand that this plan of work must receive approval Company El Paso Natural Gas Company | gallons. ry bridge plug at 5000'. Water fractured 3296-3310; 3332-36; 3346-66 v/22,660 gallons pr. 2950#, max. pr. 2950#, aver tr. pr. 1250#. gallons. JUL 1 5 1959 CR. CON. COM. in writing by the Geological Survey before deratives The Summer ted. |