DEPUTY OIL & GAS (VSPECTOR)

Meter Number:72328 ocation Name:SAN JUAN 28-6 UNIT #82

Location:TN-27 RG-06

SC-13 UL-G 2 - Federal

NMOCD Zone: OUTSIDE Hazard Ranking Score: 00

DECEIVED N APR 1 4 1997

011 CON. DIV. **DIST. 3**

RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10^{-9} to 10^{-13} cm/sec Shale 10^{-12} to 10^{-16} cm/sec Clay 10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: 72328 Location: SAN JUAN 28-6 UNIT #82 Operator #: 2999 Operator Name: MENIDANP/L District: BLOSMFIELD Coordinates: Letter: G Section 13 Township: 27 Range: 6 Or Latitude Longitude Pit Type: Dehydrator Location Drip: X Line Drip: Other: Site Assessment Date: 5-14-94 Area: 10 Run: 52					
SITE ASSESSMENT	NMOCD Zone: Land Type: BLM ☒ (1) (From NMOCD State ☐ (2) Maps) Inside ☐ (1) Fee ☐ (3) Outside ☒ (2) Indian ☐ Depth to Groundwater ☐ (1) ☐ (1) Less Than 50 Feet (20 points) ☐ (1) 50 Ft to 99 Ft (10 points) ☐ (2)					
	Greater Than 100 Ft (0 points) (3) Wellhead Protection Area: Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; Is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points)					
	Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (1) 200 Ft to 1000 Ft (10 points) (2) Greater Than 1000 Ft (0 points) (X) (3) Name of Surface Water Body					
	(Surface Water Body : Perennial Rivers,Major Wash,Streams,Creeks, Irrigation Canals,Ditches,Lakes,Ponds) Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only) (2) > 100'					
70	TOTAL HAZARD RANKING SCORE: POINTS					
REMARKS	Remarks: REDUNE-INSIDE VUINEVABLE ZONE, TOPO - OUTSIDE VULNETORE ZONE: Z PITS ON COCATION, ONE PIT TO BE CLOSED.					
REM						

FIE PIT REMEDIATION/CLOSULE FORM

GENERAL	Meter: 72328 Location: San Turn 28-6 1182 Coordinates: Letter: Section 13 Township: 27 Range: 6 Or Latitude Longitude — Date Started: 6-23-54 Area: 10 Run: 52
FIELD OBSERVATIONS	Sample Number(s): MK30 Sample Depth: U Feet Final PID Reading 392 PID Reading Depth U Feet Yes No Groundwater Encountered (1) (2) Approximate Depth Feet
CLOSURE	Remediation Method: Excavation
REMARKS	Remarks: EPUB JINES DER MORK SOIT GROY LOW HYDROGERBON Odor Hit Sand Stone at 4' Signature of Specialist: Morgan Killian



FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Soil

	SAMPLE	IDENTIFICAT	rion			
	Field	Lab ID				
SAMPLE NUMBER:	M14 30	945509				
MTR CODE SITE NAME:	72328		N/A			
SAMPLE DATE TIME (Hrs):	Le · 23-	1247				
SAMPLED BY:		A (/ ()				
DATE OF TPH EXT. ANAL.:	6/2	6/2 1/94				
DATE OF BTEX EXT. ANAL.:	n A		NIA			
TYPE DESCRIPTION:	V G-		Brown Gre	YUA	ylsanal	-
REMARKS:						
	F	RESULTS				
040445770	RESULT	UNITS	QUALIFIERS			
PARAMETER	RESOLI		DF	Q	M(g)	V(ml)
BENZENE		MG/KG			_	
TOLUENE		MG/KG				
ETHYL BENZENE		MG/KG		-		
TOTAL XYLENES		MG/KG				
TOTAL BTEX		MG/KG				
TPH (418.1)	705	MG/KG			2.15	28
HEADSPACE PID	392	PPM				
PERCENT SOLIDS	91.2	%				
ne Surrogate Recovery was at arrative:	- TPH is by EPA Method 416	8.1 and BTEX is by EPA N $\%$ for this sample		vas accep	table.	
F = Dilution Factor Used						

7/14/94

Date:

Test Metriod for Oil and Grease and Petroleum Hydrocarbons in Water and Soil

Perkin-Elmer Model 1600 FT-IR

94/06/27 14:11

Sample identification 45509

Initial mass of sample, g 1.150

Volume of sample after extraction, ml 13..000

Patroleum hvorocarbons, ppm 195.419

Net resorbance of Tyantcarbons (2930 tm- $^\circ$),)97



