Budget Bureau No. 42-R358.4. Approval expires 12-31-60.

(Feb. l	Feb. 1951)				
1					

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	النيون	sa Pe	
Lease No.	បាច់	<b>3</b> 65	
Unit Sala	Juan	20-7	Unit
144	06>- 000	1-459	

	<del></del>	
	SUNDRY NOTICES	AND REPORTS ON WELLS
NOTICE OF IN' NOTICE OF IN' NOTICE OF IN' NOTICE OF IN'	TENTION TO DRILL TENTION TO CHANGE PLANS TENTION TO TEST WATER SHUT-OFF TENTION TO RE-DRILL OR REPAIR WELL TENTION TO SHOOT OR ACIDIZE TENTION TO PULL OR ALTER CASING TENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK N	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT
		December 31 , 1998
Vell No Se Section		from $S$ line and $1702$ ft. from $E$ line of sec. 2
(⅓ Sec.	and Sec. No.) (Twp.)	(Range) (Morician)
	C) C. likt. (Field) (Co)	R. Jariba Res Mexico ounty or Subdivision) (State or Territory)
State names of	and expected depths to objective sands: sho	TAILS OF WORK  ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement d all other important proposed work)
12-28-56	Total Depth 3394 . Clea	on out T.D. 3304'. erforated interval 3252-3288 (4 shots, ft.)
with 28, maximum	472 gallons vater and 40, treating pressure 2250	,000) sand. Breakdown pressure 3400; swarzge treating pressure 2000; Injection gallons. Natural gage nom.
with 26, maximum rate 47.	tresting pressure 22,00 tresting pressure 22,00 3 bbls., min. Flush 4626 d that this plan of work must receive appro	,000) sand. Breakdown pressure 3400% swrnge treating pressure 2000%. Injection gallons. Natural gage note.
with 26, maximum rate 47.	472 gallons veter and 40, treeting pressure 22,00, 3 bbls./min. Flush 4620	,000) sand. Breakdan pressure 3400; swrage treating pressure 2000; Injection gallons. Natural gage none.  oval in writing by the Geological Survey before operations may be commenced.
with 26, maximum rate 47.	tresting pressure 22,00 tresting pressure 22,00 3 bbls., min. Flush 4626 d that this plan of work must receive appro	,000) sand. Breakdawa pressure 3400; swarage treating pressure 2000; Injection gallons. Natural gage noce.