### **DISTRICT I**

P.O. Rox 1980, Hobbs, NM 88241-1980

DISTRICT II

811 South First St., Artesia, NM 88210-2835

DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410-1693

TYPE OR PRINT NAME: Ken Collins

### State of New Mexico / Energy, Minerals and Natural Resources Department

### OIL CONSERVATION DIVISION

2040 S. Pacheco Santa Fe, New Mexico 87505-6429

APPLICATION FOR DOWNHOLE COMMINGLING

Form C-107-A New 3-12-96

APPROVAL PROCESS:

\_X\_Administrative \_\_\_Hearing EXISTING WELLBORE

# Burlington Resources Oil & Gas Company PO Box 4289, Farmington, NM 87499 Operator San Juan 27-5 Unit 113 10-27N-05W Rio Arriba Lease Well No. Unit Ltr. - Sec - Twp - Rge County Spacing Unit Lease Types: (check 1 or more)

7454 API NO. 30-039-20201 Federal x State (and/or) Fee OGRID NO. 14538 **Property Code** The following facts are submitted in support of downhole commingling: Intermediate Zone Upper Zone Basin Dakota - 71599 Blanco Mesaverde - 72319 1. Pool Name and Pool Code will be supplied upon completion will be supplied upon completion 2. Top and Bottom of Pay Section (Perforations) 3. Type of production (Oil or Gas) gas 4. Method of Production (Flowing or Artificial Lift) flowing MAR 3 1 1999 (Current) a. 529 psi (see attachment) a. 917 psi (see attachment) 5. Bottomhole Pressure OIL COM. DIV Oil Zones - Artificial Lift: Estimated Current Gas & Oil - Flowing: Measured Current <del>D007. 3</del> (Original) b. 1217 psi (see attachment) b. 4356 psi (see attachment) All Gas Zones: Estimated or Measured Original BTU 1178 BTU 1158 6. Oil Gravity (API) or Gas BTU Content shut in shut in 7. Producing or Shut-In? Production Marginal? (yes or no) If Shut-In and oil/gas/water rates of last production Date: n/a Date: Date: n/a Rates: Rates: Rates: Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data If Producing, give data and oil/gas/water water of recent test (within 60 days) Date: n/a Date: n/a Date: Rates: Rates: Rates: Gas: % Gas: % 8. Fixed Percentage Allocation Formula -% for each zone (total of %'s to equal 100%) Oil: will be supplied upon completion If allocation formula is based upon something other than current or past production, or is based upon some other method, submit attachments with supporting data and/or explaining method and providing rate projections or other required data. \_\_\_Yes \_x\_ \_x\_Yes \_\_\_ \_x\_Yes \_\_\_ 10. Are all working, overriding, and royalty interests identical in all commingled zones? If not, have all working, overriding, and royalty interests been notified by certified mail? Have all offset operators been given written notice of the proposed downhole commingling? 11. Will cross-flow occur? \_x\_ Yes \_ No If yes, are fluids compatible, will the formations not be damaged, will any cross-flowed production be recovered, and will the allocation formula be reliable. \_x\_ Yes \_\_\_\_No (If No, attach explanation) 12. Are all produced fluids from all commingled zones compatible with each other? 13. Will the value of production be decreased by commingling? \_\_\_\_Yes \_X\_ No \_\_ (if Yes, attach explanation) 14. If this well is on, or communitized with, state or federal lands, either the Commissioner of Public Lands or the United States Bureau of Land Management has been notified in writing of this application. \_X\_Yes \_\_\_ No 15. NMOCD Reference Cases for Rule 303(D) Exceptions: ORDER NO(S). \_\_\_\_ R-10694\_ 16. ATTACHMENTS:

\* C-102 for each zone to be commingled showing its spacing unit and acreage dedication.

\* Production curve for each zone for at least one year. (If not available, attach explanation.)

\* For zones with no production history, estimated production rates and supporting data.

\* Data to support allocation method or formula.

\* Notification list of all offset operators.

\* Notification list of working, overriding, and royalty interests for uncommon interest cases.

\* Any additional statements, data, or documents required to support commingling. I hereby certify that the information above is true and complete to the best of my knowledge and belief. emithen Cli DATE: 03-29-99 TITLE: Production Engineer **SIGNATURE** 

TELEPHONE NO.:

(505) 326-9700

District I
PO Box 1980, Hobbs, NM 38241-1980
District II
PO Drawer DD, Artesia, NM 38211-0719
District III
1000 Rio Brazon Rd., Aziec, NM 37410

State of New Mexico
Energy, Minerals & Natural Resources Department

Form Revised February 21
Instructions of the Company of the Compan

### OIL CONSERVATION DIVISION PO Box 2088 Santa Fe. NM 87504-2088


Submit to Appropriate District
State Lease - 4 (
Fee Lease - 3)

MENDED RE


PO Roy 2008. Santa Fe. NM 87504-2088

WELL LOCATION AND ACREAGE DEDICATION PLAT Pool Name <sup>2</sup> Pool Code API Number 30-039-20201 72319/71599 Blanco Mesaverde/Basin Dakota · Wall Number <sup>5</sup> Property Name 1 Property Code San Juan 27-5 Unit 113 7454 Operator Nume OGRID No. 7337' Burlington Resources Oil & Gas Company 14538 10 Surface Location North/South line East/West line County Feet from the Lot Ida Feet from the Township Range UL or lot no. Section 950 1150 East RA Α 10 27N North Bottom Hole Location If Different From Surface Feet from the East/West line County North/South line Section Township Range Lot Ida Feet from the UL or lot no. " Joint or Infill 14 Consolidation Code | 15 Order No. MV-E/320 DK-N/320 NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDA OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 17 OPERATOR CERTIFICA? I hereby certify that the information co true and complete to the best of my knowledge an Original plat from David O. Vilven 5-2-69 950' Signature Peggy Bradfield Printed Name Regulatory Administr Title Date RECEIVED "SURVEYOR CERTIFICAT I hereby certify that the well location si was plotted from field notes of actual surveys ma. or under my supervision, and that the same is tri correct to the best of my belief. OIL COM. DIV. Date of Survey Signature and Scal of Professional Surveyor: DIGIT. 3 Certificate Number

## San Juan 27-5 Unit #113 Expected Production Curve Mesaverde Formation



### San Juan 27-5 Unit #113 Actual Production Dakota Formation



### San Juan 27-5 Unit #113

Bottom Hole Pressures Flowing and Static BHP Cullender and Smith Method Version 1.0 3/13/94

| Mesaverde   | Dakota  |  |  |
|---|---|--|--|
| MV-Current  | DK-Current  |  |  |
| GAS GRAVITY  COND. OR MISC. (C/M)  %N2  %CO2  \$\text{1}  \text{%H2S}  DIAMETER (IN)  DEPTH (FT)  SURFACE TEMPERATURE (DEG F)  BOTTOMHOLE TEMPERATURE (DEG F)  SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  \$\text{529.1}  | GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  917.4        |  |  |
| MV-Original   | DK-Original   |  |  |
| GAS GRAVITY  COND. OR MISC. (C/M)  %N2  %CO2  1  %H2S  DIAMETER (IN)  DEPTH (FT)  SURFACE TEMPERATURE (DEG F)  BOTTOMHOLE TEMPERATURE (DEG F)  SURFACE PRESSURE (PSIA)  DIAMETER (IN)  2.375  6400  500  500  500  500  500  500  5 | GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 %L1.1: %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  4355. |  |  |

Q:\AREA\!MVPUD\COMGLS\BHP.xls

Page No.: 2
Print Time: Wed Feb 24 16:22:35 1999

Property ID: 1308
Property Name: SAN JUAN 27-5 UNIT | 101A | 54417A-1
Table Name: Q:\PUBLIC\GENTITY\GDPNOS\TEST.DBF

|  | CUM_GAS   | M SIWHP   |  |
|--|---|---|--|
| 12/30/85<br>09/08/87<br>05/19/88<br>09/17/89<br>05/20/91<br>06/21/91<br>11/01/93 | 0<br>118278<br>164600<br>241234<br>288747<br>290428<br>397822 | 1017.0<br>490.0<br>875.0<br>632.0<br>549.0<br>561.0 | San Juan 27-5 Unit #113 Mesaverde Offset |

Page No.: 1

Print Time: Tue Mar 16 06:51:53 1999

Property ID: 1329

03/11/99 1222753 745.0

Property Name: SAN JUAN 27-5 UNIT | 113 | 52234A-1 Table Name: Q:\PUBLIC\GENTITY\GDPNOS\TEST.DBF

|                         | M_SIWHP<br>Psi | CUM_GAS | DATE     |
|-------------------------|----------------|---------|----------|
| San Juan 27-5 Unit #113 | 3520.0         | 0       | 07/01/69 |
|                         | 2507.0         | 33000   | 09/19/69 |
| Existing Dakota         | 1603.0         | 44000   | 10/20/69 |
| <u></u>                 | 1176.0         | 117868  | 06/09/70 |
|                         | 927.0          | 205477  | 05/03/71 |
|                         | 842.0          | 288141  | 05/30/72 |
|                         | 749.0          | 364326  | 05/16/73 |
|                         | 662.0          | 499940  | 06/23/75 |
|                         | 697.0          | 585930  | 00/18/77 |
|                         | 697.0          | 585930  | 00/18/77 |
|                         | 697.0          | 585930  | 00/18/77 |
|                         | 697.0          | 633773  | 10/18/77 |
|                         | 697.0          | 677485  | 06/12/80 |
|                         | 1303.0         | 714099  | 05/21/81 |
|                         | 1340.0         | 782010  | 08/30/83 |
|                         | 1275.0         | 795088  | 02/22/84 |
|                         | 1416.0         | 814474  | 06/06/85 |
|                         | 1396.0         | 886649  | 05/19/88 |
|                         | 1077.0         | 959520  | 04/22/90 |


### **BURLINGTON RESOURCES OIL AND GAS COMPANY**

### San Juan 27-5 Unit #113

### **OFFSET OPERATOR/OWNER PLAT**

### Mesaverde (E/2) / Dakota (N/2) Formations Commingle Well

Township 27 North, Range 5 West



1) Burlington Resources

## San Juan 27-5 Unit #113 Blanco Mesaverde / Basin Dakota 27N - 5W - 10

| on 2003 50 50 65 65 65 65 65 65 65 65 65 65 65 65 65                  | Sy see 28  | 52A E 60  | 45 10 M 2 | 23A 110E 110 257 1175 ER  | NEW SEE  |
|---|--|---|--|---|--|
| 6 SS 27-5 In Mr (70) SA 27-5 Un                                       | 5 7 27-5 19  | 4<br>33<br>35<br>36<br>37<br>38<br>38<br>38   | 3 100 g <sup>21</sup> h  | 1 22-5 on   | 1 100<br>22 100 100 100 100 100 100 100 100 100 1  |
| 1200 80 80 80 80 80 80 80 80 80 80 80 80 8                            | √ 200<br>833 <sup>70</sup><br>U  | \$44 *** \$1206 *** \$3<br>\$3 *** \$3 *** \$20 *** \$2 |  |   | 14 8734<br>30 JAME PROD. 104<br>10 MI  |
| 7 500 SS  | 8 8 8 8 8 70 M   | 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8   | 10<br>101<br>113A 101B   | 11<br>105 105<br>106 105<br>10 105<br>105<br>10 105<br>10 105<br>10 105<br>10 105<br>10 105<br>10 105<br>10 105<br>10 105<br>10 105 | 12<br>102<br>103<br>103<br>104<br>104<br>104<br>105<br>105<br>105<br>105<br>105<br>105<br>105<br>105<br>105<br>105 |
| 163m (34 210)<br>137 (40 137 157 157 157 157 157 157 157 157 157 15   | AM 2108 25 114   | (#1528) AM 86(0<br>8.0. 404 38  | 96 9300<br>96 98 9800  | (A)   | HM 5736<br>HULLAHS ™00.<br>57 ∰  |
| 18 137E   | 3 ⊕ 22 123<br>   |   | 15 D PANG 03 108   |   | 107 (34 597 13<br>SW 8174<br>9 29 10<br>SA 27-5 (8   |
| 19 209 (7/2)  | 1384 20 139 20 130 139 20 139 20 130 130 130 130 130 130 130 130 130 13 | AN 2500 122<br>AN 997 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7   | UNIT 22  | 115 2251<br>115 230 10  | 31 2.04 31 116 39 P  |
| 133 (S) (3 (S)                    | 130  | 125 227-5 19  |  | 120 : 25<br>  1204<br>    1204<br>    25<br>  32 27 5 75  | S1 22-5 SE   |
| 34A<br>⊕ SS   | 165M 341 97 4 4140<br>M 200 9830<br>P-PA   | 19 7101   189 2100   71   72   73   74   74   74   74   74   74   74  | Ma 2970 As 4945 79 11 11 11 11 11 11 11 11 11 11 11 11 11  | (845) (847) (872) (120)   | NN 4905 SE 4904  |
| 30<br>144<br>34<br>1644<br>1644<br>1644<br>1644<br>1644<br>1644<br>16 | 29 10 10 10 10 10 10 10 10 10 10 10 10 10  | 51<br>121<br>Sa 27-a St.  | 128 1<br>88 88<br>9  <br>9: 27-4 44  | 26 - 123<br>20  | 25   |
| 4 COC 50-4547<br>67<br>87N - p ∰2106<br>1                             | 100 gg p <sup>24</sup>   | 142 <b>83 (%)</b>   | SM 2 SM 143  | 35 as 145 as 145 p €€€  | 10,500 Paul (3) 14   |
| 31 —  | 32 — Hu sha 197  | 33  | 34<br>170<br>56 65 A   | 12 (144   | (HNO) *18  |

### STATE OF NEW MEXICO ENERGY. MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

> CASE NO. 11626 ORDER NO. R-10694

APPLICATION OF BURLINGTON RESOURCES
OIL & GAS COMPANY FOR THE ESTABLISHMENT
OF A DOWNHOLE COMMINGLING "REFERENCE
CASE" FOR ITS SAN JUAN 27-5 UNIT PURSUANT
TO DIVISION RULE 303.E AND THE ADOPTION
OF SPECIAL ADMINISTRATIVE RULES THEREFOR.
SAN-JUAN COUNTY, NEW MEXICO.

PIO ARRIBA

### ORDER OF THE DIVISION

### BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996. at Santa Fe. New Mexico. before Examiners David R. Catanach and Michael E. Stogner. respectively.

NOW, on this 12th day of November, 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises.

### FINDS THAT:

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- (2) The applicant. Burlington Resources Oil & Gas Company (Burlington), pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole comminging "reference case" to provide exceptions for (a) marginal economic enteria. (b) pressure enteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota. Mesaverde. Fruitiand Coal and Pienred Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit. San Juan County, New Mexico.
- (3) Division Rule No. 303.E., amended by Order No. R-10470-A. currently states:

"If surficient data exists on a lease, pool, formation, geographic area, em., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D, of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingie (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

- (4) The applicant is the current operator of the San Juan 27-5 Unit which encompasses some 23.043 acres in Township 27 North, Range 5 West, NMPM, San Juan County, New Mexico.
- (5) Within the San Juan 27-5 Unit, the applicant currently operates one hundred and one (101) Basin-Dakota Gas Pool wells, one hundred and five (105) Blanco-Messaverde Gas Pool wells, eighty-seven (87) South Blanco-Pictured Cliffs and Tapacito-Pictured Cliffs Gas Pool wells, and four (4) Basin-Fruitland Coal Gas Pool wells.
  - (6) According to its evidence and testimony, Burlington seeks to:
  - establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations whereby these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal":
  - b) establish a "reference case" for pressure criteria in the Dakota and Plentred Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit:

- establish a "reference case" whereby the Division unitizes the data presented in the immediate case to endorse or approve carrier methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Units and
- d) establish a "reference case" or an administrative procedure for authorizing the downhole commingting of existing or future drilled wells within the San Juan 27-5 Unix without additional nonce to each affected interest owner as required by Division Rule No. 303.D.
- (7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 27-5 Unit:
  - a) the structure and thickness of the Dakotz and Pictures Cliffs formations are very consistent:
  - b) the average recoverable Dakota and Pictured Cliffs gas reserved underlying an undereloped drill block are approximately 583 [MMCFG and 426 MMCFG, respectively;
  - c) the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 393 MCFGD and 63 MCFGD, respectively; and.
  - d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.
  - (8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit should be properly classified as "marginal".
  - (9) In support of its request to except pressure criteria within the Dakota and Picturea Cliffs formations within the San Juan 27-5 Unit. the applicant presented engineering evidence and testimony which indicates that:

- a) the average sintt-in bottominole pressure within the Dakota and Pictured Cliffs formations at the time of initial development were approximately 3.141 psi and 1.118 psi, respectively; and.
- b) the average current sinut-in bottominole pressure within the Dakotz and Pictured Cliffs formations are approximately 1.032 psr and 441 psi, respectively.
- (10) There is sufficient pressure data available within the San Juan 27-5 Unit so as to except pressure criteria as proposed by the applicant.
- (11) The applicant restrict that various allocation methods will be unitzed for downtools commingled wells within the San Juan 27-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:
  - the subtraction method will likely be utilized in those instances involving the Hasin-Fruitzed Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone;
  - b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.
  - (12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore the proposal to except allocation formulas should be approved.
  - (13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 27-5 Unit the applicant presented evidence and testimony which indicates that:
    - the interest ownership between two zones within a given wellbore in the San Juan 27-5 Unit is generally not common:
    - b) pursuant to Division Rule No. 303.D., applicant is currently required to notify all interest owners within the San Juan 27-5 Unit every time a Form C-107-A is submitted to the Division. There is a considerable number of such interest owners within the unit:

- c) providing notice to each interest owner within the San Juan 27-5
  Unit of subsequent downnois communitings is unnecessary and is
  an excessive burden on the applicant:
- d) the downhole commingting of wells within the San Juan 27-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingting of wells within the San Juan 27-5 Unit should not violate the correlative rights of any interest owner:
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.
- (14) An administrative procedure should be established within the San Juan 27-5 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are compiled with.
- (15) Approval of the proposed "reference cases" for marginal economic criterial pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downtools comminging approvals within the San Juan 27-5 Unit, and will not violate correlative rights.

### IT IS THEREFORE ORDERED THAT:

(1) The application of Euriington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhold comminging of Dakota. Mesaverie. Fruitiand Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit. San Juan County New Mexico. is hereby approved.

- downhole commingled within the San Juan 27-5 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictures Cliffs and Dakota formations as "marginal", supporting data to verify the Pictures Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.
- (3) In order to obtain Division authorization to downhole community wells within the San Juan 27-5 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Azree Offices of the Division. Such application shall communal the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all interest owners within the San Juan 27-5 Unit of such proposed commingling.
- (4) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Sama Fe. New Mexico. on the day and year hereinabove designated.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION

WILLIAM I LEMAY

Director