

District I	State Of New Mexico	SUBMIT 1 COPY TO
P.O. Box 1980, Hobbs, NM	Energy, Minerals and Natural Resources Department	APPROPRIATE
District II		DISTRICT OFFICE
P.O. Drawer, Artesia, NM 88211	OIL CONSERVATION DIVISION	AND 1 COPY TO
District III	P.O. Box 2088	SANTA FE OFFICE
1000 Rio Brazos Rd. Aztec, NM 87410	Santa Fe, New Mexico 87504-2088	(Revised 3/9/94)

Operator: Conoco Inc. Telephone: 505-324-5813

Address: 3315 Bloomfield Hwy - Farmington, NM 87401

Facility Or: San Juan 28-7 #155

Well Name _____

Location: Unit or Qtr/Qtr K Sec 22 T 27N R 07W County Rio Arriba

Pit Type: Separator _____ Dehydrator ☒ Other _____

Land Type: BLM ☒ State _____ Fee _____ Other _____

Pit Location: (Attach diagram) Pit dimension: length 10' width 10' depth 3'

Reference: wellhead ☒ other _____

Footage from reference: 141'

Direction from reference: 358° Degrees _____ East ☒ North
_____ West ☒ South

Depth To Ground Water:
(Vertical distance from
contaminants to seasonal
high water elevation of
ground water)

Less than 50 feet	(20 points)
50 feet to 99 feet	(10 points)
Greater than 100 feet	(0 points)

Total ☒

Wellhead Protection Area:
(Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)

Yes (20 points)
No (0 points)


Total 

Distance To Surface Water:
(Horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches)

Less than 200 feet	(20 points)	(20 points)
200 feet to 1000 feet	(10 points)	(10 points)
Greater than 1000 feet	(0 points)	(0 points)

Total ☒

RANKING SCORE (TOTAL POINTS): 1



Date Remediation Started: <u>October 16, 1999</u>		Date Completed: <u>October 16, 1999</u>	
Remediation Method:	Excavation: _____	Approx. cubic yards _____	
(Check all appropriate sections)			
	Landfarm _____	Insitu Bioremediation _____	
	Other _____		
Remediation Location: Onsite _____ Offsite _____			
(ie. landfarmed onsite, name and location of offsite facility)			
General Description Of Remedial Action: <u>Took sample 3' below bottom of pit.</u>			
Ground Water Encountered:	No ☒ Yes ☐	Depth _____	
Final Pit:	Sample location	<u>3' below center of pit</u>	
Closure Sampling:	Sample depth	<u>3' below bottom</u>	
(if multiple samples attach sample results and diagram of sample locations and depths)	Sample date	<u>Oct. 16, 1999</u>	Sample time <u>1:00pm</u>
Sample Results			
	Benzene (ppm)	<u>.0062</u>	
	Total BTEX (ppm)	<u>.217</u>	
	Field headspace (ppm)	<u>not taken</u>	
	TPH	<u>2.2</u>	
Ground Water Sample:	Yes ☐ No ☒	(If yes, attach sample results)	

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE February 8, 2000 PRINTED NAME Shirley L. Ebert

SIGNATURE [Signature] AND TITLE SHEAR Specialist

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Conoco	Project #:	707003-110
Sample ID:	Dehy Pit	Date Reported:	10-22-99
Laboratory Number:	G226	Date Sampled:	10-16-99
Chain of Custody No:	7208	Date Received:	10-21-99
Sample Matrix:	Soil	Date Extracted:	10-22-99
Preservative:	Cool	Date Analyzed:	10-22-99
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.7	0.2
Diesel Range (C10 - C28)	1.5	0.1
Total Petroleum Hydrocarbons	2.2	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: 28 - 7 #155.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Conoco	Project #:	707003-110
Sample ID:	Dehy Pit	Date Reported:	10-22-99
Laboratory Number:	G226	Date Sampled:	10-16-99
Chain of Custody:	7207	Date Received:	10-21-99
Sample Matrix:	Soil	Date Analyzed:	10-22-99
Preservative:	Cool	Date Extracted:	10-22-99
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	6.2	0.4
Toluene	44.8	0.3
Ethylbenzene	15.9	0.3
p,m-Xylene	85.5	0.4
o-Xylene	64.3	0.2
Total BTEX	217	


ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Trifluorotoluene	100 %
	Bromofluorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: 28 - 7 #155.


Analyst


Review

7207

[illegible]

Date: 8-19-99

