THE APPLICATION OF EL PASO NATURAL GAS COMPANY FOR A DUAL COMPLETION

ORDER NO. MC-2789

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Rule 112-A, El Paso Natural Gas
Company made application to the New Mexico Oil Conservation
Division on July 9, 1980, for permission to dually complete its
San Juan 27-5 Unit Well No. 68A located in Unit I of Section 33,
Township 27 North, Range 5 West, NMPM, Rio Arriba County, New Mexico,
in such a manner as to permit production of gas from the South
Blanco-Pictured Cliffs Pool and from the Blanco-Mesaverde Pool.

Now, on this 14th day of July, 1980, the Division Director finds:

- (1) That application has been filed under the provisions of Rule 112-A of the Division's Rules and Regulations;
- (2) That satisfactory information has been provided that there are no other operators of offset acreage;
- (3) That the proposed dual completion will not cause waste nor impair correlative rights; and
- (4) That the mechanics of the proposed dual completion are feasible and consonant with good conservation practices.

IT IS THEREFORE ORDERED:

That the applicant herein, El Paso Natural Gas Company, be and the same is hereby authorized to dually complete its San Juan 27-5 Unit Well No. 68A located in Unit I of Section 33, Township 27 North, Range 5 West, NMPM, Rio Arriba County, New Mexico, in such a manner as to permit production of gas from the South Blanco Pictured Cliffs Pool and from the Blanco-Mesaverde Pool through parallel strings of tubing.

 $\underline{\sf PROVIDED}$ HOWEVER, That applicant shall complete, operate, and produce said well in accordance with the provisions of Rule 112-A.

PROVIDED FURTHER:

That applicant shall take packer-leakage tests upon completion and annually thereafter.

IT IS FURTHER ORDERED: That jurisdiction of this cause is hereby retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year herein-above designated.

STATE OF NEW MEXICO OIL CONSERVATION—DIVISION

they

JOE D. RAMEY

/ Division Director

SEAL

OIL CONSERVATION COMMISSION BOX 2088 SANTA FE, NEW MEXICO	DATE / 19,1980 RE: Proposed MC Proposed DHC Proposed NSL Proposed SWD Proposed WFX Proposed PMX
Gentlemen: I have examined the application dated for the CIN. J. G. 27-5 Operator Lease and	Well No. Unit, S-T-R
and my recommendations are as follows:	
	Yours very truly,
	Frank & Clary

NEW MEXICO OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO APPLICATION FOR MULTIPLE COMPLETION

Operator		County		Date
·				
El Paso Natural Gas	Company	R10 Lease	Arriba	July 3, 1980
Box 289, Farmington	, NM 87401	San_	Juan 27-5 Unit	68A (PM)
Location Unit Sec	33 T	Fownship 27N		Range 5 W
1. Has the New Mexico Oil Conservatio	n Commission heretofore	authorized t	he multiple completion of	a well in these same pools or in the same
zones within one mile of the subject	well? YES_*	NO		
2. If answer is yes, identify one such in			; Operator Lease, and	Well No.:
* Re: NMOCC Memo #1				
3. The following facts are submitted:	Upper		Intermediate	Lower
	Zone		Zone	Zone
a. Name of Pool and Formation	Blanco PC Ext			Blanco MV
b. Top and Bottom of		1		
Pay Section		1		
(Perforations)	3226'-3331'			4845'-5715
c. Type of production (Oil or Gas)	· Gas			Gas
d. Method of Production				
(Flowing or Artificial Lift) 4. The following are attached. (Please	Flow		··········	Flow
izers and/or turboliz diameters and setting X b. Plat showing the loc of operators of all lectors have been furnished.	ers and location thereof, a depth, location and type ation of all wells on appases offsetting applicant o such multiple completished copies of the applicant well or other acceptable uch log is not available.	quantities ue of packers; olicant's lease. ion from each cation.* See log with to at the time a	sed and top of cement, per and side door chokes, and so se, all offset wells on off a offset operator, or in lies below ps and bottoms of produc pplication is filed it shall	ing diameters and setting depths, central- forated intervals, tubing strings, including uch other information as may be pertinent. set leases, and the names and addresses u thereof, evidence that said offset opera- ing zones and intervals of perforation in- ibe submitted as provided by Rule 112-A.) ng address.
* This is an ins			Paso Natural G	as Company
operates all off	sets to this w	ell.		
6. Were all operators listed in Item 5 a date of such notification	bove notified and furnish	hed a copy of	this application?, YES_	NO If answer is yes, give
CERTIFICATE: I, the undersigned, Gas Company (counder my supervision and direction and	company), and that I am	authorized by	said company to make thi	s report; and that this report was prepared
			D. B.	ice co
			•	Signature

•Should waivers from all offset operators not accompany an application for administrative approval, the New Mexico Oil Conservation Commission will hold the application for a period of twenty (20) days from date of receipt by the Commission's Santa Fe office. If, after said twenty-day period, no protest nor request for hearing is received by the Santa Fe office, the application will then be processed.

NOTE: If the proposed multiple completion will result in an unorthodox well location and/or a non-standard proration unit in one or more of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.

Dual String Xmas Tree Zero reference point 10.0' above top flange of tubing hanger. 9 5/8", 32.3#, H-40 casing set at approximately 200' with sufficient cement to circulate to surface. Pictured Cliffs formation will be selectively perforated and sand water fractured. 1 1/4", 2.3#, IJ Pictured Cliffs tubing set at 3390' Production Packer 4 1/2" Liner Hanger. 7", 20#, J-55 casing set at approximately 3530' with sufficient cement to fill to 3200' (Top Ojo Alamo). Cliff House formation will be selectively perforated and sand water fractured. Point Lookout formation will be selectively perforated and sand water fractured. 2 3/8", 4.7#, EUE Mesa Verde tubing set at 5825' 4 1/2", 10.5#, J-55 liner will be set from approximately 3380' to 5815' with sufficient cement to circulate top of liner at 3380'.