UNITED STATES

| 5. LI | EASI | E | |
|-------|------|--------|---|
| | SF | 080674 | |
| | | | - |

| GEOLOGICAL SURVEY | |
|--|--|
| | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME |
| SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.) | 7. UNIT AGREEMENT NAME San Juan 27-4 Unit |
| 1 oil gos | 8. FARM OR LEASE NAME San Juan 27-4 Unit |
| well well wother 2. NAME OF OPERATOR | 9. WELL NO. 142 |
| El Paso Natural Gas Company 3. ADDRESS OF OPERATOR | 10. FIELD OR WILDCAT NAME Blanco Mesa Verde |
| P.O. Box 289, Farmington, NM 87401 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) | 11. SEC., T., R., M., OR BLK. AND SURVEY O AREA Sec. 21, T-27-N, R-4-M NMPM |
| AT SURFACE: 860'N,850'E AT TOP PROD. INTERVAL: | 12. COUNTY OR PARISH 13. STATE Rio Arriba New Mexico |
| AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, | 14. API NO. |
| REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: | 15. ELEVATIONS (SHOW DF, KDB, AND WI 7121' GL |
| REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) GEP 18 GEP 18 U. S. GEOLOGIC FARMINGTO | |
| | irectionally drilled, give subsurface locations ar |
| 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is different measured and true vertical depths for all markers and zones pertiner. 81: Spudded well. Drilled surface hole. Ran 5 j surface casing 204' set at 216'. Cemented w/surface. WOC 12 hours; held 600#/30 minutes. | oints of 9 5/8", 36#, K-55 |
| including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinents: 81: Spudded well. Drilled surface hole. Ran 5 j surface casing 204' set at 216'. Cemented w/ | oints of 9 5/8", 36#, K-55 224 cf. cement. Circ. to |
| including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinents: 81: Spudded well. Drilled surface hole. Ran 5 j surface casing 204' set at 216'. Cemented w/ | oints of 9 5/8", 36#, K-55 224 cf. cement. Circ. to SEP 2 1 1981 OIL CON. DIST. 3 |
| including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinents. 81: Spudded well. Drilled surface hole. Ran 5 j surface casing 204' set at 216'. Cemented w/surface. WOC 12 hours; held 600#/30 minutes. | oints of 9 5/8", 36#, K-55 224 cf. cement. Circ. to SEP 2 1 1981 OIL CON. DIST. 3 |
| including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinents. 81: Spudded well. Drilled surface hole. Ran 5 j surface casing 204' set at 216'. Cemented w/surface. WOC 12 hours; held 600#/30 minutes. Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct | oints of 9 5/8", 36#, K-55 224 cf. cement. Circ. to SEP 2 1 1981 OIL CON. DIST. 3 |