

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

2. NAME OF OPERATOR
Mobil Producing TX. & N.M. Inc.

3. ADDRESS OF OPERATOR
9 Greenway Plaza, Suite 2700

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 990' FSL & 1830' FWL, Sec. 13
AT TOP PROD. INTERVAL: Same as surface
AT TOTAL DEPTH: Same as surface

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) cement 5½" casing

SUBSEQUENT REPORT OF:

☐
☐
☐
☐
☐
☐
☐
☐
☐
☒

5. LEASE
09-00089

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Jicarilla Contract #89

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Jicarilla E

9. WELL NO.
7

10. FIELD OR WILDCAT NAME
Blanco Mesaverde

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 13, T27N, R3W

12. COUNTY OR PARISH
Rio Arriba

13. STATE
NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
7081' (GR)

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

5/19/82 WIH w/ Baker Lok-set pkr on 2-3/8 tbg, set pkr @ 4150, BJ Hughes cmt sqz DV Tool @ 4393 w/ 200x Class B cmt. containing 1/4# Flocele, max sqz press 3000, held sqz press 2 hrs, job compl @ 2:30 pm 5/19/82, POH w/ pkr Jetonics WL Co perf 2 holes in 5½ csg @ 3350, WIH & set Baker 5½ ret BP @ 3675, press test BP/held ok, set pkr @ 3000, estb inj rate into perms @ 3350- 3.5 BPM @ 2000 psi, had no returns to surf.

5/20/82 BJ PI perms @ 3350 @ 1500 psi @ 3 BPM, did not circ @ surf, then sqz cmt Ojo Alamo form w/ 50x Class B Neat cmt + 1% Celloflake w/ 50x form locked up @ 3000 psi rev out & press up to 3000 for 1 hr, POH w/ pkr, BJ bradenhead sqz down backside of 5½ csg w/ 800x Class B + ½# Celloflake/x, avg pump press 800 & final press 2000, job compl @ 1 pm 5/20/82, SDFN, procedure ok'd by Dean Elliott w/ USGS @ Farmington, NM. (SEE REVERSE)

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Paula A. Collins TITLE Authorized Agent DATE June 1, 1982

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

NMOCC