<u>DISTRICT I</u>

P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT II

811 South First St., Artesia, NM 88210-2835

DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410-1693

State of New Mexico Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

APPLICATION FOR DOWNHOLE COMMINGLING

2040 S. Pacheco Santa Fe, New Mexico 87505-6429 Form C-107-A New 3-12-96

APPROVAL PROCESS :

X Administrative ___Hearing

EXISTING WELLBORE

Burlington Resources Oil & C	Sas Company	PO Box 4	1289, Farmington, NM 8749
perator San Juan 27-5 Unit		2-27-5 R	lio Arriba
oase GRID NO14538 Property C			County g Unit Lease Types: (check 1 or more)
The following facts are submitted in support of downhole	Upper Zone	Intermediate	Lower
commingling:	2.0119	Zone	Zone
Pool Name and Pool Code	Blanco Mesaverde - 72319		Basin Dakota - 71599
Top and Bottom of Pay Section (Perforations)	wil be supplied upon completion	VEGE VED	will be supplied upon completion
3. Type of production (Oil or Gas)	gas	FEB 2 5 1997	gas
4. Method of Production (Flowing or Artificial Lift)	flowing	OUL CON. DIV.	flowing
5. Bottomhole Pressure Oil Zones - Artificial Lift:	(Current) a. 725 psi (see attachment)	a. DIGTo 3	a. 957 psi (see attachment)
Estimated Current Gas & Oil - Flowing: Measured Current	(Original) b. 1306 psi (see attachment)	b.	b. 2535 psi (see attachment)
All Gas Zones: Estimated or Measured Original	BTU 1165	<u> </u>	DTU 4404
6. Oil Gravity (°API) or Gas BTU Content	B10 1105		BTU 1164
7. Producing or Shut-In?	shut in		producing
Production Marginal? (yes or no)	no		yes
* If Shut-In and oil/gas/water rates of last production	Date: n/a Rates:	Date:	Date: n/a Rates:
Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data			
 * If Producing, give data and oil/gas/water water of recent test (within 60 days) 	Date: n/a Rates:	Date: Rates:	Date: n/a Rates:
8. Fixed Percentage Allocation	Oil: Gas:	Oil: Gas: %	Oil: Gas:
Formula -% for each zone (total of %'s to equal 100%)	will be supplied upon completion		will be supplied upon completion
If allocation formula is based u attachments with supporting did. O. Are all working, overriding, and If not, have all working, overrid Have all offset operators been go	royalty interests identical in all ing, and royalty interests been n given written notice of the propo	commingled zones? otified by certified mail? sed downhole commingling?	Yesx_No Yesx_No _x_YesNo
	will the allocation formula be reli	ablex YesNo(If No, :	attach explanation)
 Are all produced fluids from all of the second section in the second seco			
4. If this well is on, or communitize of Land Management has been n		-	-
5. NMOCD Reference Cases for Ru			
ATTA 01 114E1170		acing unit and acreage dedication (If not available, attach explanat uction rates and supporting data serests for uncommon interest cared to support commingling.	
hereby certify that the inform	nation above is true and con	nplete to the best of my know	vledge and belief.
IGNATURE	TITLE_Prod	uction EngineerDAT	E2/21/97
YPE OR PRINT NAME Jam	es A. Smith TELEPHO	NE NO. (505) 326-9700	

District 4 PO Box 1980, Hobbs, NM \$8241-1980 PO Drawer DD, Artesia, NM 88211-0719

1000 Rio Brazos Rd., Aztec, NM 87410

District III

District IV


State of New Mexico
Energy, Minerals & Natural Resources Department


Form C-102 Revised February 21, 1994 instructions on back

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

O Box 2088, San	is Fe, NM I		LL LO	CATION	I AND ACR	EAGE DEDIC	CATION PL	∟∟ .AT	AME	NDED REPORT
	PI Numbe			¹ Poel Code			' Pool Ne			
30-039	-2370	3	7231	9/7159	9 Bla	nco Mesave	rde/Basin	Dakot	:a	
· Property	Code				' Property	Nume		Ī	•	Well Number
745	54			San	Juan 27-	-5 Unit				117E
'OGRID	No.		-		' Operator	Name	-			* Elevation
1453	38	BUR	LINGT	ON RES		IL & GAS CO	MPANY			6561'
					10 Surface	Location				
UL or lot se.	Section	Township	Range	Lot Ida	Feet from the	North/South line	Feet from the	East West	tise	County
	22	27-N	5-W		1175	North	1570	Wes	t	R.A.
			11 Bot	tom Hol	e Location I	f Different Fro	om Surface			<u> </u>
UL or lot se.	Section	Townsip	Range	Lot ida	Feet from the	North/South line	Feet from the	East/West	tine	County
" Dedicated Act MV-W/320 DK-N/320) [or infill 14	Consolidatio	e Code 15	Order No.			<u> </u>		<u></u>
	70 '	, 175				EEN APPROVED	Increisy certification of the state of the s	RATOR The state in the base Bradi Bradi Bradi Bradi	fiel Adm	d
				fro Ker	m a plat	ed, prepar by Fred B ed 10-29-3	I hereby can was plotted or under my correct to the Date of Sui Signature at Ced	rafy that the w from field non y supervision, he best of my 2/1	reil locations of act o	120101






BURLINGTON RESOURCES OIL AND GAS COMPANY

San Juan 27-5 Unit #117E OFFSET OPERATOR \ OWNER PLAT Mesaverde (W/2)/Dakota (N/2) Formations Commingle Well

Township 27 North, Range 5 West



1) Burlington Resources Oil and Gas Company Successor to Meridian Oil Inc.

Page No.: 5
Print Time: Thu Jan 02 14:42:13 1997
Property ID: 1681
Property Name: SAN JUAN 27-5 UNIT | 117E | 54051A-1 258 90
Table Name: K:\ARIES\RR97PDP\TEST.DBF

DATE	CUM_GAS Mcf	M SIWHP
08/30/85	0	2052.0
05/05/86	38264	1144.0
08/31/87	142435	809.0
06/28/88	191878	1114.0
06/01/90	285711	992.0
05/28/92	365022	792.0

FLOWING AND STATIC BHP CULLENDER AND SMITH METHOD

VERSION 1.0 3/13/94

GAS GRAVITY	0.683
COND. OR MISC. (C/M)	C
%N2	0.18
%CO2	1.04
%H2S	0
DIAMETER (IN)	1.5
DEPTH (FT)	7730
SURFACE TEMPERATURE (DEG F)	60
BOTTOMHOLE TEMPERATURE (DEG F)	200
FLOWRATE (MCFPD)	0
SURFACE PRESSURE (PSIA)	2052
BOTTOMHOLE PRESSURE (PSIA)	2534.8

SAN JUAN 27-5 UNIT #117E DAKOTA - ORIGINAL

FLOWING AND STATIC BHP CULLENDER AND SMITH METHOD

VERSION 1.0 3/13/94

GAS GRAVITY	0.683
COND. OR MISC. (C/M)	С
%N2	0.18
%CO2	1.04
%H2S	0
DIAMETER (IN)	1.5
DEPTH (FT)	7730
SURFACE TEMPERATURE (DEG F)	60
BOTTOMHOLE TEMPERATURE (DEG F)	200
FLOWRATE (MCFPD)	0
SURFACE PRESSURE (PSIA)	792
BOTTOMHOLE PRESSURE (PSIA)	957.3

SAN JUAN 27-5 UNIT #117E DAKOTA - CURRENT

Page No.: 1

Print Time: Fri Jan 03 14:19:46 1997

Property ID: 3841

Property Name: SAN JUAN 27-5 UNIT | 30 | 53360B-1 37-5 #\\Te mv Offset Table Name: K:\ARIES\RR97PDP\TEST.DBF

DATE	CUM_GAS Mcf	M SIWHP
04/07/58 05/27/58 12/06/58 06/14/59 09/22/60 06/13/61 12/28/62 04/19/63 09/28/64 05/10/65 04/19/66 09/13/67 05/02/68 10/07/70 07/22/71 06/06/72 12/01/81 01/04/87 08/22/89	0 0 22000 36000 70000 86000 110000 134000 141000 155000 167000 173000 205070 215076 226148 329528 365606 394408	1120.0 1119.0 802.0 746.0 642.0 600.0 609.0 614.0 609.0 567.0 549.0 571.0 499.0 447.0 448.0 353.0 405.0 512.0
07/30/91	406566	629.0

FLOWING AND STATIC BHP CULLENDER AND SMITH METHOD

VERSION 1.0 3/13/94

COND. OR MISC. (C/M)	С
%N2	0.53
%CO2	0.91
%H2S	0
DIAMETER (IN)	2
DEPTH (FT)	5653
SURFACE TEMPERATURE (DEG F)	60
BOTTOMHOLE TEMPERATURE (DEG F)	150
FLOWRATE (MCFPD)	0
SURFACE PRESSURE (PSIA)	1120
BOTTOMHOLE PRESSURE (PSIA)	1306.4

SAN JUAN 27-5 UNIT #30 MESAVERDE - ORIGINAL

FLOWING AND STATIC BHP CULLENDER AND SMITH METHOD

VERSION 1.0 3/13/94

GAS GRAVITY	0.681
COND. OR MISC. (C/M)	<u>c</u>
%N2	0.53
%CO2	0.91
%H2S	0
DIAMETER (IN)	2
DEPTH (FT)	5653
SURFACE TEMPERATURE (DEG F)	60
BOTTOMHOLE TEMPERATURE (DEG F)	150
FLOWRATE (MCFPD)	0
SURFACE PRESSURE (PSIA)	629
BOTTOMHOLE PRESSURE (PSIA)	725.1

SAN JUAN 27-5 UNIT #30 MESAVERDE - CURRENT

6		25V 😂	≥€ 15A ⊠⊕ 5A	23A NOE C SEE NO SEE NO SEE	™ ⊕
. 82 45 83839 P	Sam 85 25 ME 68 88 88 89 P	4 № 99 № 99 № 522 1 № 522	3 NONE € SE SE P	2	1 00 (52) PA 95
	86 ⊠ _M	\$\$ \$3\$\$\$²	10E IS	₩ % % % % % % % % % % % % % % % % % % %	12
& 550 gr mm	₩ ₩ 8	9 39M	10 m 🔀 🍪 net SS	755 755 253 253	200 NO
634 834 18 18 18 18 18 18 18 18	9		88 88 88 15 15 15 18 18 18 18 18 18 18 18 18 18 18 18 18	98 103 386 14 98 14	
, S	03 € € 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	⊕5 ⁵ 106€	(3)	22 Marson 20 Mar	# ESS P
59 19 19 19 19 19 19	20 ⊠ ⊗	21 25 25 26 28 27 28 27 28 27 28 27 28 28 28 28 28 28 28 28 28 28 28 28 28	22 188 188 188 188 18€	23 ⊠ 8 8	24' 88 89 8
**************************************	64 F5M 4 NO 8928 9288 P-PA	28	⊠ " ⊛	*\$3 22 32 22 30€	27 € ESS 07
34 8 €	85 gg	, 3	88 88 89	26 28 27 39	25 ⊠
274 p € 654	**	\$33 33 33	54A 5 \$ 34	20 155 P ∰266 35	™ SS ®
p ⊕ 54 ⊕ 67A 27 ⊕ 88	87 ∰ P → 24A	54A 55 per 266 P	70 SS SS SS SS P P	12 (\$355) H4	☆『 WPA MS 図 M

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

CASE NO. 11626 ORDER NO. R-10694

APPLICATION OF BURLINGTON RESOURCES OIL & GAS COMPANY FOR THE ESTABLISHMENT OF A DOWNHOLE COMMINGLING "REFERENCE CASE" FOR ITS SAN JUAN 27-5 UNIT PURSUANT TO DIVISION RULE 303.E AND THE ADOPTION OF SPECIAL ADMINISTRATIVE RULES THEREFOR, SAN JUAN COUNTY, NEW MEXICO.

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996, at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 12th day of November, 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises,

FINDS THAT:

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- (2) The applicant, Burlington Resources Oil & Gas Company (Burlington), pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole commingling "reference case" to provide exceptions for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit, San Juan County, New Mexico.
- (3) Division Rule No. 303.E., amended by Order No. R-10470-A, currently states:

"If sufficient data exists on a lease, pool, formation, geographic area, etc., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D. of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingle (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

- (4) The applicant is the current operator of the San Juan 27-5 Unit which encompasses some 23,043 acres in Township 27 North, Range 5 West, NMPM, San Juan County, New Mexico.
- (5) Within the San Juan 27-5 Unit, the applicant currently operates one hundred and one (101) Basin-Dakota Gas Pool wells, one hundred and five (105) Blanco-Mesaverde Gas Pool wells, eighty-seven (87) South Blanco-Pictured Cliffs and Tapacito-Pictured Cliffs Gas Pool wells, and four (4) Basin-Fruitland Coal Gas Pool wells.
 - (6) According to its evidence and testimony, Burlington seeks to:
 - a) establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations whereby these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal";
 - b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit;

- establish a "reference case" whereby the Division utilizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit; and,
- d) establish a "reference case" or an administrative procedure for authorizing the downhole commingling of existing or future drilled wells within the San Juan 27-5 Unit without additional notice to each affected interest owner as required by Division Rule No. 303.D.
- (7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 27-5 Unit:
 - a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent;
 - the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 583 MMCFG and 426 MMCFG, respectively;
 - the average initial producing rate for a newly drilled or recompleted
 Dakota and Pictured Cliffs gas well is approximately 393 MCFGD
 and 63 MCFGD, respectively; and,
 - d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.
- (8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit should be properly classified as "marginal".
- (9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit, the applicant presented engineering evidence and testimony which indicates that:

- a) the average shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations at the time of initial development were approximately 3,141 psi and 1,118 psi, respectively; and.
- b) the average current shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations are approximately 1.032 psi and 441 psi, respectively.
- (10) There is sufficient pressure data available within the San Juan 27-5 Unit so as to except pressure criteria as proposed by the applicant.
- (11) The applicant testified that various allocation methods will be utilized for downhole commingled wells within the San Juan 27-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:
 - a) the subtraction method will likely be utilized in those instances involving the Basin-Fruitland Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone;
 - b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.
- (12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore the proposal to except allocation formulas should be approved.
- (13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 27-5 Unit the applicant presented evidence and testimony which indicates that:
 - a) the interest ownership between two zones within a given wellbore in the San Juan 27-5 Unit is generally not common;
 - b) pursuant to Division Rule No. 303.D., applicant is currently required to notify all interest owners within the San Juan 27-5 Unit every time a Form C-107-A is submitted to the Division. There is a considerable number of such interest owners within the unit;

- c) providing notice to each interest owner within the San Juan 27-5
 Unit of subsequent downhole comminglings is unnecessary and is
 an excessive burden on the applicant;
- d) the downhole commingling of wells within the San Juan 27-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingling of wells within the San Juan 27-5 Unit should not violate the correlative rights of any interest owner:
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.
- (14) An administrative procedure should be established within the San Juan 27-5 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are complied with.
- (15) Approval of the proposed "reference cases" for marginal economic criteria, pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downhole commingling approvals within the San Juan 27-5 Unit, and will not violate correlative rights.

IT IS THEREFORE ORDERED THAT:

(1) The application of Burlington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit, San Juan County, New Mexico, is hereby approved.

- (2) Upon filing of Division Form No. C-107-A's for wells subsequently downhole commingled within the San Juan 27-5 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictured Cliffs and Dakota formations as "marginal", supporting data to verify the Pictured Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.
- (3) In order to obtain Division authorization to downhole commingle wells within the San Juan 27-5 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Aztec Offices of the Division. Such application shall contain all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all interest owners within the San Juan 27-5 Unit of such proposed commingling.
- (4) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

WILLIAM J. LEMAY

Director