

			X

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Indian Agency \_\_\_\_\_

Navajo Allotted

Allottee La-Sin-Sah-Nah-TahLease No. 14-30-603-1423

RECEIVED

## SUNDRY NOTICES AND REPORTS ON WELLS

JUL 12 1963

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	X
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

La-Sin-Sah-Nah-TahFarmington, New Mexico July 11, 1963Well No. 1 is located 690 ft. from N line and 635 ft. from E line of sec. 6NE 1/4 NE 1/4 Section 6

(1/4 Sec. and Sec. No.)

T-26N

(Twp.)

R-26E

(Range)

N.M.P.M.

(Meridian)

Callagee Gallup

(Field)

San Juan

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is 9875 ft.


## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well was temporarily abandoned December 21, 1962 due to production declining to noncommercial rates. As there are no prospects for returning well to commercial production or any other use for well, we permanently plugged and abandoned this well by the following method:

1. Pumped 30 sacks neat cement down 5-1/2" casing and squeezed into perforations. Set top of cement plug at 4777'.
2. Filled hole with fluid.
3. Pumped 30 sacks neat cement down 8-5/8" - 5-1/2" casing annulus. No fillup. Pumped additional 30 sacks down annulus.
4. Removed well head and spotted 3 sacks surface plug.
5. Erected abandonment marker and cleaned up location.
6. Well plugged and abandoned June 4, 1963.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum CorporationAddress P. O. Box 480Farmington, New MexicoAttn: L. O. Speer, Jr.By F. H. HOLLINGSWORTHTitle Petroleum Engineer

The diagram shows a 2D hexagonal lattice. A central cell is labeled '1'. It is surrounded by six cells labeled '2' through '6'. Arrows indicate the movement of particles between adjacent cells. The lattice constant is labeled 'a' and the bond length is labeled 'b'.

THE UNIVERSITY OF CHICAGO

~~800-271-1111~~

~~PROG 1~~

~~B. Tol.~~