


Form 9-331a

(Feb. 1951)

Budget Bureau No. 42-R368.4.  
Approval expires 12-31-60.

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 070971  
Unit Day

## SUNDRY NOTICES AND REPORTS ON WELLS

|   |   |                                     |
|---|---|-------------------------------------|
| NOTICE OF INTENTION TO DRILL.....                   | SUBSEQUENT REPORT OF WATER SHUT-OFF.....        | <input checked="" type="checkbox"/> |
| NOTICE OF INTENTION TO CHANGE PLANS.....            | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... | <input type="checkbox"/>            |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....     | SUBSEQUENT REPORT OF ALTERING CASING.....       | <input type="checkbox"/>            |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR..... | <input type="checkbox"/>            |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....        | SUBSEQUENT REPORT OF ABANDONMENT.....           | <input type="checkbox"/>            |
| NOTICE OF INTENTION TO PULL OR ALTER CASING.....    | SUPPLEMENTARY WELL HISTORY.....                 | <input type="checkbox"/>            |
| NOTICE OF INTENTION TO ABANDON WELL.....            |   | <input type="checkbox"/>            |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 2-2 is located 820 ft. from [S] line and 1090 ft. from [W] line of sec. 7  
SW Sec. 7 27N 3W N.M.P.M.  
 (¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Blanco N.Y. 480-Blanco P.C. San Juan New Mexico  
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6709 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On April 24, 1953, Total Depth 3053'.

Run 74 joints 7 5/8", 2-55, 26.40#, casing (3041') set at 3053' with 75 sacks regular cement, 75 sacks Fennia, 30# Flocalc and 25 Gal, followed with 50 sacks Best cement, with 25 CaCl.

Hold 1000# for 30 minutes.

Top of cement by temperature survey at 1900'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas CompanyAddress Box 997Farmington, New MexicoBy Original Signed F. H. WOODTitle Petroleum Engineer