

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well  
GAS

2. Name of Operator  
Meridian Oil Inc.

3. Address & Phone No. of Operator  
Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec, T, R, M.  
1655'S, 1650'E Sec. 4, T-26-N, R-10-W, NMPM

5. Lease Number  
NM-01366

6. If Indian, All. or Tribe Name

7. Unit Agreement Name  
Huerfano Unit

8. Well Name & Number  
Huerfano Unit #303

9. API Well No.  
30-045-28581

10. Field and Pool  
Angels Peak Gallup

11. County and State  
San Juan County, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission	Type of Action
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other - Spud & cmt csg
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut Off
	<input type="checkbox"/> Conversion to Injection

13. Describe Proposed or Completed Operations

09-30-91 Spud @ 6:00 am. TD 270'. Ran 6 jts 8 5/8", 24.0#, K-55 csg, 250' set @ 265'. Cmt'd w/165 sx Class "B" cmt w/1/4# flocele/sx and 3% calcium chloride (190 cu.ft.). Circ 13 bbl. to surface. WOC 12 hrs. Pressure tested to 600#/30 min, ok.

10-08-91 TD 6456'. Ran 146 jts. 4 1/2", 11.6# K-55 production casing, 6444' set @ 6456'. Float collar set @ 6413'. Stage tools @ 5608' and 2174'. Cemented first stage with 15 sks. Class "G" 65/35 Pozmix, 6% gel, 0.6% FLA, and 1/4#/sx celloflake (126 cu.ft.) followed by 202 sks. Class "G" 50/50 Poz with 2% gel, 0.6% FLA and 1/4#/sx celloflake (255 cu.ft.); 2nd stage with 914 sks. Class "G" 65/35 Pozmix, 6% gel and 1/4#/sx celloflake (1663 cu.ft.), tailed w/100 sx Class "G" w/1/4#/sx celloflake (115 cu.ft.); 3rd stage with 997 sks. Class "G" 65/35 Pozmix with 6% gel, 1/4#/sx celloflake and 2% calcium chloride (1815 cu.ft.), tailed w/100 sx Class "G" w/1/4#/sx celloflake (115 cu.ft.). WOC 18 hours. Circulated to surface.

14. I hereby certify that the foregoing is true and correct  
Signed Mark Bradfield Title Regulatory Affairs Date 11-5-91

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITION OF APPROVAL, IF ANY:

ACCEPTED FOR FEDERAL

RECEIVED FOR FEDERAL