



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 075049-A
Unit San Juan 20-6 Unit
14-08-001-1051

SUNDRY NOTICES AND REPORTS ON WELLS

RECEIVED

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	JUL 25 1960
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	U. S. GEOLOGICAL SURVEY
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	FARMINGTON, NEW MEXICO
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Water Frac.</u>	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 21, 19 60

Well No. 97(M) is located 810 ft. from N line and 1700 ft. from E line of sec. 35
NE/4 Sec. 35 28N 6W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco Mesa Verde Rio Arriba New Mexico
(Field) (County or Subdivision) (State of New Mexico)

RECEIVED
JUL 26 1960
OIL CON. COM.

The elevation of the derrick floor above sea level is 6696 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate multiple completions, cementing points, and all other important proposed work)

7-6-60 Total Depth 5766'. C.O.T.D. 5723'. Water fractured Point Lookout perf. int. (2 DJ/ft) 5570-82; 5598-5610; 5628-36; 5650-60; 5686-702 v/55,000 gallons water and 55,000# sand. ND pr. 1900#, max. pr. 1900#, avg. tr. pr. 1600#. I.R. 76.6 BHM. Flush 10,985 gallons. Dropped 4 sets of 20 balls. Temporary bridge plug at 5300'. Water fractured Cliff House perf. int. (2 DJ/ft) 5150-58; 5174-88; 5194-5206; (Spotted 200 gal. MEA on perforations); v/40,000 gallons water and 35,000# sand. ND pr. 3000#, max. pr. 2000#, avg. tr. pr. 1800#. I.R. 68 BHM. Flush 13,000 gallons. Dropped 2 sets of 10 balls, 1 set of 15.
7-7-60 Temporary bridge plug at 3610'. Water fractured Pictured Cliffs perf. int. (2 DJ/ft) at 3382-90; 3394-3404; 3410-18 v/30,700 gallons water and 35,000# sand. ND pr. 3000#, max. pr. 1850#, avg. tr. pr. 1500#. I.R. 57.1 BHM. Flush 6-62 gallons. Dropped 1 set of 16 balls, 1 set of 10 balls & 1 set of 5 balls.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 990
Farmington, New Mexico

By Original Signed D. W. Meehan
Title Petroleum Engineer

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10