

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 079519  
Unit Santa Fe Jan 23-5

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<b>Water Frac.</b>	<b>X</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 1, 1960

Well No. 32 is located 790 ft. from N line and 790 ft. from E line of sec. 32


No. 4 NE 1/4 24 28 N 2W N.M.P.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Blanco Mesa Verde Rio Arriba New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7122 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

7-28-60 Total Depth 6783. C.O.T.D. 6737L  
Water fractured Point Lookout perforated intervals  
5496-6503; 6538-54; 6572-80; 6584-90; 6614-20; 6626-32; 6640-46;  
6674-84; w/ 2 DJ/ft. with 50,000 gallons water and  
50,000 # sand. Breakdown pr. 1800 #, max. pr. 2200#, avg. tr.  
pr. 1600 #. I. R. 668 B.P.M. Flush 11,760 gallons.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company E 1 Paso Natural Gas Company

Address Box 990  
Farmington, New Mexico

By Original Signed R. G. MILLER

Title Petroleum Engineer