

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE  
(See other instructions on reverse side)

FOR APPROVED  
OMB NO. 1004-0137


Expires: December 31, 1991

WELL COMPLETION OR RECOMPLETION REPORT AND LOG\*

1a. TYPE OF WELL: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> Other <input type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
b. TYPE OF COMPLETION: NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEP-EN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR <input type="checkbox"/> Other <input type="checkbox"/>		7. UNIT AGREEMENT NAME San Juan 28-5 Unit	
2. NAME OF OPERATOR BURLINGTON RESOURCES OIL & GAS COMPANY		8. FARM OR LEASE NAME, WELL NO. San Juan 28-5 Unit #201S	
3. ADDRESS AND TELEPHONE NO. PO Box 4289, Farmington, NM 87499 (505) 326-9700		9. API WELL NO. 30-039-26807	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1980'FNL, 2630'FWL At top prod. interval reported below At total depth R-11639		10. FIELD AND POOL, OR WILDCAT Basin Fruitland Coal	
14. PERMIT NO. DATE ISSUED		11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA Sec. 15, T-28-N, R-5-W	
15. DATE SPUDDED 9-13-01		12. COUNTY OR PARISH Rio Arriba	
16. DATE T.D. REACHED 9-21-01		13. STATE New Mexico	
17. DATE COMPL. (Ready to prod.) 2-19-02		18. ELEVATIONS (DIF, RKB, RT, BR, ETC.)* 6660' GR, 6672' KB	
19. ELEV. CASINGHEAD		20. TOTAL DEPTH, MD & TVD 3890'	
21. PLUG, BACK T.D., MD & TVD 3838'		22. IF MULTIPLE COMPL., HOW MANY*	
23. INTERVALS DRILLED BY		24. PRODUCTION INTERVAL (S) OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)* 3380-3578' Fruitland Coal	
25. WAS DIRECTIONAL SURVEY MADE		26. TYPE ELECTRIC AND OTHER LOGS RUN TLD-CNL, AIR-SP-GR, DSI, ECS, MRIL	
27. WAS WELL CORED No		28. CASING RECORD (Report all strings set in well)	
29. LINER RECORD		30. TUBING RECORD	
31. PERFORATION RECORD (Interval, size and number) 3381, 3409, 3444, 3452, 3458, 3465, 3470, 3521, 3525, 3565, 3572, 3578' w/2 SPF Report @ 3380-3382', 3408-3411', 3434-3437', 3444-3458', 3465-3470', 3572-3578' w/4 SPF		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED 3380-3578' 318 bbl 30# linear gel, 100,000# 20/40 Arizona sd 724,600 SCF N2	
33. PRODUCTION DATE FIRST PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing		WELL STATUS (Producing or shut-in) SI	
DATE OF TEST 2-19-02		HOURS TESTED 1	
CHOKE SIZE 2"		PROD'N FOR TEST PERIOD	
OIL-BBL		GAS-MCF 214 MCF/D Pilot Gauge	
WATER-BBL		GAS-OIL RATIO	
FLOW. TUBING PRESS. SI 585		CASING PRESSURE SI 686	
CALCULATED 24-HOUR RATE		OIL-BBL	
GAS-MCF 214 MCF/D		WATER-BBL	
OIL GRAVITY-API (CORR.)		TEST WITNESSED BY	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) To be sold		35. LIST OF ATTACHMENTS None	
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records			
SIGNED [Signature]		TITLE Regulatory Supervisor	

\*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH

38. GEOLOGIC MARKERS

Ojo Alamo	2915'	3045'	White, cr-gr ss.			
Kirtland	3045'	3354'	Gry sh interbedded w/tight, gry, fine-gr ss.			
Fruitland	3354'	3588'	Dk gry-gry carb sh, coal, grn silts, light-med gry, tight, fine gr ss.	Ojo Alamo Kirtland Fruitland	2915' 3045' 3354'	
Pictured Cliffs	3588'	3890'	Bn-Gry, fine grn, tight ss.	Pic.Cliffs	3588'	