

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from.....feet to.....feet, and from.....feet to.....feet.
 Cable tools were used from.....feet to.....feet, and from.....feet to.....feet.

PRODUCTION

Put to Producing....., 19.....

OIL WELL: The production during the first 24 hours was.....barrels of liquid of which.....% was
 was oil;% was emulsion;% water; and.....% was sediment. A.P.I.
 Gravity.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of
 liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico


- | | | |
|--------------------|---------------------|----------------------------|
| T. Anhy..... | T. Devonian..... | T. Ojo Alamo..... |
| T. Salt..... | T. Silurian..... | T. Kirtland-Fruitland..... |
| B. Salt..... | T. Montoya..... | T. Farmington..... |
| T. Yates..... | T. Simpson..... | T. Pictured Cliffs..... |
| T. 7 Rivers..... | T. McKee..... | T. Menefee..... |
| T. Queen..... | T. Ellenburger..... | T. Point Lookout..... |
| T. Grayburg..... | T. Gr. Wash..... | T. Mancos..... |
| T. San Andres..... | T. Granite..... | T. Dakota..... |
| T. Glorieta..... | T. | T. Morrison..... |
| T. Drinkard..... | T. | T. Penn..... |
| T. Tubbs..... | T. | T. |
| T. Abo..... | T. | T. |
| T. Penn..... | T. | T. |
| T. Miss..... | T. | T. |

FORMATION RECORD


From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
550'			Gallup				
1204'			Senastee				
1500'			Greenhorn				
1546'			Graneros Shale				
1680'			Dakota				
1825'			into shale				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.


 Sept. 28, 1963
(Date)
 Address: 1409 Mesilla, N. E. Albuquerque, N. M.
 Title: President

Company or Operator: Tomanaco Oil Corporation
 Name: H. K. Riddle



NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

TAMANACO OIL CORPORATION
(Company or Operator)

POUND RANCH

Sept. 27, 1963

Well No. 14-C, in NE 1/4 of NW 1/4, of Sec. 14, T. 28 N., R. 1 E., NMPM.

Pool, Rio Arriba County.

Well is 740' feet from north line and 1850' feet from west line

of Section 14. If State Land the Oil and Gas Lease No. is

Drilling Commenced May 1, 1962 Drilling was Completed June 11, 1962

Name of Drilling Contractor self

Address

Elevation above sea level at Top of Tubing Head 7177' The information given is to be kept confidential until

19

OIL SANDS OR ZONES

No. 1, from to No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet

No. 2, from No wtr was encountered below 250' of surface pipe. to feet

No. 3, from to feet

No. 4, from to feet

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13-3/8"	48#	used	78'	tex pattern			surface
10-3/4"	40.5#	used	225'	" "			surface

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
16"	13-3/8"	78'	15	mixed and poured		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation



Depth Cleaned Out