UNITED STATES DEPARTMENT OF THE INTERIOR

		Form Approved.			
			Budget	Bureau N	e. 42-R1424
	5.	LEASE			
		NM 0286	1		<u>,</u>
	5.	IF INDIAN,	ALLOTTEE C	R TRIBE	NAME
				-	
	7.	UNIT AGRE	EMENT NAI	 ИЕ	
)			3.5		3
rent	8.	FARM OR L	FASE NAME		
	J -	Lodewic		•	
	_	WELL NO.	· · ·		
	٠.	#3	1.	.;	-
	10	FIELD OR W	UL DOAT NA	ME	
	10.				
			Kutz (F		
1-	11.	÷SEC., T., ⊤R. AREA	, WI., OR OL	N. AND	SURVET UR
17			т 27 х	i n o	TuT
	12	COUNTY OF	T-27-N		
	12.		1		· — .
	14		n l	New	Mex1co
	14.	API NO.		-	
CE,					<u> </u>
	15.	ELEVATION		DF, KDB	AND WD)
		6524' G	R		<u>43, 5,</u>
			. :		
		·			n en
V	EL	1	\$	•	
V I		OTE: Report re	esuits of mult	inle compl	letion or zono
40.5			on Form 9–33		CLION OF ZONE
1982			3		<u>.</u> * - '

GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different	7. UNIT AGREEMENT NAME		
reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME - Lodewick		
1. oil gas W other	9. WELL NO.		
2. NAME OF OPERATOR	#3		
El Paso Natural Gas Company	10. FIELD OR WILDCAT NAME		
3. ADDRESS OF OPERATOR	Fulcher Kutz (PC)		
P.O. Box 289, Farmington, New Mexico 67401 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	11. SEC., T., R., M., GR BLK. AND SURVEY O		
below.) AT SURFACE: 990'N, 990'W	Sec. 19, T-27-N, R-9-W 12. COUNTY OR PARISH 13. STATE		
AT TOP PROD. INTERVAL:	San Juan New Mexico		
AT TOTAL DEPTH:	14. API NO.		
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	1=		
	15. ELEVATIONS (SHOW DF, KDB, AND WD 6524' GR		
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	0324 GR		
TEST WATER SHUT-OFF			
SHOOT OR ACIDIZE	ED		
REPAIR WELL	(NOTE: Report results of multiple completion or zon change on Form 9-330.)		
MULTIPLE COMPLETE SEP 21 198	32		
CHANGE ZONES			
ABANDON* (other) U. S. GEOLOGICAL S	URVEY		
FARMINGTON, N.			
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is di measured and true vertical depths for all markers and zones pertinen	e all pertinent details, and give pertinent dates irectionally drilled, give subsurface locations an t to this work.)*		
1) Attempt to circulate well with mud and sp			
2) Circulate well and tag plug at 2278'.			
3) Spot a plug from 2278' to 2060'.			
4) Perforate the $5\frac{1}{2}$ casing at 1440 and squee	ze a plug to 1340 behind the $5\frac{1}{2}$		
casing. Spot a plug from 1,440 to 1327 in 5) Perforate the casing at 201% and circulat	side the $5\frac{1}{2}$ " casing.		
5) Perforate the casing at 201% and circulat back to surface through the $5\frac{1}{2}$ - 8 5/8 an	e cement down the 5%" casing an		
6) Cut off the wellhead and install a dry ho			
And the second s			
Subsurface Safety Valve: Manu. and Type	Set @		
	Set @ F		
18. I hereby certify that the foregoing is true and correct production			
SIGNED Walth TITLE Engineer	DATE Septmeber 17, 1982		
(This space for Federal or State offi	ce use)		
APPROVED BY TITLE	DATE		
CONDITIONS OF APPROVAL, IF ANY:	Pore		