

September 1983)  
Form 9-331)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)

Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO.

SF- 077382

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Angel Peak 9 L

9. WELL NO.

#10

10. FIELD AND POOL, OR WILDCAT

Basin Fruitland Coal

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 9-T27N-R10W

12. COUNTY OR PARISH 13. STATE

San Juan

NM

1. OIL WELL ☐ GAS WELL ☒ OTHER Coalbed Methane

2. NAME OF OPERATOR

McKenzie Methane Corporation

3. ADDRESS OF OPERATOR

1911 Main Ave., #255, Durango, Colorado 81301

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)

At surface

2050' FSL, 1270' FWL

14. PERMIT NO.

API # 30-045-27826

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6081' GR

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

Drilling Report

X

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(Note: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

SEE ATTACHED

RECEIVED  
OCT 17 1990  
OIL CON. DIV.  
DIST. 3

18. I hereby certify that the foregoing is true and correct

SIGNED

*[Signature]*

TITLE Operations Manager

DATE 9-26-90

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

ACCEPTED FOR RECORD

OCT 12 1990

\*See Instructions on Reverse Side

FARMINGTON RESOURCE AREA

BY

*[Signature]*

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

MCKENZIE METHANE CORPORATION  
DAILY DRILLING REPORT  
Durango Office

9/8/90      Angel Peak 9L #10  
Sec. 9, T27N, R10W, San Juan Co., N.M.  
AART: Drlg      DEPTH: 80'  
DAILY: MIRU spud unit. Spud well @ 4:00 P.M. 9-8-90.  
Drill to 80' w/12-1/4" bit & air. POOH & SDON.  
MUD: Air      Surveys: N/A

9/9/90      Angel Peak 9L #10  
Sec. 9, T27N, R10W, San Juan Co., N.M.  
AART: Waiting on drilling rig. DEPTH: 260'  
DAILY: TTH & drill 12-1/4" hole to 260'. TOOH. Rig up  
& run 6 jts (261.88') 8-5/8", 24#, K55, STC casing set  
@ 258' GL. Cement w/175 sx (207 cu ft) class B, 2%  
CaCl. PD @ 2:00 P.M. 9/9/90. Circ. 3 bbl cmt to sur-  
face. WOC. RDMO spud unit. MUD: foam      Surveys: N/A

9/16/90      Angel Peak 9L #10  
Sec. 9-T27N-R10W, San Juan Co., N.M.  
AART: DRLG      DEPTH: 602'  
DAILY: NOTE: well was spud 9-8-90. Surface casing set  
9-9-90. MIRU Jack Cook #3. PT BOP & surface csg. D/O  
cement & open hole to 602' w/7-7/8" bit.  
MW: 8.7      Vis: 30      Surveys: 305'-3/4.

-cont.-

McKENZIE METHANE CORPORATION  
DAILY DRILLING REPORT  
Durango Office

9/17/90      Angel Peak 9L #10  
              Sec. 9-T27N-R10W, San Juan Co., N.M.  
              AART: DRLG                      DEPTH: 1605'  
              DAILY: Drill to 1605'.  
              MW: 9.0              Vis: 30              Surveys: 866'-1-1/2,  
              1054'-2-1/4, 1519'- 1-3/4.

9/18/90      Angel Peak 9L #10  
              Sec. 9-T27N-R10W, San Juan Co., N.M.  
              AART: Running csg.              DEPTH: 2020'  
              DAILY: Drill to 2020'. TD @ 4:00 P.M. 9/18/90.  
              Circulate , short-trip & TOOH for logs. Log openhole.  
              TIH & circulate for csg. TOOH & LDDP. Rig up csg  
              crew. MW: 9.4      Vis: 63              Surveys: 2020'-1-1/4.

9/19/90      Angel Peak 9L #10  
              Sec. 9-T27N-R10W, San Juan Co., N.M.  
              AART: Waiting on Completion.      DEPTH: 2020'  
              DAILY: Run 37 jts (2005') 4-1/2", 11.6# K55 STC  
              csg set @ 2019'. Float collar @ 1974'. Cement w/  
              240 sx (442 cu ft) 65/35 POZ, 6% gel, 1/4# / sx cell-  
              ophane flakes followed by 125 sx (151 cu ft) 50/50 POZ,  
              2% gel, 1/4# / sx cellophane flakes. PD @ 10:45 A.M.  
              9/19/90. Circ 10 bbl cmt. Rig released @ 12:45 P.M.  
              MW: N/A                      Surveys: N/A

---