

100-5
October 1983)
100-5 (331)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-01
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO.

SF-077941

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Angel Peak 5L

9. WELL NO.

#12

10. FIELD AND POOL, OR WILDCAT

Basin Fruitland Coal

11. SEC., T., R., M., OR BLM. AND
SURVEY OR AREA

Sec5-T27N-R10W

12. COUNTY OR PARISH

San Juan

13. STATE

NM

14. WELL TYPE ☐ GAS WELL ☒ OTHER Coalbed Methane

NAME OF OPERATOR

McKenzie Methane Corporation

ADDRESS OF OPERATOR

1911 Main #255, Durango, Colorado 81301

LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)

At surface

2035' FSL, 1115' FWL

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5872' GR

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

1. STOP WATER SHUT-OFF

2. PULL OR ALTER CASING

3. FRACTURE TREAT

4. MULTIPLE COMPLETE

5. SHOOT OR ACIDIZE

6. ABANDON*

7. REPAIR WELL

8. CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

9. WATER SHUT-OFF

10. REPAIRING WELL

11. FRACTURE TREATMENT

12. ALTERING CASING

13. SHOOTING OR ACIDIZING

14. ABANDONMENT*

(Other) Drilling Report

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

SEE ATTACHED

RECEIVED
DEC 17 1990
OIL CON. DIV.
DIST. 3

18. I hereby certify that the foregoing is true and correct

SIGNED

R. J. Sagle / CS

TITLE Operations Manager

DATE 10-17-90

(This space for Federal or State office use)

ACCEPTED FOR RECORD

APPROVED BY

TITLE

DATE

NOV 26 1990

CONDITIONS OF APPROVAL, IF ANY:

FARMINGTON RESOURCE AREA

*See Instructions on Reverse Side BY MT

19. U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the
United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

McKENZIE METHANE CORPORATION
DAILY DRILLING REPORT
Durango Office

10-11-90 Angel Peak 5L #12
SW/4 Sec5-T27N-R10W, San Juan Co., NM
AART: Waiting on drilling rig. DEPTH: 12'
DAILY: MIRU spud unit. **Spud 14" hole @ 5:00 PM**
10-10-90. Drill to 12' & POOH. Release spud unit.
Waiting on drlg rig. MUD: N/A Surveys: N/A

10-13-90 Angel Peak 5L #12
SW/4 Sec5-T27N-R10W, San Juan Co., NM
AART: WOC DEPTH: 269'
DAILY: MIRU Jack Cook #3. Drill mouse & rat hole.
Drill 12-1/4" hole to 269'. Circ & TOOH. R/U & run
6 jts. (252'), 8-5/8", 24#, K55 STC csg set @ 265'.
Cement w/ 200 sx (236 cu ft) class B, 2% CaCl, 1/4#/sx
cellophane flakes. PD @ 6:00 A.M. 10-13-90. Circ.
8 bbl cmt. WOC & NUBOP.
MUD: Spud Surveys: 269' - 3/4.

10-14-90 Angel Peak 5L #12
SW/4 Sec5-T27N-R10W, San Juan Co., NM
AART: DRLG DEPTH: 958'
DAILY: PT BOP & csg. Drill out cement & openhole to
958'. MUD: water Surveys: 777' - 3/4
]

10-15-90 Angel Peak 5L #12
SW/4 Sec5-T27N-R10W, San Juan Co., NM
AART: Short trip. DEPTH: 1840'
DAILY: TD @ 4:15 AM. Circ & condition hole for logs.
Short trip. MW: 9.2 VIS: 62 WL: 10.9
Surveys: 1073' - 1-1/2, 1581' - 1-1/2

-cont.-

**MCKENZIE METHANE CORPORATION
DAILY DRILLING REPORT
Durango Office**

10-16-90

Angel Peak 5L #12
SW/4 Sec5-T27N-R10W, San Juan Co., NM
AART: Moving DEPTH: 1840'
DAILY: POOH for logs. Log openhole. TIH, circ for
casing. TOOH. IDDP. Run 43 jts (1824'), 4-1/2", 11.6#,
K55, LTC csg set @ 1839'. Float collar @ 1794'.
Cemented w/ 335 sx (616 cu ft) 65/35 POZ, 6% gel,
1/4#/sx cellophane, followed by 125 sx (151 cu ft)
50/50 POZ, 2% gel, 1/4#/sx cellophane. PD @ 1:00
A.M. 10/16/90. Circ 20 bbl cmt. NDBOP. Set slips &
cut off csg. Rig released 4:00 A.M.
MUD: N/A Surveys: 1840' - 1.