


(SUBMIT IN TRIPLICATE)

Land Office Santa Fe
Lease No. N.M. 03603 A
Unit _____



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS

JAN 1 1959

| | | |
|--|--|---|
| NOTICE OF INTENTION TO DRILL | SUBSEQUENT REPORT OF WATER SHUT-OFF | |
| NOTICE OF INTENTION TO CHANGE PLANS | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | SUBSEQUENT REPORT OF ABANDONMENT | X |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 4 is located 280 ft. from N line and 1630 ft. from E line of sec. 25
S E 25 27N SW 111W
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
So. Blanco San Juan New Mexico
 (Field) (County or Subdivision) (State or Territory)


The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

December 30, 1958

Tubing to bottom, pump 65 sacks cement, let set, top plug 2070', 35' in casing. Added 20 sacks or approx 100' bringing cement in casing to 135'. Pull tubing and pump plug to 170'. Squeeze 25 sacks and stop plug 100' from surface.
 Pump 20 sacks down bradenhead and shut in.
 Placed pipe marker and cleaned up location



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company John A. Egan

Address Box 1208

Farmington, New Mexico

Original Signed By
By John A. Egan

Title Operator