Form 9-331a (Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR

Land Office State Fe Lease No. 5F 077383

Unit USA Kuts Deep Test "D"

NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING.	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
(INDICATE ABOVE BY CHECK MA	Faralaston, Now Mexico September 24, 1951
Meil No. is located 190 It. If the levation of the derrick floor above sea	ity or Subdivision) (State or Tengton)
DET	AILS OF WORK
متحملة بالأساء والأمراد الأراز ال	
tal depth 6575' shale. i-1/2" desirented first stage with 400 eachs 65 r sack, followed by 100 sacks neat th 3000 pei, which held with no indiage with 250 sacks 4% gel easent. (i, which held with no indication of god float collar at 6541'. Gircula	ag was set at 6575' with 2-stage tool at 2236'. A gel coment with 1-1/2 pounds medium Tuf-Plug coment. Good returns. Tested 4-1/2" casing ication of pressure drop. Comented second Good returns. Tested 4-1/2" easing with 3000 pressure drop. Drilled BV tool at 2236'. sted hole and landed tubing at 6436'. Release
ing points, and a tall depth 6575' shale. i-1/2" casis sented first stage with 400 sacks 65 r sack, followed by 100 sacks neat (th 3000 pei, which held with no indicate with 250 sacks 4% gel easent. (i, which held with no indication of good float collar at 6541'. Circulatory rig september 20, 1959. Current lunderstand that this plan of work must receive approva	ag was set at 6575' with 2-stage tool at 2236'. A gel coment with 1-1/2 pounds medium Tuf-Plug coment. Good returns. Tested 4-1/2" casing ication of pressure drop. Comented second Good returns. Tested 4-1/2" easing with 3000 pressure drop. Drilled BV tool at 2236'. sted hole and landed tubing at 6436'. Release

Ву Farmington, New Mexico Atta: L. C. Deer, Jr. Title Area Engineer GPO 861040