Form 9-331 Dec. 1973

REPAIR WELL

CHANGE ZONES

ABANDON\*

REQUEST FOR APPROVAL TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE

PULL OR ALTER CASING MULTIPLE COMPLETE

5-USGS (Farmington) 1-Pioneer (Sme

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

5-USGS (Farmington) 1-Pioneer (Sm	eltzer) 1-File Form Approved Budget Bureau No. 42-R1424
UNITED STATES  DEPARTMENT OF THE INTERIOR  GEOLOGICAL SURVEY	5. LEASE NM 021116
	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME
	8. FARM OR LEASE NAME Redfern
1. oil gas X other	9. WELL NO. 4E
2. NAME OF OPERATOR Pioneer Production Corp.  3. ADDRESS OF OPERATOR Box 208, Farmington, NM 87401  4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) 1850' FSL - 810' FWL AT SURFACE: AT TOP PROD. INTERVAL: AT TOTAL DEPTH:  16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	10. FIELD OR WILDCAT NAME Basin Dakota
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 16 T28N R11W
	12. COUNTY OR PARISH 13. STATE  San Juan NM
	14. API NO.
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF TEST WATER SHUT-OFF	

(NOTE: Report results of multiple completion or zone

hange on Form 9-330.)

FARMINGTON, N. M. (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

4-5-80

CONDITIONS OF APPROVAL, IF ANY:

Moved in and rigged up Four Corners Drlg Co. Rig #10. Spudded 12-174" hole @ 1:30 p.m. 4-5-80. Drilled to 600'. Ran 13 jts 8-5/8 00 24# 8R K-55 ST&C csg. TE 579.73' set @ 591' RKB. Cemented w/300 sx class CaCl. POB 3:00 a.m. 4-6-80. Cement circulated.

8 1980

U. S. GEOLOGICAL SURVEY.

Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct alletin Agent DATE SIGNED (This space for Federal or State office use) TITLE APPROVED BY

