



Handwritten initials

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Sicrilla
Tribal
Allottee
Lease No. 204

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> RECEIVED AUG 27 1962 U. S. GEOLOGICAL SURVEY FARMINGTON, NEW MEXICO </div>
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	<input type="checkbox"/>	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 23, 1962

Sicrilla-Souther
Well No. 1-22 is located 2310 ft. from N line and 900 ft. from E line of sec. 22

NE/4 Sec. 22 T29N R1W 105W
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wilcox Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~derick~~ ^{gud} floor above sea level is 7446 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drill a 5000' Greenhorn test to evaluate the potential for production of oil from a possible fractured reservoir:

- To set 100' 13 1/8" surface casing and cement with 30 sacks;
 - To drill to an approximate TD of 5000' with cable tools, carrying if necessary a protection string of casing;
 - To run a Gamma Ray-Induction log to TD;
 - If indicated productive, to set approximately 3500' of 5 1/2" casing with 100 sacks, hang approximately 1500' of 4" slotted liner and sand-oil frac;
 - To comply with the rules and regulations of the USGS and MDOC.
- Estimated formation tops: Mesaverde, 2190'; Mancos 2640', Greenhorn 4475'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company George Parker, Jr.
Address 2300 Alamo National Bldg.
San Antonio 5, Texas
By George Parker, Jr.
Title Operator

