| Form | 9-881 a |
|------|---------|
| (Feb | . 1951) |

| 1 | _ | _ | |
|---|-------|---|--|
| 1 | | | |
| | | | |
| ı | | | |
| 1 | | | |
| | | | |
| | | | |
| | _ | | |

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

| Land | Offic | • | mte | Es. | |
|-------|-------|----|------|-----|--|
| Loase | No. | .4 | 07.6 | 019 | |
| Unit | R. | н. | P10 | kin | |

| NOTICE OF INTENTION TO DRILL | | SUBSEQUENT REI | PORT OF WATER SHUT-OFF | X |
|---|--|--|--|--|
| NOTICE OF INTENTION TO CHANGE F | | | ORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WAT | TER SHUT-OFF | SUBSEQUENT REF | PORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO RE-DRILL | OR REPAIR WELL | SUBSEQUENT REF | ORT OF RE-DRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OF | R ACIDIZE | SUBSEQUENT REF | ORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR | ALTER CASING | SUPPLEMENTARY | WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON | WELL | | | - |
| (INDICA | ATE ABOVE BY CHECK MARK | NATURE OF REPORT, NO | OTICE, OR OTHER DATA) | |
| s. H. Pipkin | | Farmington, | New Mexico February | 7, 19! |
| ell No. 9 is locat | ted 790 _{ft from} | line and | 1735t. from W line of se | er 2 5 |
| | | (·) | (, | |
| 5F/4 Sk/4 Section 35 (½ Sec. and Sec. No.) | (Twp.) | (Range) | (Meridian) | |
| Basin Dakets | San Juan | | New Mexico | |
| (Field) | (County | or Subdivision) | (State or Territory) | |
| | | | of proposed casings; indicate mudding d work) | |
| otal depth 6475 se irst stage with 275 er sock, followed by tacks 6 per cent gel | t 4gm casing at sacks 6 per ce y 100 sacks nes coment. Teste | : 6475 with sent gel cement at coment. Co | of proposed casings; indicate mudding dwork) tage toel at 2021. (with ly pounds mediumented second stage with 30.00 psi for 15 and preparing for complete | Cement ^e m tuf p ith 150 minutes |
| Notal depth 6475' se First stage with 275 Per sack, followed by sacks 6 per cent gel which held with no in | t 4gm casing at sacks 6 per ce y 100 sacks nes coment. Teste | : 6475 with sent gel cement at coment. Co | tage tool at 2021'. (with la pounds mediumented second stage with 3000 psi for 15 a | Cement ^{er} m tuf pi ith 150 minutes |
| Notal depth 6475' se First stage with 275 Per sack, followed by sacks 6 per cent gel which held with no in | t 4gm casing at sacks 6 per ce y 100 sacks nes coment. Teste | : 6475 with sent gel cement at coment. Co | tage tool at 2021'. (with la pounds mediumented second stage with 3000 psi for 15 a | Cement ^{er} m tuf pl ith 150 minutes |
| Notal depth 6475' se First stage with 275 Per sack, followed by sacks 6 per cent gel which held with no is | t 4gm casing at sacks 6 per ce y 100 sacks nes coment. Teste | : 6475 with sent gel cement at coment. Co | tage tool at 2021'. (with la pounds mediumented second stage with 3000 psi for 15 a | Cement ^{er} m tuf pl ith 150 minutes |
| Notal depth 6475' se First stage with 275 Per sack, followed by sacks 6 per cent gel which held with no is | t 4gm casing at sacks 6 per ce y 100 sacks nes coment. Teste | : 6475 with sent gel cement at coment. Co | tage tool at 2021'. (with la pounds mediumented second stage with 3000 psi for 15 a | Cement ^{er} m tuf pl ith 150 minutes |
| Notal depth 6475' se First stage with 275 Per sack, followed by sacks 6 per cent gel which held with no is | t 4gm casing at sacks 6 per ce y 100 sacks nes coment. Teste | : 6475 with sent gel cement at coment. Co | tage tool at 2021'. (with la pounds mediumented second stage with 3000 psi for 15 a | Cement ^e m tuf p ith 150 minutes |
| Notal depth 6475' se First stage with 275 Per sack, followed by sacks 6 per cent gel which held with no is | t 4gm casing at sacks 6 per ce y 100 sacks nes coment. Teste | : 6475 with sent gel cement at coment. Co | tage tool at 2021'. (with la pounds mediumented second stage with 3000 psi for 15 a | Cement ^e m tuf p ith 150 minutes |
| Total depth 6475' se Tirst stage with 275 er sack, followed by sacks 6 per cent gel which held with no in perations. | t 4g casing at sacks 6 per ce y 100 sacks nea cement. Teste ndication of pr | : 6475 with a set gel cement to cement. Co de both plugs resoure drop. | with 12 pounds mediumented second stage with 30.0 psi for 15 and Preparing for complete | Cement ^e a tuf p ith 150 minutes bien |
| Total depth 6475' se Tirst stage with 275 er sack, followed by sacks 6 per cent gel which held with no in perations. | t 4g casing at sacks 6 per ce y 100 sacks nea cement. Teste ndication of pr | : 6475 with a set gel cement to cement. Co de both plugs resoure drop. | tage tool at 2021'. (with la pounds mediumented second stage with 3000 psi for 15 a | Cement [©] a tuf pi ith 150 minutes Lion |
| Notal depth 6475' series stage with 275 per sack, followed by sacks 6 per cent gel which held with no is perations. | t 42 casing et sacks 6 per ce y 100 sacks nea cement. Teste ndication of process of the contraction of the case of | c 6475 with a set gel cement to cement. Co de both plugs resoure drop. | with 12 pounds mediumented second stage with 30.0 psi for 15 and Preparing for complete | Cement [©] a tuf pi ith 150 minutes Lion |
| Notal depth 6475' se First stage with 275 per sack, followed by sacks 6 per cent gel which held with no is operations. | t 42 casing et sacks 6 per ce y 100 sacks nea cement. Teste ndication of process of the contraction of the case of | c 6475 with a set gel cement to cement. Co de both plugs resoure drop. | with 12 pounds mediumented second stage with 30.0 psi for 15 Preparing for complete | Cement ^{er} m tuf pi ith 150 minutes Lion |
| Potal depth 6475' se First stage with 275 per sack, followed by sacks 6 per cent gel which held with no in operations. | t Lin casing at sacks 6 per ce y 100 sacks nea cement. Teste ndication of produced in the control of the contro | e 6475 with a set gel cement to ement. Co de both plugs resoure drop. | with 12 pounds mediumented second stage with 30.0 psi for 15 Preparing for complete | Cement ^{et} a tuf pi ith 150 minutes tion |