

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa FeLease No. SF-078904AUnit Gallegos Canyon Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ALTERING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

RECEIVED
AUG 27 1962
U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Gallegos Canyon Unit

Farmington, New Mexico August 24, 1962

Well No. 128 is located 1650 ft. from N line and 990 ft. from E line of sec. 253E/4 NE/4 Section 25
($\frac{3}{4}$ Sec. and Sec. No.)T-28N
(Twp.)R-12W
(Range)N.M.P.M.
(Meridian)Undesignated Gallup
(Field)San Juan
(County or Subdivision)New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is _____ ft. (To be reported later.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate measuring points, and all other important proposed work)

We propose to drill Gallegos Canyon Unit Well No. 128 with rotary tools to an approximate total depth of 5800' to test and develop productive Gallup Zones. Stimulation and completion will be as indicated upon penetration of Gallup Pay.

Proposed casing program as follows:

SIZE	DEPTH	CEMENT	REMARKS
8-5/8" - 7-5/8"	200'	150 sacks	Neat Incon - Circulate
4-1/2"	5800'	350 sacks	First stage - 125 sacks Incon 4% gel with 1-1/2 pounds Tuf Plug per sack and 75 sacks Incon neat cement on bottom. Second stage - 150 sacks Incon 4% gel cement. 4-1/2" casing will be cemented by Second stage method with stage tool set about 100' below base of Pictured Cliffs. First stage will consist of sufficient cement to fill 300' above top of Gallup. Copies of location plate attached. A copy of any survey taken will be submitted upon completion of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum CorporationAddress P. O. Box 480Farmington, New MexicoAttn: L. O. Speer, Jr.

By

Title Petroleum Engineer

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.

Date AUGUST 21, 1962

Operator PAN AMERICAN PETROLEUM CORPORATION Lease GALLEGOS CANYON UNIT
 Well No. 128 Unit Letter H Section 25 Township 28 NORTH Range 12 WEST NMPM
 Located 1650 Feet From the NORTH Line, 990 Feet From the EAST Line
 County SAN JUAN G. L. Elevation TO REPORT LATER Dedicated Acreage 40 Acres
 Name of Producing Formation GALLUP Pool UNDESIGNATED GALLUP

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below?

Yes _____ No X2. If the answer to question one is "no", have the interests of all the owners been consolidated by communization agreement or otherwise? Yes X No _____ If answer is "yes", Type of Consolidation.**GALLEGOS CANYON UNIT ACREAGE**

3. If the answer to question two is "no", list all the owners and their respective interests below:

Owner

Land Description

RECEIVED**AUG 27 1962****U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO**


Section B.

Note: All distances must be from outer boundaries of section.

This is to certify that the information
in Section A above is true and complete
to the best of my knowledge and belief.

PAN AMERICAN PETROLEUM CORPORATIONF. H. Hollingsworth (Operator)**F. H. HOLLINGSWORTH**
(Representative)**BOX 480, FARMINGTON, NEW MEXICO**
(Address)

Ref. GLO Plat Dated 19 July 1915



Scale 4 inches equal 1 mile

(Seal)

Farmington, New Mexico

This is to certify that the above plat was prepared from field notes of actual surveys
made by me or under my supervision and that the same are true and correct to the best
of my knowledge and belief.

Date Surveyed 15 August 1962

James P. Lease
 Registered Professional Engineer and/or Land Surveyor
 James P. Lease N. Mex. Reg. No. 1463

