

			<b>X</b>

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **New Mexico**  
Lease No. **NM 09967**  
Unit **G. L. Davies "B"**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<b>Report of Potential Test</b>	<b>X</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

G. L. Davies "B"

Farmington, New Mexico November 5, 1963

Well No. 1 is located 1090 ft. from [N] line and 1090 ft. from [E] line of sec. 27

NE 1/4, NW 1/4, Section 27  
(1/4 Sec. and Sec. No.)

T-28N  
(Twp.)

R-13W  
(Range)

N.M.P.M.  
(Meridian)

Basin Dakota  
(Field)

San Juan  
(County or Subdivision)

New Mexico  
(State or Territory)


The elevation of the derrick floor above sea level is 6057 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This is to report the following potential test:

Potential test October 21, 1963. Flowed 5337 MCF per day through 3/4" choke after 3 hours flow. Absolute open flow potential 7271 MCF per day. Shut in casing pressure after 7 days 1734 psig.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company PAN AMERICAN PETROLEUM CORPORATION

Address P. O. Box 480

Farmington, New Mexico

By ORIGINAL SIGNED BY  
A. B. TURNER

Title Administrative Clerk