

# UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY
P. 0. Box 965
Parmington, New Mexico

November 5, 1955

R & G Drilling Company, Inc. Box 1848 Farmington, New Mexico

Re: Santa Fe 078863

#### Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated November 1, 1955 covering your No. 18 R & G in NE; sec. 29, T. 28 N., E. 11 W., N. M. P. M., San Juan County, New Mexico, West Kuts pool.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 2942, a copy of which will be sent to you on request, and subject to the following conditions:


- 1. Drilling operations so authorised are subject to the attached sheet for general conditions of approval.
- 2. Purnish copies of all logs.

Very truly yours,

(Orig. Sgd.) P. J. Mack.

P. T. McGrath District Engi

PTMcGrath:ac



DMITED STATES
PRESIMENT OF THE BUTERO R
GEOF OF CALLYBRANCE

• •

1

the state of the state of



Form 9-33 (Feb. 1951)	
	1

		¢

### (SUBMIT IN TRIPLICATE)

## UNITED STATES **DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

Land Office Sents Fe
Lease No. 078863
Unit

	ORTS ON WELLS
NOTICE OF INTENTION TO DRILL SUBSEQUENT	REPORT OF WATER SHUT-OFF
	REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL SUBSEQUENT F	REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE SUBSEQUENT I	REPORT OF ABANDONMENT
	RY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL.	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT,	NOTICE, OR OTHER DATA)
	venber 1 , 1955
Well No. 6 is located 790 ft. from line and (2) Sec. and Sec. No.) (Twp.) (Range)	790 ft. from $\begin{bmatrix} \mathbf{E} \\ \mathbf{w} \end{bmatrix}$ line of sec. 29
Field) (County or Subdivision)	Kew Sexico (State or Territory)
DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lenging points, and all other important prop	ths of proposed casings; indicate mudding jobs, cemen
State names of and expected depths to objective sands; show sizes, weights, and lenging points, and all other important prop	ths of proposed casings; indicate mudding jobs, cemenosed work)
Brill to Pictured Cliffs with Rotsry  8 5/8" casing at 99" with 50 sacks.	ths of proposed casings; indicate mudding jobs, cemenosed work)  tools - 1860 .
State names of and expected depths to objective sands; show sizes, weights, and lenging points, and all other important prop	ths of proposed casings; indicate mudding jobs, cemenosed work)  tools - 1860 .
Brill to Pictured Cliffs with Rotsry  8 5/8" casing at 99" with 50 sacks.	ths of proposed casings; indicate mudding jobs, cemenosed work)  tools - 1860 .
Brill to Pictured Cliffs with Rotsry  8 5/8" casing at 99" with 50 sacks.	ths of proposed casings; indicate mudding jobs, cemenosed work)  tools - 1860 .
Drill to Pictured Cliffs with Rotsry  8 5/8" Casing at 99" with 50 sacks.	ths of proposed casings; indicate mudding jobs, cemerosed work)  tools - 1860 .
Drill to Pictured Cliffs with Rotsry  8 5/8" Casing at 99" with 50 sacks.	ths of proposed casings; indicate mudding jobs, cemenosed work)  tools - 1860 .
Brill to Pictured Cliffs with Rotsry  8 5/8" casing at 1800 ft. with 200 sacks.  52" casing at 1800 ft. with 200 sacks.	ths of proposed casings; indicate mudding jobs, cemenosed work)  tools - 1860 .
Brill to Pictured Cliffs with Rotsry  8 5/8" casing at 99" with 50 sacks.	ths of proposed casings; indicate mudding jobs, cemenosed work)  tools - 1860 .
Drill to Pictured Cliffs with Rotsry  8 5/8" casing at 1800 ft. with 200 sacks.  5in casing at 1800 ft. with 200 sacks.	ths of proposed casings; indicate mudding jobs, cemenosed work)  tools - 1860 .  gical Survey before operations may be commenced.
State names of and expected depths to objective sands; show sizes, weights, and leng ing points, and all other important properties.  Drill to Pictured Cliffs with Rotsry 8 5/8" casing at 99° with 50 sacks.  52" casing at 1800 ft. with 200 sacks.  I understand that this plan of work must receive approval in writing by the Geole Company R & 9 DEILLING COMPANY, The.	ths of proposed casings; indicate mudding jobs, cemenosed work)  tools - 1860 .  gical Survey before operations may be commenced.
Drill to Pictured Cliffs with Rotsry  8 5/8" casing at 1800 ft. with 200 sacks.  Junderstand that this plan of work must receive approval in writing by the Geole Company R & 9 DEILLING COMPANY, The address F. C. Box 1848	ths of proposed casings; indicate mudding jobs, cemenosed work)  tools - 1860 .  see a second
State names of and expected depths to objective sands; show sizes, weights, and leng ing points, and all other important properties.  Drill to Pictured Cliffs with Rotsry 8 5/8" casing at 99° with 50 sacks.  5½" casing at 1800 ft. with 200 sacks.  I understand that this plan of work must receive approval in writing by the Geole Company B & 9 DEILLING COMPANY, The Canadaress F. C. Box 1848	ths of proposed casings; indicate mudding jobs, cemenosed work)  tools - 1860 .  gical Survey before operations may be commenced.
Brill to Pictured Cliffs with Rotary  8 5/8" casing at 99' with 50 sacks.  52" casing at 1800 ft. with 200 sacks.  I understand that this plan of work must receive approval in writing by the Geole Company R & G DEILLING COMPANI, The address F. C. Box 1848  Farmington, N. S.	ths of proposed casings; indicate mudding jobs, cemenosed work)  tools - 1800 .  see a second