

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. I-149-IND-8471
2. NAME OF OPERATOR Amoco Production Company - operator Aztec Oil & Gas Company - sub operator		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo Tribe
3. ADDRESS OF OPERATOR Amoco - Security Life Bldg., Denver, Colorado 80202 Aztec - 2000 First National Bank Bldg., Dallas, Texas 75202		7. UNIT AGREEMENT NAME Gallegos Canyon Unit
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 550' NL, 750' EL, Section 25-28N-13W Unit Letter A		8. FARM OR LEASE NAME Gallup Part. Area "C"
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5898 KB	9. WELL NO. 120
		10. FIELD AND POOL, OR WILDCAT Cha Cha Gallup
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 25-T28N-R13W
		12. COUNTY OR PARISH San Juan
		13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Status: 8-5/8" surface pipe at 212'. Base Ojo Alamo 361'. DV tool estimated @ 1800'. Three production notches at 5565'. 4-1/2" casing in 7-7/8" hole. Depleted oil well.

Propose to plug well as follows:

1. Fill hole with gel-mud. Place 10 sxs. cement (130') plug from 5565' to 5435'
2. Place 10 sxs. cement (130') plug from 1865' to 1735'
3. Cut 4-1/2" casing at free point (top of annular cement estimated 562') and pull same. Fill hole with gel mud. Place 30 sxs. cement (160') plug bottomed 75' below casing cut.
4. Place 15 sxs. cement plug (52') from 387' to 335'.
5. Place 30 sxs. cement plug (100') from 262' to 162'
6. Place 10 sxs. cement (37') plug in top of surface pipe.
7. Cut off pipe at bottom of cellar, place one sack cement on top of pipe and install regulation marker.
8. Clean up and level location to as near original contour as practicable.

AMOCO PRODUCTION COMPANY

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

DATE

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: