



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 077376
Unit Jones

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	<u>Subsequent Report of Sandfrac Treatment</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 3th, 19 60

Well No. 3 is located 1980 ft. from N line and 1980 ft. from E line of sec. 17

SE/4 NW/4 Sec. 17
(1/4 Sec. and Sec. No.)

28N
(Twp.)

13W
(Range)

N.M.P.M.
(Meridian)

Undesignated
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 6023 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

7-28-60 TD 5750'. Cleaned out to 5719'. Dumped 250 gallons MCA. Loaded hole with oil. Pressure tested at 2500# for 30 minutes. No decrease. Perforated 5618-5626' with 4 jet shots per foot. Pressured up to 2000#. Formation broke. Displaced 125 gallons into formation. Perforated 5660-74' with 4 jet shots per foot. Sand-oil treated with 26,900 gallons oil and 27,000# 20/40 sand, flushed with 8,490 gallons. Average injection rate 37.4 BPM. Maximum TP 3000#, min. 2400#. Developed wellhead leak during frac. Shut down to tighten flange. After resuming frac, well sanded off. Instantaneous shut-down pressure 1000#, 10-minute SIP 650#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company BENSON-MONTIN-GREER DRILLING CORP.

Address 158 Petroleum Center Building

Farmington, New Mexico

By [Signature]

Title Vice-President