(November 1983) (Cormer : 9-331C)

UNITED STATES DEPARTMENT OF THE INTERIOR

(Other instructions on	Budget Bureau No. 1004-0136 pires August 31, 1985
	G SE DESIGNATION AND SERIAL NO.

instructions on	Budget Bureau No. 1004-0
	pires August 31, 1985
	G. BE DESIGNATION AND SERIAL N

	BUKE	.70 01	LAND MANAC	<u> </u>				NM01006		
APPLICATION	Y FOR PE	RMIT T	O DRILL, I	DEEPE	N, OR PL	UG B	ACK	6. IF INDIAN,	ALLOTTES	OR TRIBE NAME
TTPE OF WORK	LL 🖾		DEEPEN -	តា	DI 11	G BAC	<u> </u>	7. UNIT AGRES	BMENT N	AMB
DKI TTPE OF WELL	LL C		הבבגבו א	U	PLU	G BAC	.			
NELL OA	ELL X	THER			NGLE X	MULTIPI Zone		8. FARM OR LI		
AME OF OPERATOR				1	···			Lucerne	ランタ e Fede	eral 5
Roddy Producti	on Company	y, Inc.	36845					9. WELL NO.		
ADDRESS OF OPERATOR		.	07400					30	0-045	- 29223 R WILDCAT 7960
P.O. Box 2221,	PARMINGE	on, INM	87499	th any S	tata requiremen	10 41				
At surface 1190' FSL & 14					and requirement	,		11. SEC., T., 2.	. M. OR 1	ffs EXT
At proposed prod. zon								AND SURVI	BY OR AS	· ·
	_							Sec.17,	T28N,	R11W,NMPM
DISTANCE IN MILES	AND DIRECTION I	FROM NEAR	EST TOWN OR POS	T OFFICE	•			12. COUNTY OF	PARISH	13. STATE
4.7 miles sout	hwest of	Bloomf:	ield, NM	1 10 10-			1 10	San Jua		NIM
LOCATION TO NEAREST PROPRETY OR LEASE L	ľ			10. NO	. OF ACRES IN I	CEABE		OF ACRES ASSIGN HIS WELL	ED	
(Also to nearest drig DISTANCE FROM PROF	g. unit line, if a		1190 '		518 (e)		20 2024	160 at or cable to	01.8	
TO NEAREST WELL, DI OR APPLIED FOR, ON THE	rilling, compli		500'		884'		20. AUTA	Rotary		
ELEVATIONS (Show who	· · · · · · · · · · · · · · · · · · ·			1			<u>!</u>			RK WILL START"
5755' GR		F	rocedural review	v pursu	ent to 43 CFR	3165.3		March	, 1995	5
<u> </u>			nd appeal pursi ROPOSED CASII				DRILLI	NG OPERATION	3 AUTH	CRIZED ARE
SIZE OF HOLE	SIZE OF CA	BING	WEIGHT PER P	007	SETTING DE	PTH		CI TO COMPLIA RAL R ECONTRES A		TH ATTACHED
							<u> </u>	ANT PARTIES	10110	
	7"		20# J or K	-55	200		55 SX	(65 cu ft)) circ	c to surface
8 3/4" 6 1/4" Roddy Product: to a TD of 200 hours. Test of	7" 4 1 ion propos 0'. Run a	nd cem 600 ps	ent surface i for 30 mi	Naci casi nutes	1884' miento For ng with ce . Drill a	ement 1 a 6-1/4	n. Wil returns 4" hole	1 drill as to surface to TD of	n 8-3, ce. V	MOC 12 using
8 3/4" 6 1/4" Roddy Product:	7" 4 1 ion propos 0'. Run a casing to ud. Run 1 12 hrs. or 30 minu tured Clif gases are ht materia	es to mand ceme 600 ps. ogs at Move of tes pr. fs and anticils wil	spud in the ent surface i for 30 minut drilling ior to perfect stimulate pated.	Naci casi nutes nd ce rig orati using	miento Forng with ce. Drill ament produand move ing. Run of fresh wat	ement in 6-1/4 iction in compassed liter bas	235 sx n. Will returns 4" hole casing pletion	1 drill as to surface to TD of with ceme unit. Progression	n 8-3, ce. V 1884 ent re ressur	/4" hole WOC 12 using eturns to re test
8 3/4" 6 1/4" Roddy Product: to a TD of 200 hours. Test of fresh water mm surface. WOC to 2000 psi for Perforate Pice No poisonous of Adequate weight	7" 4 1 ion propos 0'. Run a casing to ud. Run 1 12 hrs. or 30 minu tured Clif gases are ht materia	es to mand ceme 600 ps. ogs at Move of tes pr. fs and anticils wil	spud in the ent surface i for 30 minut drilling ior to perfect stimulate pated.	Naci casi nutes nd ce rig orati using	miento Forng with ce. Drill ament produand move ing. Run of fresh wat	ement in 6-1/4 iction in compassed liter based literature li	235 sx 1. Will returns 4" hole casing oletion hole co sed for	1 drill are to surface to TD of with ceme unit. Proprelation of the Farm 1995	n 8-3, ce. V 1884 ent re ressur	/4" hole WOC 12 using eturns to re test
8 3/4" 6 1/4" Roddy Product: to a TD of 200 hours. Test of fresh water me surface. WOC to 2000 psi for Perforate Pice No poisonous of Adequate weight	7" 4 1 ion propos 0'. Run a casing to ud. Run 1 12 hrs. or 30 minu tured Clif gases are ht materia	es to mand ceme 600 ps. ogs at Move of tes pr. fs and anticils wil	spud in the ent surface i for 30 minut drilling ior to perfect stimulate pated.	Naci casi nutes nd ce rig orati using	miento Forng with ce. Drill ament produand move ing. Run of fresh wat	ement in 6-1/4 iction in compassed liter based literature li	235 sx n. Will returns 4" hole casing pletion	1 drill are to surface to TD of with ceme unit. Proprelation of the Farm 1995	n 8-3, ce. V 1884 ent re ressur	/4" hole MOC 12 ' using eturns to re test
8 3/4" 6 1/4" Roddy Product: to a TD of 200 hours. Test of fresh water me surface. WOC to 2000 psi for Perforate Pice No poisonous of Adequate weight	7" 4 1 ion propos 0'. Run a casing to ud. Run 1 12 hrs. or 30 minu tured Clif gases are ht materia ship is BL	es to ind cem 600 ps ogs at Move of tes prifs and anticils will.	spud in the ent surface i for 30 minut drilling ior to perfect stimulate pated.	Naci casi nutes nd ce rig orati using	miento Forng with ce. Drill ament produand move ing. Run of fresh wat	ement in 6-1/4 iction in compassed liter based literature li	235 sx 1. Will returns 4" hole casing oletion hole co sed for	1 drill are to surface to TD of with ceme unit. Proprelation of the Farm 1995	n 8-3, ce. V 1884 ent re ressur logs.	/4" hole WOC 12 ' using eturns to re test h sands.
Roddy Product: to a TD of 200 hours. Test of fresh water me surface. WOC to 2000 psi for Perforate Pict No poisonous of Adequate weight Surface owners	7" 4 1 ion propos 0'. Run a casing to ud. Run 1 12 hrs. or 30 minu tured Clif gases are ht materia ship is BL	es to ind cem 600 ps ogs at Move of tes prifs and anticils will.	spud in the ent surface i for 30 minut drilling ior to perfect stimulate pated.	Naci casi nutes nd ce rig orati using	miento Forng with ce. Drill ament produand move ing. Run of fresh wat	ement in 6-1/4 iction in compassed liter based literature li	235 sx 1. Will returns 4" hole casing oletion hole co sed for	l drill are to surface to TD of with ceme unit. Proprelation of the Farm 1995	n 8-3, ce. V 1884 ent re ressur logs.	/4" hole WOC 12 ' using eturns to re test h sands.
Roddy Product: to a TD of 200 hours. Test of fresh water me surface. WOC to 2000 psi for Perforate Pice No poisonous of Adequate weight Surface owners (This space for Federal Proved by	7" 4 1 ion propos 0'. Run a casing to ud. Run 1 12 hrs. or 30 minu tured Clif gases are ht materia ship is BL	es to ind cem 600 ps ogs at Move of tes prifs and anticils will.	spud in the ent surface i for 30 mi. TD. Run a ut drilling ior to perfestimulate pated. 1 be on loc	Naci casi nutes nd ce rig orati using	miento Forng with ce. Drill ament produand move ing. Run of fresh wat to control	ement in 6-1/4 iction in compassed liter based literature li	235 sx 1. Will returns 4" hole casing oletion hole co sed for	l drill are to surface to TD of with ceme unit. Proprelation of the Farm 1995	n 8-3, ce. V 1884 ent re ressur logs.	/4" hole WOC 12 ' using eturns to re test h sands.
Roddy Product: to a TD of 200 hours. Test of fresh water me surface. WOC to 2000 psi for Perforate Pict No poisonous of Adequate weight Surface owners (This space for Feder PERMIT NO.	7" 4 1 ion propos 0'. Run a casing to ud. Run 1 12 hrs. or 30 minu tured Clif gases are ht materia ship is BL	es to ind cem 600 ps ogs at Move of tes prifs and anticils will.	spud in the ent surface i for 30 mi. TD. Run a ut drilling ior to perfestimulate pated. 1 be on loc	Naci casi nutes nd ce rig orati using	miento Forng with ce. Drill ament produced and move in fresh wat to controlly to controlly approved the controlly approved by the controlly approved	ement in 6-1/4 iction in compassed liter based literature li	235 sx 1. Will returns 4" hole casing oletion hole co sed for	l drill are to surface to TD of with ceme unit. Proprelation of the Farm 1995	n 8-3, ce. V 1884 ent re ressur logs.	/4" hole WOC 12 ' using eturns to re test h sands.
8 3/4" 6 1/4" Roddy Product: to a TD of 200 hours. Test of fresh water me surface. WOC to 2000 psi for Perforate Pice No poisonous of Adequate weight Surface owners (This space for Feder PERMIT NO.	7" 4 1 ion propos 0'. Run a casing to ud. Run 1 12 hrs. or 30 minu tured Clif gases are ht materia ship is BL	es to ind cem 600 ps ogs at Move of tes prifs and anticils will.	spud in the ent surface i for 30 mi. TD. Run a ut drilling ior to perfestimulate pated. 1 be on loc	Naci casi nutes nd ce rig orati using	miento Forng with ce. Drill ament produced and move in fresh wat to controlly to controlly approved the controlly approved by the controlly approved	ement in 6-1/4 iction in compassed later based later b	235 sx 1. Will returns 4" hole casing oletion hole co sed for	l drill are to surface to TD of with ceme unit. Proprelation of the Farm 1995	n 8-3, ce. V 1884 ent ressur logs.	/4" hole WOC 12 ' using eturns to re test h sands.

District [20 Bax 1980, Hobbs, NM 88241-1980

State of New Mexico Energy, Macrais & Natural Resources Department

Form C-102 Revised February 21, 1994

Instructions on back 30 Drawer DD, Artesia, NM 88211-0719 OIL CONSERVATION DIVISION Submit to Appropriate District Office District III PO Box 2088 Santa Fe, NM 87504-2088 State Lease - 4 Copies 1000 Hio Bruzos Rd., Aztec. NM 87410 1:53 Fee Lease - 3 Copies District IV 20 Box 2088, Santa Fe, NM #7504-2088 AMENDED REPORT WELL LOCATION AND ACREAGE DEDICATION PLAT API Number 1 Pool Code ³ Pool Name 79680 West Kutz Pictured Cliffs Ext 30-045-29223 Property Code 13929 ³ Property Name · Well Number Lucerne Federal 'OGRID No. 1 Operator Name Elevation 36845 5755' Roddy Production Inc. ¹⁰ Surface Location UL or lot no. Section Township Range Lot Ida Feet from the North/South line Feet from the East/West line County 11 W 0 17 28 N 1190' FSL 1450' FEL S.J. 11 Bottom Hole Location If Different From Surface UL or lot no. Section Feet from the Township North/South line East/West line County 13 Dedicated Acres is Joint or Infill 14 Consolidation Code 15 Order No. 160 NA NA NA NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 5283. 30 ¹⁷ OPERATOR CERTIFICATION 16 I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief Robert E. Fielder OIL CON. DIV. Printed Name Agent. DIST, 3 Title February 24, 1995 18SURVEYOR CERTIFICATION was plotted from field notes of actual surveys made by m or under my supervision, and that the same is true and correct to the best of my belief. 90.

Cedificate No

