Form 3160-5 (August 1999)	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT			FORM APPROVED OMB NO. 1004-0135 Expires: November 30, 2000 5. Lease Serial No.	
	SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals				SF-078278 6. If Indian, Allottee of Tribe Name
SUBMIT IN TRIPLICATE - Other instructions on reverse side					7. If Unit or CA/Agreement, Name and/or No.
Type of Well Oil Well	X Gas Well Other		Co.	3	San Juan 29-6 Unit 8. Well Name and No.
2. Name of Operator Phillips Petroleum Company			6.	3	SJ 29-6 Unit #104 9. API Well No.
3a. Address 5525 Highway 64, NBU 3004, Farmington, NM 87401			3b. Phone No. (include ar 505-599-3454	rea code)	30-039-20490 10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Unit N, 985' FSL & 1460' FWL Section 14, T29N, R6W					Basin Dakota 11. County or Parish, State Rio Arriba, NM
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
TYF	PE OF SUBMISSION		TYPE OF ACTION		
	Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Inject	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Reclamation Recomple	To ther Add MV pay to Dakota well
Describe Proposed or Coommpleted Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.) This is a Dakota well that was completed in 7/72. See attached for the proposed procedure to come up hole and complete the Mesaverde. Also attached is the C102 for the Mesaverde interval. We will then commingle the Mesaverde and Dakota production downhole. This well will be commingled per Order R11187 after the paperwork has been filed and the individual well commingling order received. We will submit a sundry reporting the date actual commingling occurs.					
<i>(</i>					

14. I hereby certify that the foregoing is true and correct
Name (Printed Typed)

Patsy Clugston

Patsy Clugston

Sr. Regulatory/Proration Clerk

Date

5/31/00

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

- 1. RU completion rig. Pull production tubing.
- 2. Set RBP above Dakota interval and pressure test casing.
- 3. Perforate the Mesaverde intervals 1 spf .36" holes at depth to be determined from GR/CCL/CBL.
- 4. Breakdown Mesaverde perforations using 15% HCL.
- 5. Stimulate the entire Mesaverde with 150,000 gal slickwater and 75,000 # sand.
- 6. Isolate the Mesaverde perforations.
- 7. Perforate the Lewis Shale interval @ 1 spf .36" holes at depths to be determined from GR/CCL/CBL.
- 8. Breakdown Lewis Shale perforations with 15% HCL & ballsealers.
- 9. Stimulate the Lewis Shale with 200,000 # sand and 60 Quality N2 foam.
- 10. Flow back well on 1/4" & 1/2" chokes to cleanup.
- 11. Drill out plugs and clean out well and land tubing. Return well to production.

District I 1625 N. French Dr., Hobbs, NM 88240 District II

1000 Rio Brazos Rd., Aztec, NM 87410

811 South First, Artesia, NM 88210

District III

District IV

State of New Mexico Energy, Minerals & Natural Resources

Form C-10 Revised March 17, 199

2040 South Pacheco Santa Fe, NM 87505 Submit to Appropriate District Offic

OIL CONSERVATION DIVISION

State Lease - 4 Copie Fee Lease - 3 Copie

2040 South Pacheco, Santa Fe, NM 87505 AMENDED REPOR WELL LOCATION AND ACREAGE DEDICATION PLAT ¹ API Number ² Pool Code 30-039-20490 72319 Blanco Mesaverde ⁴ Property Code 5 Property Name Well Number 009257 San Juan 29-6 Unit 104 OGRID No. Operator Name ⁹ Elevation 017654 Phillips Petroleum Company 6695 ¹⁰ Surface Location UL or lot no. Section Township Lot Idn Feet from the North/South line Range Feet from the East/West line County N 14 29N 6W 985 south West Rio Ar<u>riba</u> 11 Bottom Hole Location If Different From Surface UL or lot no. Lot Idn Section Township Range Feet from the North/South line Feet from the East/West line County N 12 Dedicated Acres ¹³ Joint or Infill Consolidation Code ¹⁵ Order No. 320 W/2 U J

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION ¹⁷ OPERATOR CERTIFICATION hereby certify that the information contained herein is true and omplete to the best of my knowledge and belief Signature Patsy Clugston Printed Name Sr. Regulatory/Proration Clerk May 31, 2000 ¹⁸SURVEYOR CERTIFICATION SF-078278 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. see original dated 12/3/71 Date of Survey Signature and Seal of Professional Surveyer: signed by 1460' David O. Vilven 1760