Submit 3 Copies to Appropriate	Energy, Minerals and Na	ew Mexico atural Reso		nent	Form C-103 Revised 1-1-89
District Office DISTRICT I	OIL CONSERVA	ATION	KDIVISIO	N	
P.O. Box 1980, Hobbs NM 88241-1980	2040 P	acheco 🗱		WELL API NO.	039-21311
DISTRICT II P.O. Drawer DD, Artesia, NM 88210	Santa Fe,	NM M		In the Type of	
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410		ത്ര	7 00 5	199 6. State Oil & Gas E - 289 - 3	s Lease No.
SUNDRY NOT	CES AND REPORTS ON	N WELLS	7 GOW	D 664////////	
	POSALS TO DRILL OR TO DE RVOIR. USE "APPLICATION F -101) FOR SUCH PROPOSAL	OR PERMIT	LUG BACK TE	Lease Name or	Unit Agreement Name
1. Type of Well: OIL GAS WELL GAS WELL X	OTHER		017654	San Juan 29-	6 Unit 009257
2. Name of Operator Phillips Petroleum Company				8. Well No. SJ 29-6 Un	rit #9A
3. Address of Operator 5525 Highway 64, NBU 3004, F	armington NM 87401			9. Pool name or V Blanco Mesav	Vildcat
4. Well Location Unit Letter E : 1460		orth	Line and	800 Feet From	n The West Line
26	201	D	6W	_	Dia Anniha
Section 30	Township 29N 10. Elevation (Show	Range w whether D		* * * * * * * * * * * * * * * * * * * *	KTO ATT TDa County
11. Check Ap	propriate Box to Ind	icate Na	ture of Not	ice. Report, or C	<u> </u>
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:					
PERFORM REMEDIAL WORK	PLUG AND ABANDON		EMEDIAL WORK		ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS	<u> </u>	OMMENCE DRIL		PLUG AND ABANDONMENT
PULL OR ALTER CASING		İ		D CEMENT JOB	
OTHER: Add pay and stim	ulate	Y	THER:		
12. Describe Proposed or Completed Ope	rations (Clearly state all pertit			nt dates including estima	ated date of starting any proposed
work) SEE RULE 1103.	ations (Cicarly state an pertin	ucut uctans,	and give permier	nt dates, mendung estima	ted date of starting any proposed
MIRU. ND WH & NU BOPs. POOH w/production tubing. Isolate existing Mesaverde perfs with bridge plug.					
PT casing. If casing fails test - isolate failure. Remediate with cement.					
If well records indicate no cement across the Lewis Shale interval, it may be necessary to run a casing bond long (CBL). Shoot squeeze holes in casing and pump sufficient volumes of cement to cover and isolate the Lewis Shale.					
Perforate and stimulate the Lewis Shale (perfs to be determined after logs are run). Retrieve bridge plug and run production tubing. Flow test the Lewis Shale.					
A workover pit may be re	quired.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief.					
SIGNATURE Fallsig (Lugton	_ TITLE _	Regulato	ory Assistant	DATE8-3-98
TYPE OR PRINT NAME Pat	sy Clugston				TELEPHONE NO. 505-599-3454
(This space for State Use)			•		AHO 4 - 4000
ORIGINAL SIGNED BY	ERNIE BUSCH	TITLE	DEPUTY OIL &	GAS INSPECTOR, DIST	AUG 1 1 1998

CONDITIONS OF APPROVAL, IF ANY: