District I PO Box 1980, Hobbs, NM District II P.O. Drawer DD, Artesia, NM 88211 District III 1000 Rio Brazos Rd, Azzec, NM 87410

State of New Mexico Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO APPROPRIATE DISTRICT OFFICE

OIL CONSERVATION DIVISION DIVISION &, TOUTH FE OFFICE

Santa Fe, New Mexico 87504 DESUTY OIL & GAS INSPECTOR

SEP 11 11 1995

PIT REMEDIATION AND CLOSURE REPORT

Operator: Wil	lliams Field Services	Telephone: 801-584-6999		
Address: 295 Chipeta Way Salt Lake City, UT 84158				
Facility Or: SJ 29-6 #50 A Well Name				
Location: Unit or Qtr/Qtr Sec NW SE Sec 36 T29N R 6W County RIO ARRIGA				
Pit Type: Separator Dehydratorx Other				
Land Type: BLM, State, Fee, Other				
Pit Location: (Attach diagram)	Pit dimensions: le	ngth 30 , width 16 , depth 31/2		
(modeli dragram)	Reference: wellhead	d, other		
	Footage from referen	nce: <u>57</u>		
	Direction from refer	rence: 160 Degrees \times East North \times		
		of		
		West South		
Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)		Less than 50 feet (20 points) 50 feet to 99 (10 points)		
		Greater than 100 feet (0 Points)		
		DECENVED		
Wallhard Drates				
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)		SEP 1 9 1994 (20 points) No (0 points)		
		oil com. div.		
		DISI. 3		
Distance To Surface Water: (Horizontal distance to perennial		Less than 200 feet (20 points)		
lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)		200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points)		
	•	PANETNG GCOPP (MOMAL DOTIMAL)		
		RANKING SCORE (TOTAL POINTS): 10		

Date Remediation St	arted:	Dated Completed:	
Remediation Method: (Check all appropriate	Excavation	Approx. cubic yards	
sections)	Landfarmed		
	Other		
Remediation Location: Onsite Offsite			
(ie. landfarmed onsite, name and location of offsite facility)			
• ,	Of Remedial A	ction:	
		-	
Site Assessment in accordance with OCD and BLM guidance document.			
Ground Water Encount	ered: No _	X Yes Depth	
Final Pit: Closure Sampling: (if multiple samples,	Sample location	on <u>Standard Triangle from pit floor.</u>	
attach sample results and diagram of sample	Sample depth	3'	
locations and depths)	Sample date		
	Sample Results		
	Benzene(p	pm)	
	Total BTE	(X(ppm)	
	Field hea	dspace(ppm) 91	
	TPH 500		
Ground Water Sample:	Yes N	o X (If yes, attach sample results)	
I HEREBY CERTIFY THA	T THE INFORMAT BELIEF	ION ABOVE IS TRUE AND COMPLETE TO THE BEST	
DATE 9-6-94			
SIGNATURE H France	PRIN AND	TED NAME TITLE Lee Bauerle, Environmental Spec.	



AMERICAN

ORGANIC ANALYSIS REPORT

WEST Client: Mile High Environmental ANALYTICAL Date Sampled: June 29, 1994

LABORATORIES Date Received: July 5, 1994

Set Description: Sixty-One Solid Samples

Set Identification #: 18988 Contact: Mark Harvey

Received By: Eddie Richmond

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number:

EPA 418.1 (Extraction Infrared Absorption)

Date Extracted: July 11, 1994

463 West 3600 South Salt Lake City, Utah

84115

Lab Sample ID. Number:

18988-06

Field Sample ID. Number: Vulnerable Area Pit Locations

Date Analyzed: July 14, 1994

SJ 29-6 #50 A/86941

Analytical Results

Units = mg/kg (ppm)

Total Recoverable Petroleum Hydrocarbons

(801) 263-8686 Fax (801) 263-8687

Compound:

Detection Limit:

Amount Detected:

Total Recoverable Petroleum Hydrocarbons

5.0

500.

< Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Report Date 7/18/94