

Submit to Appropriate District Office
 State Lease - 6 copies
 Fee Lease - 5 copies
 District I
 1625 N. French, Hobbs, NM 88240
 District II
 811 South First, Artesia, NM 87210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-105
 Revised March 25, 1999

OIL CONSERVATION DIVISION
 2040 South Pacheco
 Santa Fe, NM 87505

WELL API NO.
 30-039-26338

5. Indicate Type Of Lease
 STATE FEE

6. State Oil & Gas Lease No.
 E-289-46

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well: OIL WELL GAS WELL DRY OTHER _____

b. Type of Completion: NEW WELL WORK OVER DEEPEN PLUG BACK DIFF. RESVR. OTHER _____

7. Lease Name or Unit Agreement Name
 San Juan 29-6 Unit 009257

8. Well No.
 SJ 29-6 Unit 101M

9. Pool name or Wildcat
 Blanco Mesaverde 72319

2. Name of Operator
 Phillips Petroleum Company

3. Address of Operator
 5525 Highway 64, NBU 3004, Farmington, NM 87401 505-599-3454

4. Well Location
 Unit Letter 0 : 792' Feet From The South Line and 1137' Feet From The East Line

Section 36 Township 29N Range 6W NMPM Rio Arriba County

10. Date Spudded 5/13/00 11. Date T.D. Reached 5/21/00 12. Date Compl. (Ready to Prod.) 12/8/00

13. Elevations (DF & RKB, RT, GR, etc.) 6492' GL 14. Elev. Casinghead _____

15. Total Depth 7859' 16. Plug Back T.D. CIBP-5880' 17. If Multiple Compl. How Many Zones? 2

18. Intervals Drilled By _____ Rotary Tools X Cable Tools _____

19. Producing Interval(s), of this completion - Top, Bottom, Name
 Blanco Mesaverde 5224' - 5669'

20. Was Directional Survey Made
 no

21. Type Electric and Other Logs Run
 GR/CCL/CBL

22. Was Well Cored
 no

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#, K-55	329'	12-1/4"	215 sx (303 cf) Type 3	52 sx
7"	20#, J-55	3800'	8-3/4"	L-500 sx(1250 cf) Type 3	
				T-50 sx (70 cf) Type 3	TOC @ 910'
4-1/2"	11.6#, L-80	7859'	6-1/4"	L-1st-150 sx & 2nd 85 sx	
				T-1st-50 sx C1 H	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD
					SIZE DEPTH SET PACKER SET
					2-3/8" 5740' n/a
					4.7#

26. Perforation record (interval, size, and number)
 Blanco MV @ .36" holes - Total 48 holes
 Pt Lookout 5539'-5669'=18 holes; Menefee 5324'-5480' = 18 holes; Cliffhouse 5224'-5245 12 holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
5224'-5669'	1500 gal 15% HCl (3 stages)
5224'-5669'	70 Q Slickwater (2,945,900 scf N2 (in 3 stages) & 88.640# 20/40 Sand. 1576bbl fluid

28. PRODUCTION

Date First Production 12/8/00 Production Method (*Flowing, gas lift, pumping - Size and type pump*) flowing Well Status (*Prod. or Shut-in*) producing

Date of Test 12/8/00 Hours Tested 24 hrs Choke Size 1.00" Prod'n For Test Period _____ Oil - Bbl. _____ Gas - MCF 1 mmcf Water - Bbl. appr. 5 bwpd Gas - Oil Ratio _____

Flow Tubing Press. 450 psi Casing Pressure 580 psi Calculated 24-Hour Rate _____ Oil - Bbl. _____ Gas - MCF 1 mmcf Water - Bbl. appr. 5 bwpd Oil Gravity - API -(Corr.) _____

29. Disposition of Gas (*Sold, used for fuel, vented, etc.*) _____ Test Witnessed By Jerry Loudermilk

30. List Attachments _____

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Patsy Clugston Printed Patsy Clugston Sr. Regulatory Clerk 12/13/00

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northeastern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____ 2554	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____ 2664	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____ 3369	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____ 5169	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____ 5259	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____ 5549	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____ 5874	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____ 6784	T. Ignacio Otzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____ 7524	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____ 7719	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs _____	T. Entrada _____	T. _____
T. Abo _____	T. _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____
 No. 2, from _____ to _____
 No. 3, from _____ to _____
 No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet
 No. 2, from _____ to _____ feet
 No. 3, from _____ to _____ feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
1444			Nacimiento				
2554	2664	110	Sandstone				
2664	3034	370	Sandstone				
3034	3369	335	Shale, coal & sandstone				
3369	3609	240	Marine Sands				
3609	5169	1560	Sandstone/Shale				
5169	5259	90	Sandstone/shale				
5259	5549	290	Sandstone/shale				
5549	5874	325	Sandstone/shale				
5874	6784	910	Shale				
6784	7524	740	Sandstone/shale				
7524	7589	65	Limestone/shale				
7589	7719	130	Sandstone/shale				
7719	TD		Sandstone/shale				
Tops are estimate, no open				hole	logs	run.	