DISTRICT I

P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT II

()perator

811 South First St., Artesia, NM 88210-2835

DISTRICT III

1000 Rio Brazos Rd, Aztec, NM 87410-1693

San Juan 29-7 Unit

State of New Mexico Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

2040 S. Pacheco Santa Fe, New Mexico 87505-6429 APPLICATION FOR DOWNHOLE COMMINGLING

I-17-29N-07W

Form C-107-A New 3-12-96

APPROVAL PROCESS:

X Administrative ___Hearing

EXISTING WELLBORE

X_YES __ NO

Burlington Resources Oil and Gas


#44-A


PO Box 4289, Farmington, NM 87499

Rio Arriba

| | Well No. Unit Ltr Sec | - Twp - Rge | County |
|--|--|--|---|
| •450 | | | sing Unit Lease Types: (check 1 or more) |
| GRID NO. <u>14538</u> Property C | ode7465 API N | O30-039-21980 Fed | leralX_ , State, Fee |
| The following facts are submitted in support of downhole commingling: | (Upper Zone | (Intermediate + 22ons | loyer Zon |
| 1. Pool Name and Pool Code | Mesa Verde – 72319 | | Dakota - 71599 |
| 2. Top and Bottom of Pay Section (Perforations) | 5098'-6074' | | 7712'-7888' |
| 3. Type of production (Oil or Gas) | Gas | | Gas |
| 4. Method of Production (Flowing or Artificial Lift) | Flowing | RECEIVED | Flowing |
| 5. Bottomhole Pressure | (Current) a. 409 psi (see attachment) | MAR - 4 1958 | a. 372 psi (see attachment) |
| Oil Zones - Artificial Lift: Estimated Current Gas & Oil - Flowing: Measured Current | (Original) b. 775 psi (see attachment) | OUL COM. DIV | b. 3110 psi (see attachment) |
| All Gas Zones: Estimated or Measured Original 6. Oil Gravity (°API) or | BTU 1189 | DUE 3 | BTU 1113 |
| Gas BTÚ Content 7. Producing or Shut-In? | Producing | | Producing |
| Production Marginal? (yes or no) | No | | No |
| If Shut-In and oil/gas/water rates of last production | Date: N/A Rates: | | Date: N/A Rates: |
| Note: For new zones with no production history, applicant shall be required to attack production estimates and supporting data | | | Date: 2/98 |
| * If Producing, give data and oil/gas/water water of recent test (within 60 days) | Date: 2/98 Rates: 132 mcfd 0.0 bopd | | Rates: 71 mcfd 0.0 bopd |
| 8. Fixed Percentage Allocation Formula -% for each zone (total of %'s to equal 100%) | Will be supplied upon completion | | Will be supplied upon completion. |
| Are all working, overriding, a If not, have all working, overr Have all offset operators bee | nd royalty interests identical iding, and royalty interests t n given written notice of the | in all commingled zones? been notified by certified mail? proposed downhole commingl | - not be damaged will any cross-flow |
| 11. Will cross-flow occur?A_ in production be recovered, and 12. Are all produced fluids from an analysis of the produced fluids. | d will ale amount | | (If No, attach explanation) Yes No |
| | | 17 Yes X NO (ITTES, ? | attach explanation) |
| 14. If this well is on, or commun | itized with, state or federal | lands, either the Commission of this applicationXYes | ner of Public Lands or the United Sta |
| 15. NMOCD Reference Cases for | Rule 303(D) Exceptions: Ol | RDER NO(S). Reference (| Order # R-10697 |
| 16. ATTACHMENTS: * C-102 for each zor * Production curve to recommend at the commend at the co | ne to be commingled showing for each zone for at least one production history, estimate location method or formula. | g its spacing unit and acreage byear. (If not available, attach d production rates and suppor alty interests for uncommon in a required to support comming | dedication. nexplanation.) ting data. |
| I hereby certify that the info | | | |
| SIGNATURE | Jovel - | | DATE03-02-98 |
| TYPE OR PRINT NAME | L. Tom Loveland | TELEPHONE NO. (| _505_)326-9700 |

| / | <u>′</u> | All distances mu | st be from the out | er boundaries of | the Section. | | |
|---------------------------------|--|---------------------|--------------------|------------------|--------------|--|---|
| ☆ ગ | | | Lease | ····· | | | Well No. |
| 1 Paso Natur | al Gas Com | ipany | San | Juan 29-7 | Unit (S) | F-078423) | 44A |
| at Letter Sec | tion | Township | Romo | | County | | |
| | 17 | 29N | | 7W | Rio | Arriba | |
| Actual Footage Location | of Well: | | | | | | |
| 1640 fee | et from the S | outh lin | e and 1120 |) te | et from the | East | line |
| Ground Level Elev. | Producing For | rmation | Pool | Basin Da | | | edicated Acreage: 320.0 |
| 6668 | Mesa Ve | erde - Dakota | | Blanco Me | sa Verde | | _320.00 & 320.0 |
| 1. Outline the ac | creage dedica | ited to the subje | ct well by co | lared pencil | or hachure r | narks on the | |
| 2. If more than interest and ro | one lease is oyalty). | dedicated to the | e well, outline | each and ide | entify the o | wnership ther | eof (both as to working |
| dated by comm | nunitization, 1 | unitization, force- | pooling. etc? | | have the in | nterests of a | ll owners been consoli- |
| Yes | No If a | nswer is "yes," t | ype of consoli | dation | | | |
| this form if ne | cessary.) | | | | | | d. (Use reverse side of |
| forced-pooling, | or otherwise | or until a non-st | andard unit, e | liminating su | ch interests | d (by commu | nitization, unitization, oproved by the Commis- |
| | ı | N N | ~~~~ | | AAAAA M | (| ERTIFICATION |
| MODE DITC | TAM TO DE: | TGG1777 | | 1 | × | | |
| NOTE: THIS F | PLAT IS REI | 101 | | ì | × | I hereby cer | tify that the information con- |
| | • | f 3 | | | X | | is true and complete to the |
| MESA VERDE & | DAVOIA. 3. | -21-15 N | | 1 | × | | nowledge and belief. |
| | 1 | × | | H ## | X | • | · |
| | 1 . | X | | 1 0 | X | | |
| | + | 🕅 | | i - | 0 | Name | |
| | i | × | | 1 | X | | |
| | i | K) | | 1 | N N | Position | |
| | 1 | Ø | | 1 | Ø | | ··· |
| | | Ø | SF-07 | , 18423 | IX | Compony | |
| | i | ⊠ | 51 0, | 1 | × | Date | |
| | | × | | 1 | M | Date | |
| 1 | i | S ec | | 1 | X | | |
| | 1 | X 1' | 7 | | <u> </u> | | |
| , | • | KX . | | 1 | м | | |
| | 1.0 | W | | | K) | I becehy ce | rtify that the well location |
| 1 | Mar | × | | 1 | × | • | rtify that the well location |
| in and | NED) | × | | ! | | shown on thi | s plat was plotted from field |
| - a Rell | NED - | | | 1 | X | shown on thi | • |
| alegiell' | WE DO | | | | o• | shown on thi notes of act under my su | s plat was plotted from field wal surveys made by me cr |
| PECEN | ALE D | ° × | | | o• | shown on thi notes of act under my su | s plat was plotted from field ual surveys made by me cr pervision, and that the same correct to the best of my |
| DE CEN | A SERIES DIA | ° | | | o' | shown on thi notes of act under my su is true and | s plat was plotted from field ual surveys made by me cr pervision, and that the same correct to the best of my |
| DIE CHEN | A Section of the sect | ° | | 1 112 | o• | shown on thi notes of act under my su is true and | s plat was plotted from field ual surveys made by me cr pervision, and that the same correct to the best of my |
| DIE CHEN | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | ° | | 112 | o• | shown on thi notes of act under my su is true and | s plat was plotted from field ual surveys made by me cr pervision, and that the same correct to the best of my |
| ONE CHENT | Mario BOLD | ° | | 1 112 | 0° | shown on this notes of act under my suj is true and knowledge a | s plat was plotted from field ual surveys made by me cr pervision, and that the same correct to the best of my and belief. |
| ONE CONTENT | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | ° | · | 112 | o• | shown on this notes of act under my sus is true and knowledge as Date Surveyed October | s plat was plotted from field ual surveys made by me cr pervision, and that the same correct to the best of my |
| ONE CONTENT | A SEE COLD | ° | | 1120790 | o• | shown on this notes of act under my sus is true and knowledge as Date Surveyed October | s plat was plotted from field that surveys made by me or pervision, and that the same correct to the best of my and belief. |
| ONE CHENT | A SEE ON | ° | . - | 112 | o' | shown on this notes of act under my supiles true and knowledge at Date Surveyed October Registered Programa/or Land St | s plat was plotted from field that surveys made by me or pervision, and that the same correct to the best of my and belief. 23, 1977 Transford Engineer |
| ONE CHENT | 1908 PM | ° | | 112 | o• | shown on this notes of act under my support and knowledge at Date Surveyed October Registered Pro | s plat was plotted from field that surveys made by me or pervision, and that the same correct to the best of my and belief. 23, 1977 Transford Engineer |
| ONE CARENT | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | 112 | 0° | shown on this notes of act under my supiles true and knowledge at Date Surveyed October Registered Programa/or Land St | s plat was plotted from field that surveys made by me or pervision, and that the same correct to the best of my and belief. 23. 1977 The state of the pervision of the same correct to the best of my and belief. |





San Juan 29-7 Unit #44A **Bottom Hole Pressures** Flowing and Static BHP

Cullender and Smith Method

Version 1.0 1/8/98

| Mesaverde | Dakota |
|---|---|
| MV-Current | DK-Current |
| GAS GRAVITY 0.699 COND. OR MISC. (C/M) C %N2 0.21 %CO2 0.98 %H2S 0 DIAMETER (IN) 7 DEPTH (FT) 5586 SURFACE TEMPERATURE (DEG F) 60 BOTTOMHOLE TEMPERATURE (DEG F) 150 FLOWRATE (MCFPD) 0 SURFACE PRESSURE (PSIA) 356 BOTTOMHOLE PRESSURE (PSIA) 408.7 | GAS GRAVITY 0.653 COND. OR MISC. (C/M) C %N2 0.16 %CO2 1.29 %H2S 0 DIAMETER (IN) 2.375 DEPTH (FT) 7800 SURFACE TEMPERATURE (DEG F) 60 BOTTOMHOLE TEMPERATURE (DEG F) 185 FLOWRATE (MCFPD) 0 SURFACE PRESSURE (PSIA) 313 BOTTOMHOLE PRESSURE (PSIA) 371.8 |
| MV-Original | DK-Original |
| GAS GRAVITY 0.699 COND. OR MISC. (C/M) C %N2 0.21 %CO2 0.98 %H2S 0 DIAMETER (IN) 7 DEPTH (FT) 5586 SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) 0 SURFACE PRESSURE (PSIA) 775.2 | GAS GRAVITY 0.653 COND. OR MISC. (C/M) C %N2 0.16 %CO2 1.29 %H2S 0 DIAMETER (IN) 2.375 DEPTH (FT) 7800 SURFACE TEMPERATURE (DEG F) 60 BOTTOMHOLE TEMPERATURE (DEG F) 185 FLOWRATE (MCFPD) 0 SURFACE PRESSURE (PSIA) 2542 BOTTOMHOLE PRESSURE (PSIA) 3110.3 |

Page No.: 1
Print Time: Fri Feb 13 11:06:52 1998

Froperty ID: 65
Property Name: SAN JUAN 29-7 UNIT | 44A | MV
Table Name: S:\ARIES\1MXJ\TEST.DBF

| [ATECUM_OIL- Bbl | CUM_GAS Mcf | Psi | ٨ | | |
|--|---|---|----------|---------------|--------|
| 08/19/80 09/25/80 01/19/81 08/12/81 11/05/82 11/05/84 10/03/86 10/23/89 01/20/92 06/01/93 | 0 0 43246 113486 195082 326942 423674 535040 627956 670242 855946 | 560.0 528.0 480.0 501.0 519.0 477.0 493.0 | Original | nated from Pl | z data |

Page No.: 1
Print Time: Fri Feb 13 11:06:41 1998
Froperty ID: 49
Property Name: SAN JUAN 29-7 UNIT | 44A | DK
Table Name: S:\ARIES\1MXJ\TEST.DBF

| LATECUM_OII | | | | | | |
|-------------|---------|--------|----------|------------|-----------|--------|
| Bbl | Mcf | Psi | | | | |
| | | | | | | |
| 08/19/80 | 0 | 2542.0 | Criginal | | | |
| 09/25/80 | 0 | 2543.0 |) | | | |
| 01/19/81 | 47561 | 1574.0 | | | | |
| 08/12/81 | 123925 | 921.0 | | | | |
| 05/13/82 | 193190 | 743.0 | | | | |
| 11/21/83 | 289566 | 812.0 | | | | |
| 06/05/85 | 399445 | 547.0 | | | | |
| 10/05/88 | 568312 | 902.0 | | | | |
| 04/22/90 | 636068 | 562.0 | | | | |
| 05/28/92 | 731174 | 522.0 | | | | |
| 04/16/93 | 786162 | 435.0 | 1 | - L. D A | from P/z | مال |
| 12/31/97 | 1035565 | 313.0 | Current | estimate a | trons +/2 | · cata |
| = | | | | | | |

Package Preparation **Volume Data**

DENOT 60347

Supt: 60 KEN RAYBON

FF: 335 LARY BYARS

MS: 318 J.R TRUJILLO

Pipeline: EPNG

2/13/98

Plunger: No Dual: Yes

Compressor:

No

| <u>o</u> | wnership (No | Trust) | | Prior Year | | | Current Year | | |
|-----------|--------------|------------|-------|------------|-------------|-------------|--------------|---|------------------------|
| | Gas | <u>Oil</u> | | | | <u>Days</u> | | | Days |
| GWI: | 62.5191% | 62.5191% | | MCF/M | BOPM | <u>On</u> | MCF/M | BOPM | <u>On</u> |
| GNI: | 52.8043% | 52.8043% | Jan | 0 | 0.0 | 0 | 12,530 | 0.0 | 31 |
| | | | Feb | 0 | 0.0 | 0 | 7,938 | 0.0 | 28 |
| Volumes | | | Mar | 0 | 0.0 | 0 | 8,100 | 0.0 | 31 |
| (Days On) | MCF | D BOPD | Apr | 728 | 0.0 | 15 | 7,160 | 82.0 | 30 |
| 7 Day Avg | 14 | 0.0 | May | 0 | 0.0 | 31 | 7,098 | 0.0 | 31 |
| 30 Day Av | g 13 | 2 0.0 | Jun | 0 | 0.0 | 30 | 3,818 | 0.0 | 22.6 |
| 60 Day Av | g 14 | 1 0.0 | Jul | 1,462 | 0.0 | 31 | 7,270 | 0.0 | 31 |
| 3 Mo Avg | 17 | 7 0.0 | Aug | 7,891 | 93.0 | 31 | 6,375 | 0.0 | 31 |
| 6 Mo Avg | 19 | 3 0.0 | Sept | 14,429 | 283.0 | 30 | 5,586 | 0.0 | 30 |
| 12 MoAvg | 23 | 0 0.2 | Oct | 3,998 | 124.0 | 31 | 6,245 | 0.0 | 31 |
| | | | Nov | 4,115 | 0.0 | 9.8 | 5,365 | 0.0 | 30 |
| Volumes | | | Dec | 8,554 | 0.0 | 26.9 | 4,645 | 0.0 | 31 |
| Days in M | lonth) MCF | D BOPD | Total | 41,177 | 500.0 | | 82,130 | 82.0 | |
| 30 Day Av | g 13 | 2 0.0 | 1000 | 41,177 | 000.0 | | 02,.00 | 02.0 | |
| 60 Day Av | g 14 | 1 0.0 | | | | | | Sair Sair Sair | (Carry of |
| 3 Mo Avg | 17 | 7 0.0 | | | | | | Meaning | |
| 6 Mo Avg | 19 | 4 0.0 | | | | | | | unical de la constante |
| 12 Mo Avg | 22 | 5 0.2 | | | | | E-2011/6 |)[[]][[][[][][][][][][][][][][][][][][] | Ja taliji |

Package Preparation Volume Data

| upt : 60 | KEN RAYB | ON F | F: 335 | LARY BYARS | | MS : 31 | | | |
|-------------------------|------------------------|------------------------|--------|------------|----------|--------------------------|--------|-----------|--------------------------|
| ipeline: | EPNG | Plunger: | No | Dı | ual: Yes | | Compre | essor: | No |
| Ov | vnership (No | Trust) | | Pr | ior Year | | Cun | rent Year | |
| GWI: | <u>Gas</u> 60.2270% | <u>Oil</u> 60.2270% | | MCF/M | ворм | <u>Days</u> <u>On</u> | MCF/M | ВОРМ | <u>Days</u> <u>On</u> |
| GNI: | 49.8477% | 49.8477% | Jan | 4,192 | 0.0 | 31 | 3,777 | 0.0 | 31 |
| O | | | Feb | 5,451 | 0.0 | 29 | 2,884 | 0.0 | 28 |
| /olumes | | | Маг | 6,932 | 0.0 | 31 | 2,899 | 0.0 | 31 |
| Days On) | MCF | D BOPD | Apr | 2,735 | 0.0 | 30 | 3,186 | 0.0 | 30 |
| Day Avg | 27 | | May | 6,258 | 0.0 | 28 | 3,138 | 0.0 | 31 |
| 30 Day Avg | , 7· | 1 0.0 | Jun | 5,509 | 0.0 | 26 | 4,047 | 0.0 | 24.6 |
| 60 Day Avg | • | | Jul | 3,304 | 0.0 | 31 | 2,903 | 0.0 | 31 |
| 3 Mo Avg | 8 | | Aug | 6,211 | 0.0 | 31 | 2,967 | 0.0 | 31 |
| 6 Mo Avg | 8 | 1 0.0 | Sept | 2,861 | 0.0 | 30 | 970 | 0.0 | 30 |
| 12 MoAvg | 9 | | Oct | 1,286 | 0.0 | 31 | 4,193 | 0.0 | 31 |
| 12 montg | • | | Nov | 1,762 | 0.0 | 30 | 2,477 | 0.0 | 30 |
| Volumes | | | Dec | 4,018 | 0.0 | 18.4 | 1,361 | 0.0 | 31 |
| (Days in M 30 Day Av | | | Total | 50,519 | 0.0 | | 34,802 | 0.0 | |
| 60 Day Av | • | • | | | | | e e | | |
| 3 Mo Avg | 8 | • | | | | | | nt Ford | r |
| 6 Mo Avg | 8 | • | | | | | | *** | |
| 12 Mo Avg | | 5 0.0 | | | | | | olumes | Data |


2/13/98

BURLINGTON RESOURCES OIL AND GAS COMPANYSan Juan 29-7 Unit #44A

OFFSET OPERATOR/OWNER PLAT

Mesaverde / Dakota Formations Commingle Well

Township 29 North, Range 7 West



1) Burlington Resources

| 131 ቜ52 | | 48 🕸 | 80A © | 35 © | 4A � |
|-------------------------|-------------------|------------------|--------------------------------|----------------|----------------|
| 7 89 52A ♥ ♥ | 43 8 • | 48A 141 😂 | 80 © | 35A � | 4 ⇔ |
| 8 1 © | 86A | 4 4 ⊕ | 92A ❸ | 91 ⇔ | 102A ♥ |
| 18 81A • | SAN_ 86 17 | JUAN 2 | 9-7 =444 16 92129 921 | © | 102R |
| 127 87 | 45A | 49 © | 130M ₩ | 50 \$ | 66A |
| 19 127M ❤ | 2 (45E 45 | 49A ES | 130 2 1 51 <u>88</u> | 50A ❸ | 66 © |
| 109 98 ₅₈ | 112M ₁ | 13 図 42 | 124M | 40 40E | 128M © |

PLH 12/10/97

SAN JUAN 29-7 #44A SEC. 17 T29N, R7W MESAVERDE/DAKOTA

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

> CASE NO. 11629 ORDER NO. R-10697

APPLICATION OF BURLINGTON RESOURCES OIL & GAS COMPANY FOR THE ESTABLISHMENT OF A DOWNHOLE COMMINGLING "REFERENCE CASE" FOR ITS SAN JUAN 29-7 UNIT PURSUANT TO DIVISION RULE 303.E. AND THE ADOPTION OF SPECIAL ADMINISTRATIVE RULES THEREFOR, SAN JUAN COUNTY, NEW MEXICO.

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17, and November 7, 1996, at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 8th day of November, 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises.

FINDS THAT:

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- (2) The applicant. Burlington Resources Oil & Gas Company (Burlington), pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole commingling "reference case" to provide exceptions for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 29-7 Unit, San Juan County, New Mexico.
- (3) Division Rule No. 303.E., amended by Order No. R-10470-A, currently states:

"If sufficient data exists on a lease, pool, formation, geographic area, etc., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D. of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingle (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

- (4) The applicant is the current operator of the San Juan 29-7 Unit which encompasses some 22.500 acres in Township 29 North. Range 7 West, NMPM, San Juan County, New Mexico.
- (5) Within the San Juan 29-7 Unit, the applicant currently operates fifty-five (55) Basin-Dakota Gas Pool wells, one hundred thirty-one (131) Blanco-Mesaverde Gas Pool wells, thirteen (13) Blanco-Pictured Cliffs and South Blanco-Pictured Cliffs Gas Pool wells, and forty-nine (49) Basin-Fruitland Coal Gas Pool wells.
 - (6) According to its evidence and testimony, Burlington seeks to:
 - establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations whereby these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 29-7 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal";
 - b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 29-7 Unit:
 - establish a "reference case" whereby the Division utilizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 29-7 Unit; and.

- d) establish a "reference case" or an administrative procedure for authorizing the downhole commingling of existing or future drilled wells within the San Juan 29-7 Unit without additional notice to each affected interest owner as required by Division Rule No. 303.D.
- (7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 29-7 Unit:
 - a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent;
 - b) the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 245 MMCFG and 76 MMCFG, respectively;
 - c) the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 218 MCFGD and 238 MCFGD, respectively; and,
 - d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.
- (8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 29-7 Unit should be properly classified as "marginal".
- (9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 29-7 Unit, the applicant presented engineering evidence and testimony which indicates that:
 - a) the average shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations at the time of initial development was approximately 3,209 psi and 1,148 psi, respectively; and.
 - b) the average current shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations is approximately 952 psi and 655 psi, respectively.

- (10) There is sufficient pressure data available within the San Juan 29-7 Unit so as to except pressure criteria as proposed by the applicant.
- (11) The applicant testified that various allocation methods will be utilized for downhole commingled wells within the San Juan 29-7 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:
 - a) the subtraction method will likely be utilized in those instances involving the Basin-Fruitland Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone;
 - b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.
- (12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore, the proposal to except allocation formulas should be approved.
- (13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 29-7 Unit the applicant presented evidence and testimony which indicates that:
 - a) the interest ownership between two zones within a given wellbore in the San Juan 29-7 Unit is generally not common:
 - b) pursuant to Division Rule No. 303.D., applicant is currently required to notify all interest owners within the San Juan 29-7 Unit every time a Form C-107-A is submitted to the Division. There are a considerable number of such interest owners within the unit;
 - c) providing notice to each interest owner within the San Juan 29-7
 Unit of subsequent downhole comminglings is unnecessary and is
 an excessive burden on the applicant:
 - d) the downhole commingling of wells within the San Juan 29-7 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingling of wells within the San Juan 29-7 Unit should not violate the correlative rights of any interest owner:

- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.
- (14) An administrative procedure should be established within the San Juan 29-7 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are complied with.
- (15) Approval of the proposed "reference cases" for marginal economic criteria. pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downhole commingling approvals within the San Juan 29-7 Unit, and will not violate correlative rights.

IT IS THEREFORE ORDERED THAT:

- (1) The application of Burlington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 29-7 Unit, San Juan County, New Mexico, is hereby approved.
- (2) Upon filing of Division Form No. C-107-A's for wells subsequently downhole commingled within the San Juan 29-7 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictured Cliffs and Dakota formations as "marginal", supporting data to verify the Pictured Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.
- (3) In order to obtain Division authorization to downhole commingle wells within the San Juan 29-7 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Aztec Offices of the Division. Such application shall contain all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all interest owners within the San Juan 29-7 Unit of such proposed commingling.

(4) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

WILLIAM J. LeMAY

Director/

S E A L