Form 9-331 (May 1963)	UNITED ST		SUBMIT IN TRIPLICA (Other instructions on		Form approve Budget Burea	d. u No. 42–R1424.	
		IHE INIERIOR verse side)			5. LEASE DESIGNATION AND SERIAL NO.		
GEOLOGICAL SURVEY					SP 078414 6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
(Do not use this	DRY NOTICES AND I form for proposals to drill or to Use "APPLICATION FOR PERM	deepen or plug back	to a different reservoir.	G. IF INI	IAN, ADEUTTEE	OR TRIBE NAME	
OIL GAS WELL OTHER					7. UNIT AGREEMENT NAME		
2. NAME OF OPERATOR					8. FARM OR LEASE NAME		
El Paso Natural Gas Company 3. Address of Operator					9. WELL NO.		
Box 990, Farmington, New Mexico - 87401					9		
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface					10. FIELD AND POOL, OR WILDCAT		
1500'N, 990'W					11. SEC., T., R., M., OR BLE. AND		
				Sec)-N, R-8-4	
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT,	GR, etc.)		P.M. TY OR PARISH	13. STATE	
	64	OLIGE.		Sen	สมา	Nev Mexico	
16.	Check Appropriate Box	To Indicate Natu	ra of Natice Penart	or Other Det	'		
Check Appropriate Box To Indicate Nature of Notice, Report, or C				SEQUENT REPOR			
TEST WATER SHUT-OF	PULL OR ALTER CAS	uve 🗀	WATER SHUT-OFF	X	REPAIRING W	mr.	
FRACTURE TREAT	MULTIPLE COMPLET		FRACTURE TREATMENT	X	ALTERING CA		
SHOOT OR ACIDIZE	ABANDON*		SHOOTING OR ACIDIZING		ABANDON MEN		
REPAIR WELL	CHANGE PLANS		(Other)				
(Other)			(Note: Report res Completion or Rec	ompletion Repo	t and Log form	n.)	
17. DESCRIBE PROPOSED OR proposed work. If nent to this work.) *	COMPLETED OPERATIONS (Clearly s well is directionally drilled, give	tate all pertinent des subsurface locations	ails, and give pertinent da and measured and true ve	ates, including ertical depths fo	estimated date or all markers	of starting any and zones perti-	
On 5-27-68 spaid	Med well, drilling	aurface bule	•				
On 7-3-68 T. D. w/XX 165 sacks On 7-3-68 P.E.T Frac w/20,000#	4 joints 8 5/8", 24, illated to surface. 1 3250'. Ran 105 joints of cement. W.O.C. 1.D. 5240', tested of 10/20 sand, 28,646 ill. 35 BPM. Flushed v	ints 2 7/8", ming w/4000	6.4#, J-55 casi O. K. Terf. 3	1064-3052 1068-3052 1068-3052) set at	3250'	
Or	the foregoing is true and correct iginal signed by	Daf ve	Coup Produce		CON CONST. 3		
(This space for Federa	arl E. Matthews	TITLE	leum Engineer	DA'	гв 7-11-6	<u> </u>	
· -	ar or scare outer use)						
APPROVED BY CONDITIONS OF API	PROVAL, IF ANY:	TITLE	RE	CEIA	ED -		

JUL 1 ? 1968