
DEPUTY OIL & GAS INSPECTOR

DEC 3 (1997

Meter Number: LD013
Location Name: A-5 LINE DRIP
Location: TN-29 RG-08
SC-31 UL-A
2 - Federal
NMOCD Zone: OUTSIDE
Hazard Ranking Score: 00



RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10^{-9} to 10^{-13} cm/sec Shale 10^{-12} to 10^{-16} cm/sec Clay 10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

10013

FIELD PIT SITE ASSESSMENT FORMEL PASO FIELD SERVICES



GENERAL	Meter: Location: A-S LINE DRIP (FURANCE FIOR DRIEG) Operator #: Operator Name: FPNG P/L District: BLANCO Coordinates: Letter: A Section 31 Township: 29 Range: 8 Or Latitude Longitude Pit Type: Dehydrator Location Drip: Line Drip: X Other: Site Assessment Date: 5:14.94 Area: 13 Run: 22			
SITE ASSESSMENT	NMOCD Zone: (From NMOCD Maps) Inside Outside Outside Depth to Groundwater Less Than 50 Feet (20 points) Fee (2) Greater Than 100 F: (0 points) Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; ls it less than 200 ft from a private domestic water source? Horizontal Distance to Surface Water Body Land Type: BLM (2) State (2) Fee (3) (3) Indian Depth to Groundwater Less Than 50 Feet (20 points) (1) (2) Greater Than 100 F: (0 points) (2) For it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points) Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (2) Greater Than 1000 Ft (0 points) (3) Name of Surface Water Body			
	(Surface Water Body: Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only) (2) > 100' TOTAL HAZARD RANKING SCORE:OPOINTS			
REMARKS	Remarks: ONLY PIT IN LOCATION PIT IS DRY LOCATION IS JUST NORTH OF THE PRITCHARD #3, REDUNE AND TOPO CONFIRMED LOCATION TO BE OUTSIDE V.Z.			
2	Push-in			

-1-

(SP3190) 04/08/94

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: Location: A-5 /we or Coordinates: Letter: _A Section_3/ Town: Or Latitude Longitude Date Started: 7-19-94 Run: _L	ship: <u>29</u> Range: <u>8</u>
FIELD OBSERVATIONS	Sample Number(s): MK 155 Sample Depth: 4' Feet Final PID Reading 2,77 Yes No Groundwater Encountered \(\textstyle \t	PID Reading Depth 4 Feet Approximate Depth Feet
CLOSURE	Remediation Method : Excavation Onsite Bioremediation Backfill Pit Without Excavation	Approx. Cubic Yards
	Soil Disposition: Envirotech Other Facility Pit Closure Date: 2-19-94	Tierra Pit Closed By: BET
REMARKS	Remarks: FPNG lines marked odor Hit Sand Stone 4'	Soil Brown No HYDrocasbor
	Signature of Specialist: Morga Xile	(SP3191) 03/16/94



FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Soil

SAMPLE IDENTIFICATION

	Field ID	Lab ID		
SAMPLE NUMBER:	MK 155	945712		
MTR CODE SITE NAME:	AS Line Drip	N/A		
SAMPLE DATE TIME (Hrs):	7-19-94	1100		
SAMP ED BY:	N/A			
DATE OF TPH EXT. ANAL.:	7.21-94	7-21-94		
DATE OF BTEX EXT. ANAL.:	ИІА	N/A		
TYPE DESCRIPTION	\\ \(\)	Brown Fru Some		

REMARKS:		

RESULTS

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
BENZENE		MG/KG			_	
TOLUENF		MG/KG				
ETHYL BENZENE		MG/KG				
TOTAL XYLENES		MG/KG				
TOTAL BTEX		¹⁄IG/KG				
TPH (418.1)	2460	MG/KG			2.21	29
HEADSPACE PID	2.77	PPM				
PERCENT SOLIDS	94.3 Mys	i~ %				

— TPH is by EPA Method 418.1 and BTEX is by EPA Method 8020 —

The Surrogate Recovery	was	at	
Varrative:			

NA

% for this sample All QA/QC was acceptable.

DF = Dilution Factor Used

8/8/99

******** ***************** Test Method for Oil and Grease and Petroleum Hydrocarbons in Water and Soil

Perkin-Elmer Model 1600 FT-IR

Analysis Report *******************

P4/07/21 13:54

Sample identification

Initial mass of sample, g 1.210

Wolume of sample after extraction, ml

Satroleum hydrosarbons, ppm

Wet absorbance of hydrocarbons (2930 cm-1) .T40

