

DELHI OIL CORPORATION

1315 PACIFIC AVENUE

DALLAS 1, TEXAS

Farmington District Office

P. O. Box 1175

Farmington, New Mexico



Ref: Santa Fe 080246

~~Mr. R. T. McGrath~~
~~U. S. P. S.~~
~~P. O. Box 965~~
~~Farmington, New Mexico~~

Dear Sir:

Attached hereto form 9-330 covering "Log of Oil or Gas Well" for Florence 2-41, located 930 SW/4 of Section 21, 21T, 29R, in San Juan County, New Mexico.


Yours very truly,

A handwritten signature in cursive script, appearing to read "J. B. Howell".

J. B. Howell
Superintendent

jd

cc: Mr. Al Greer ✓



DELHI OIL CORPORATION

1215 PACIFIC AVENUE

DALLAS 2, TEXAS

1. Address: 1215 Pacific Avenue

Dallas 2, Texas

2. Location: Dallas, Texas

DELHI OIL CORPORATION

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 05-11-2011 BY 60322

DELHI OIL CORPORATION


ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED
DATE 05-11-2011 BY 60322

ALL INFORMATION CONTAINED


HEREIN IS UNCLASSIFIED

DATE 05-11-2011 BY 60322

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED

U. S. LAND OFFICE Santa Fe
SERIAL NUMBER 080246
LEASE OR PERMIT TO PROSPECT _____

LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company Delhi Oil Corporation Address 1315 Pacific Ave. Dallas, Texas
Lessor or Tract Florence Field Blanco State New Mexico
Well No. 2-41 Sec. 21 T. 29 R. 9 Meridian NMP County San Juan
Location 93 ft. (N) of N Line and 87 1/4 ft. (E) of E Line of Sec. 21 Elevation 4720 ft. F.

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed J. B. HowellDate Sept. 24, 1951Title Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling 7/8, 1951 Finished drilling 8/3, 1951

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 3825 to 3968-G No. 4, from _____ to _____
No. 2, from 4420 to 4568-G No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from NONE to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
10 3/4	49.50	8.0	API	277	None	Surface			Surface
7 7/8	29.00	8.0	API	3877	None	Surface			Image stripe
2	4.70	8.0	API	1028	None	Surface			Producing
HISTORY OF OIL OR GAS WELL									

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10 3/4	245	215	Hallib.		
7 7/8	3855	200	"	9.8	
2	4017				

PLUGS AND ADAPTERS

Heaving plug—Material None Length _____ Depth set _____
Adapters—Material None Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
Qts.	Tin	SNG.	1860	8/4/51	3940-4694	Drilled in with gas C. O. not required.

TOOLS USED

Rotary tools were used from 0 feet to 3855 feet, and from _____ feet to _____ feet
Cable tools were used from 3855 feet to 4694 feet, with rotary attachment.

DATES

Put to producing _____ 19____
The production for the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment.

If gas well, _____ ft. per 24 hours _____ Gravity, °Bé. _____

Rock pressure, lbs. per sq. in. 3235 Gallons gasoline per 1,000 cu. ft. of gas _____Rock pressure, lbs. per sq. in. 1090

EMPLOYEES

_____, Driller _____, Driller
J. Bean _____, Driller _____, Driller
R. Lee _____, Driller J. N. Parker

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	600	600	Massive beds of sand sepperated by thin beds of shale.
600	828	228	Shale with sand stringers.
828	978	150	Massive beds of sand sepperated by thin beds of shale.
978	1085	107	Shale.
1085	1203	118	Sand.
1203	1968	765	Shale with thin sand lenses—Top of Kirtland @ 1203.
1968	2190	222	Interbedded coal, shale and sand. Top of Fruitland @ 1968.
2190	2230	40	Sand. Top of Pictured Cliffs @ 2190.
2230	3925	1595	Shale with sand stringers. Top of Lewis @ 2230.
3825	3968	143	Sand with shale strings. Top of Cliff House @ 3825.
3968	4420	452	Interbedded coal, sand and shale. Top of Menefee @ 3968.

FORMATION RECORD CONTINUED
@ 3968.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOCATE WELL CORRECTLY

A blank 10x10 grid for graphing, consisting of 10 columns and 10 rows of squares.

OIL OR GAS SANDS OR NOSES

REPORTANT WATER SANDS

CASING RECORD

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "mudded" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If piers or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

HISTORY OF OIL OR GAS WELL

[illegible]