


District I  
P.O. Box 1980, Hobbs, NM  
District II  
P.O. Drawer DD, Artesia, NM 88211  
District III  
Rio Brazos Rd, Aztec, NM 87410

State of New Mexico  
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO  
APPROPRIATE  
DISTRICT OFFICE  
AND 1 COPY TO  
SANTA FE OFFICE

## PIT REMEDIATION AND CLOSURE REPORT



Operator: Amoco Production Company Telephone: (505) 326-9200

Address: 200 Amoco Court, Farmington, New Mexico 87401

Facility Or: FORAGE #82  
Well Name

Location: Unit or Qtr/Qtr Sec 0 Sec 22 T 29N R 9W County SAN JUAN

Pit Type: Separator    Dehydrator    Other ABANDONED BLOW

Land Type: BLM ✓, State   , Fee   , Other   

Pit Location: Pit dimensions: length 14', width 12', depth 5'  
(Attach diagram)

Reference: wellhead X, other   

Footage from reference: 84'

Direction from reference: 8 Degrees ✓ East North     
of  
   West South ✓

### Depth To Ground Water:

(Vertical distance from  
contaminants to seasonal  
high water elevation of  
ground water)

Less than 50 feet (20 points)  
50 feet to 99 feet (10 points)  
Greater than 100 feet (0 Points) 0

### Wellhead Protection Area:

(Less than 200 feet from a private  
domestic water source, or; less than  
1000 feet from all other water sources)

Yes (20 points)  
No (0 points) 0

### Distance To Surface Water:

(Horizontal distance to perennial  
lakes, ponds, rivers, streams, creeks,  
irrigation canals and ditches)

Less than 200 feet (20 points)  
200 feet to 1000 feet (10 points)  
Greater than 1000 feet (0 points) 0

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: \_\_\_\_\_ Date Completed: 9/19/00Remediation Method: Excavation ☒  
(Check all appropriate sections)Approx. cubic yards 20Landfarmed ☐Insitu Bioremediation ☐Other COMPOSTEDRemediation Location:  
(ie. landfarmed onsite,  
name and location of  
offsite facility)Onsite ☐ Offsite NYE GC B #1E (E-7-29-9)TRANSPORTED TO CROUCH MESA 3/01. 7V

General Description Of Remedial Action: \_\_\_\_\_

Excavation. BEDROCK BOTTOM. RISK ASSESSED.

Ground Water Encountered:

No ☒Yes ☐

Depth \_\_\_\_\_

Final Pit:

Sample location see Attached Documents

Closure Sampling:

(if multiple samples,  
attach sample results  
and diagram of sample  
locations and depths)Sample depth 3' (EAST SIDEWALL)Sample date 9/14/00Sample time 1010

Sample Results

Benzene(ppm) NDTotal BTEX(ppm) 1.850Field headspace(ppm) 278 / 697 <sup>PIT Bottom</sup>TPH 12.3

Ground Water Sample:

Yes ☐No ☒

(If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 9/19/00

SIGNATURE

B. ShawPRINTED NAME  
AND TITLEBuddy D. Shaw  
Environmental Coordinator

3004511638

CLIENT: AMOCOBLAGG ENGINEERING, INC.  
P.O. BOX 87, BLOOMFIELD, NM 87413  
(505) 632-1199LOCATION NO: 80794C.O.C. NO: 7495

## FIELD REPORT: CLOSURE VERIFICATION

PAGE No: 1 of 1LOCATION: NAME: FLORENCE WELL #: 82 PIT: ABAND. BLOW  
QUAD/UNIT: 0 SEC: 22 TWP: 29N RNG: 9W PM: NM CNTY: ST ST: NM  
QTR/FOOTAGE: 890'S / 1520'E SWSE CONTRACTOR: FLINTDATE STARTED: 9/14/00

DATE FINISHED: \_\_\_\_\_

ENVIRONMENTAL  
SPECIALIST: NVEXCAVATION APPROX. 14 FT. x 12 FT. x 5 FT. DEEP. CUBIC YARDAGE: 20DISPOSAL FACILITY: NYE GC 81E (E-7-29-9) REMEDIATION METHOD: COMPOSTEDLAND USE: RANGE LEASE: SF 080246 FORMATION: PC

## FIELD NOTES &amp; REMARKS:

PIT LOCATED APPROXIMATELY 84 FT. 58E FROM WELLHEAD.DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'NMCD RANKING SCORE: 0 NMCD TPH CLOSURE STD: 5000 PPM

## CHECK ONE:

☒ PIT ABANDONED☐ STEEL TANK INSTALLED☐ FIBERGLASS TANK INSTALLED

## SOIL AND EXCAVATION

OVM CALIB. READ: 53.7 ppmTIME: 0910 @ pm 9/14/00

## DESCRIPTION:

PALE YELL. BROWN SAND, NON COHESIVE, SLIGHTLY MOIST TO MOIST, FIRM TO  
LOOSE, NO APPARENT DISCOLORATION OBSERVED OR HC ODOR DETECTED.BOTTOM - BEDROCK (SANDSTONE), MED. LT. GRAY, VERY HARD, HC ODOR DETECTED  
IN OVM SAMPLE.BEDROCK  
BOTTOM

(SS)

RISK ASSESSED

## FIELD 418.1 CALCULATIONS


TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
1010							

SCALE



0 FT

## PIT PERIMETER

OVM  
RESULTS


SAMPLE ID	FIELD HEADSPACE PID (ppm)
1 @ 3'	0.0
2 @ 3'	278
3 @ 3'	0.0
4 @ 3'	0.0
5 @ 5'	697

## LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
2 @ 3'	TPH (8015)	1010
"	BTEX (8021)	"

80794 PASSED

## PIT PROFILE



## TRAVEL NOTES:

CALLOUT: 9/14/00 - MORN.ONSITE: 9/14/00 - MORN.

**Well Name:**

Well Site location:

Pit Type:

Producing Formation:

Pit Category:

Horizontal Distance to Surface Water:

Vicinity Groundwater Depth:

**Florance #82**

Unit O, Sec. 22, T29N, R9W

Abandoned Blow Pit

Pictured Cliffs

Non Vulnerable

&gt; 1000 ft.

&gt; 100 ft.

**RISK ASSESSMENT (non-vulnerable area)**

Pit remediation activities were terminated when backhoe encountered competent sandstone at 5 feet below grade.

No past or future threat to surface water or groundwater is likely based on the following considerations:

1. Groundwater levels located on or close to the well pad are estimated to be at a much greater depth below shallow sandstone bedrock.
2. Topographic information does not indicate off site lateral fluid migration near the earthen pit.
3. Daily discharge into the earthen pit has been terminated (pit abandoned). Prior discharge into the pit is believed to be under 5 barrels per day.
4. Well site located within the **non-vulnerable area** and is approximately 0.24 miles northeast of the nearest vulnerable area boundary (Largo Canyon wash).

**(Refer to Blanco Quadrangle, New Mexico - San Juan County, 7.5 Minute Series (Topographic), Provisional edition, 1985, (vulnerable area boundary developed by Mr. William C. Olson, Hydrogeologist, Environmental Bureau, New Mexico Oil Conservation Division).**

Based upon the information given, we conclude that the subsurface vertical impact from the earthen pit is very limited and that the sandstone bottom creates enough of a impermeable barrier as to subdue impact to groundwater below it (please refer to BP AMOCO's (formerly Amoco Production Company) report "Post Excavation Pit Closure Investigation Summary, July, 1995", with cover letter dated November 30, 1995). BP AMOCO therefore request pit closure approval on this location.

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	403410
Sample ID:	2 @ 3'	Date Reported:	09-19-00
Laboratory Number:	18190	Date Sampled:	09-14-00
Chain of Custody No:	7495	Date Received:	09-18-00
Sample Matrix:	Soil	Date Extracted:	09-18-00
Preservative:	Cool	Date Analyzed:	09-19-00
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	11.7	0.2
Diesel Range (C10 - C28)	0.6	0.1
Total Petroleum Hydrocarbons	12.3	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Florance #82 Abandoned Blow Pit.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	403410
Sample ID:	2 @ 3'	Date Reported:	09-19-00
Laboratory Number:	18190	Date Sampled:	09-14-00
Chain of Custody:	7495	Date Received:	09-18-00
Sample Matrix:	Soil	Date Analyzed:	09-19-00
Preservative:	Cool	Date Extracted:	09-18-00
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	78.3	1.7
Ethylbenzene	264	1.5
p,m-Xylene	718	2.2
o-Xylene	787	1.0
Total BTEX	1,850	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Trifluorotoluene	100 %
	Bromofluorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Florance #82 Abandoned Blow Pit.

  
Analyst

  
Review

7495

# ENVIROTECH INC.

5796 U.S. Highway 64  
Farmington, New Mexico 87401  
(505) 632-0615