

80754

District I

P.O. Box 1910, Hobbs, NM

District II

P.O. Drawer DD, Aracola, NM 88211

District III

1001 Rio Brazos Rd. Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICEPIT REMEDIATION AND CLOSURE REPORTOperator: Amoco Production Company Telephone: (505) 326-9200Address: 200 Amoco Court, Farmington, New Mexico 87401Facility Or: HEATH GC M #1
Well NameLocation: Unit or Qtr/Qtr Sec 6 Sec 9 T29N R 9W county SAN JUANPit Type: Separator Dehydrator Other ABANDONED BlowLand Type: BLM ✓, State , Fee , Other Pit Location: Pit dimensions: length NA, width NA, depth NA
(attach diagram)Reference: wellhead X, other Footage from reference: 99'Direction from reference: 83 Degrees East North ✓
of
✓ West South

Depth To Ground Water:

(Vertical distance from
contaminants to seasonal
high water elevation of
ground water)

Less than 50 feet (20 points)

50 feet to 99 feet (10 points)

Greater than 100 feet (0 Points) 0

Wellhead Protection Area:

(Less than 200 feet from a private
domestic water source, or; less than
1000 feet from all other water sources)

Yes (20 points)

No (0 points) 0

Distance To Surface Water:

(Horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches)

Less than 200 feet (20 points)

200 feet to 1000 feet (10 points)

Greater than 1000 feet (0 points) 0RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: _____ Date Completed: 5/24/00

Remediation Method: Excavation ☒ Approx. cubic yards NA
 Check all appropriate sections) Landfarmed _____ Insitu Bioremediation _____
 Other CLOSE AS IS

Remediation Location: Onsite ☒ Offsite _____
 (ie. landfarmed onsite,
 name and location of
 offsite facility)

General Description Of Remedial Action: _____

Excavation, BEDROCK BOTTOM. SAMPLE COLLECTED FROM BEDROCK,
 THEREFORE NO TPH ANALYSIS WAS CONDUCTED.

Ground Water Encountered: No ☒ Yes _____ Depth _____Final Pit: Sample location see Attached Documents

Closure Sampling:
 (if multiple samples,
 attach sample results
 and diagram of sample
 locations and depths)

Sample depth 5' (TEST HOLE BOTTOM)Sample date 5/24/00 Sample time 1235

Sample Results

Benzene(ppm) _____

Total BTEX(ppm) _____

Field headspace(ppm) 21.7TPH NAGround Water Sample: Yes _____ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 5/24/00
SIGNATURE B. ShawPRINTED NAME
AND TITLEBuddy D. Shaw
Environmental Coordinator

3004521051

CLIENT: <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80754</u> C.D.C. NO: _____
----------------------	--	---

FIELD REPORT: CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>
------------------------------------	--	-------------------------------

LOCATION: NAME: <u>HEATH GC M</u> WELL #: <u>1</u> PIT: <u>ABN. ROW</u> QUAD/UNIT: <u>G</u> SEC: <u>9</u> TWP: <u>29N</u> RNG: <u>9W</u> PM: <u>Nm</u> CNTY: <u>ST</u> ST: <u>Nm</u> QTR/FOOTAGE: <u>1800'N/1520'E</u> SWNE CONTRACTOR: <u>FLINT</u>	DATE STARTED: <u>5/24/00</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>
--	---

EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP.	CUBIC YARDAGE: <u>NA</u>
DISPOSAL FACILITY: <u>ON-SITE</u>	REMEDIALATION METHOD: <u>CLOSE AS IS</u>
LAND USE: <u>RANGE</u>	LEASE: <u>5F-076337</u> FORMATION: <u>PC</u>

FIELD NOTES & REMARKS:	PIT LOCATED APPROXIMATELY <u>99</u> FT. <u>N83W</u> FROM WELLHEAD.
DEPTH TO GROUNDWATER: <u>>100'</u>	NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u>>1000'</u>
NMOC D RANKING SCORE: <u>6</u>	NMOC D TPH CLOSURE STD: <u>5000</u> PPM
SOIL AND EXCAVATION DESCRIPTION: TOP 2' BELOW PIT DEPRESSION CONSISTED OF PALE YELL. ORANGE SAND, NON COHESIVE, DRY TO SLIGHTLY MOIST, FIRM TO LOOSE, NO APPARENT DISCOLORATION OBSERVED OR HC ODOOR DETECTED PHYSICALLY. BOTTOM 2' OF TEST HOLE CONSIST OF LT. TO DK. GRAY BEDROCK (SANDSTONE), FRAMBLE TO HARD (BOTTOM), SLIGHT HC ODOOR DETECTED IN OVM SAMPLE, SAMPLE WAS COLLECTED FROM BEDROCK, THEREFORE NO TPH ANALYSIS WAS CONDUCTED.	CHECK ONE: <input checked="" type="checkbox"/> PIT ABANDONED <input type="checkbox"/> STEEL TANK INSTALLED <input type="checkbox"/> FIBERGLASS TANK INSTALLED

BEADROCK BOTTOM

SS

SCALE

0 FT

FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
1235							

PIT PERIMETER

TEST HOLE APPROX. 4' BELOW PIT DEPRESSION

PIT DEPRESSION APPROX. 1' BELOW GRADE

TO WELL HEAD

PIT PROFILE

OVM RESULTS	
SAMPLE ID	FIELD HEADSPACE PID (ppm)
1 @ 5'	21.7
2 @	
3 @	
4 @	
5 @	

NOT APPLICABLE

TRAVEL NOTES:	CALLOUT: <u>5/23/00 - AFTER.</u>	ONSITE: <u>5/24/00 - AFTER.</u>
---------------	----------------------------------	---------------------------------