



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

1. Barber et al (Company or Operator) 1953 (Lease)

Well No. 1, in 1/4 of 1/4, of Sec. 32, T. 34, R. 7, NMPM.

Blanco-earrile Pool, Rio Arriba County.

Well is 1630 feet from 1st line and 740 feet from 4th line

of Section 32. If State Land the Oil and Gas Lease No. is State 1953

Drilling Commenced October 4, 1953 Drilling was Completed November 16, 1953

Name of Drilling Contractor Connell-Riffin Corporation

Address Fort Lupton, Pa. 15040

Elevation above sea level at Top of Tubing Head 4188'. The information given is to be kept confidential until December 1, 1953

OIL SANDS OR ZONES

No. 1, from 4700' to 5334' No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10 3/4"	41	new	183'	Lar-in			
7"	23	new	4720'	Lar-in			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
13"	10 3/4"	148'	125	Halliburton		
7"	7"	4720'	300	Halliburton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

dry gas drilled 4720' to 5334'

shot 2265' qts. and fr. 4725' to 5334'

Result of Production Stimulation Increased from 734 natural to 4100 after 3 hrs.

Depth Cleaned Out 5334'

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 5425 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing December 1, 1953

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland 2135
B. Salt	T. Montoya	T. Farmington
T. Yates	T. Simpson	T. Pictured Cliffs 2993
T. 7 Rivers	T. McKee	T. Menefee 4830
T. Queen	T. Ellenburger	T. Point Lookout 5202
T. Grayburg	T. Gr. Wash	T. Mancos 5320
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn.
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn.	T.	T.
T. Miss.	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2135	2135					
2135	2993	758					
2993	3088	95					
3088	4720	1632					
4720	4830	110					
4830	5202	372					
5202	5320	118					
5320	5425						

OIL CONSERVATION COMMISSION			
AZTEC DISTRICT OFFICE			
No. Copies Received		5	
DISTRIBUTION			
		NO. FURNISHED	
Operator			
Santa Fe		1	
Proration Office			
State Land Office		1	
U. S. G. S.		2	
Transporter			
File		1	✓

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

December 17, 1953 (Date)
Company or Operator Gerber et al Address 801 Ridgecrest Dr., SE
Name Jay J. Harris Position or Title Geologist