

NEW MEXICO OIL CONSERVATION COMMISSION

NOTICE OF INTENTION TO DRILL

See Rules 101 and 1104.

If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.



Aztec, New Mexico

August 19, 1952

Place

Date

Notice hereby is given that it is our intention to commence the drilling of a well to be known as

Douglas Kenaston

Masden-Selby Pooled / Unit

well No. 2

in NEA

Company or Operator


Lease

of Sec. 28, T. 29, R. 11, N. M. P. M. Fulcher Pool, San Juan County.

N

The well is 1000 feet from (N.) (X) line and 885 feet from (E.) (V) line of the above section.

(Give location from section lines. Cross out wrong directions.)



AREA 640 ACRES

LOCATE WELL CORRECTLY

If state land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is J. M. Masden and E. F. Selby 40 A.

Address Alameda, Calif., pooled with Martin Ramondo, 40 A. Bloomfield, New Mexico

If government land the permittee is Mamie Mangum, et al, Bloomfield, N. M. 45 A.*

Address Joseph Hartman, et al, Aztec, N.M. 35 A.*

The lessee is *(farmout from Aztec Oil & Gas Co., Dallas, Texas)

Address *(farmout from Aztec Oil & Gas Co., Dallas, Texas)

We propose to drill well with drilling equipment as follows:

Rotary

The status of a bond for this well in conformance with Rule 101 of the General Rules and Regulations of the Commission is as follows: \$10,000.00 blanket bond (All interest in this unit now consolidated.)

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
9 7/8	8 5/8	30	Second hand	140'	Cemented	112
7 7/8	5	14	" "	2000'	"	200 sx.

If changes in the above plans become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 2000 feet.

We propose to drill a well to and through the Pictured Cliffs sand, estimated depth 2,000'. A minimum of 100' of 8-5/8" casing will be cemented to the surface, approximately 2000' of 5" casing cemented with approximately 200 sx; drill the sand, and if conditions warrant, approximately 80 to 90' of section will be shot with approximately 3 qts. to the foot of GNC, clean out, run 1 1/2" syphon line to the bottom and complete as gas well.

Approved SEP 26 1952, 19____

except as follows:

Douglas Kenaston

Company or Operator

By R. R. Mints

Position Manager

Send communications regarding well to:

Name R. R. Mints

Address Aztec, New Mexico

OIL CONSERVATION COMMISSION,

By Al Murr

Title Oil and Gas Inspector Dist. #3.



Company W. B. Wints et al


Lease _____ Well No. _____

Sec. 28 T. 29 N., R. 11 W., N.M.P.M.

Location 1000' from the North line and 885' from the East line.

San Juan County

New Mexico



Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Charles J. Finklea

Seal:

Registered Professional
Engineer and Land Surveyor.

Charles J. Finklea
N. Mex. Reg. No. 1302

Surveyed May 12, 1952

Q25

OIL CONSERVATION COMMISSION
AZTEC DISTRICT OFFICE

No. Copies Received 5

DISTRIBUTION

	NO. FURNISHED	
Operator	1	
Santa Fe	1	
Laboratory Office		
State Land Office		
U. S. C. S.	2	
Transporter		
File	1	✓