

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 3004507954
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 14-08-0001-4656
7. Lease Name or Unit Agreement Name Haney Gas Com
8. Well No. #1
9. Pool name or Wildcat Aztec Pictured Cliffs
10. Elevation (Show whether DF, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER
2. Name of Operator Amoco Production Company Gail M. Jefferson, Rm 1942
3. Address of Operator P. O. Box 800 (303) 830-6157

4. Well Location Unit Letter <u>M</u> : <u>820</u> Feet From The <u>South</u> Line and <u>700</u> Feet From The <u>West</u> Line Section <u>20</u> Township <u>29N</u> Range <u>10W</u> NMPM San Juan County
--

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Amoco Production Company requests permission to plug and abandon the above referenced well per the attached procedures.

If you have any technical questions please contact Mike Kutas at (303) 830-5159 or myself for any administrative concerns.

RECEIVED
APR 28 1995
OIL CON. DIV.
DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Gail M. Jefferson TITLE Sr. Admin. Staff Asst. DATE 04-26-1995

TYPE OR PRINT NAME Gail M. Jefferson TELEPHONE NO. (303) 830-6157

(This space for State Use)

APPROVED BY Johnny Robinson TITLE DEPUTY OIL & GAS INSPECTOR, DIST. 3 DATE APR 28 1995
CONDITIONS OF APPROVAL, IF ANY:

Haney Gas Com #1

Orig. Comp. 11/57

TD = 1819', PBTD = 1779'

Page 2 of 2

1. Check location for anchors. Install if necessary. Test anchors.
2. MIRUSU. Blow down well. Kill if necessary with fresh water.
3. POOH with 1 1/4" tbg. NDWH. NUBOP. RIH with tbg and cement retainer. Set retainer at 1695'. Test casing integrity to 500#. Run CBL. Squeeze perfs at 1745' to 1760' with 26 cuft of cement. Pull out of retainer and spot cement plug to TOC. (Estimate 218 cuft of cement.)
4. Run in hole with perf gun and shot squeeze holes at TOC and attempt to circulate to surface. Pull out of hole and load with cement to surface.
5. NDBOP. Cut off casing and wellhead. Install PXA marker according to BLM or State requirements.
6. Turn over to John Schwartz for reclamation.
7. Rehabilitate location according to BLM or State requirements.

HANEY GAS COM #1
LOCATION - 20M-29N-10W
SINGLE PC
ORIG. COMPLETION - 11/57
LAST FILE UPDATE - 10/93 CSW
GL 5482 KB 5496

QJ AT 548

EC AT 702

ET AT 1482

EC AT 1740

PC-4SPF PERF 1745-1760]

PBTD AT 1779 FT.

FILENAME:
D4507954

TOTAL DEPTH 1819 FT.

22.9 [0.8, 1.2, 1.5, 1.8, 2.1, 2.4, 2.7, 3.0, 3.3, 3.6, 3.9, 4.2, 4.5, 4.8, 5.1, 5.4, 5.7, 6.0, 6.3, 6.6, 6.9, 7.2, 7.5, 7.8, 8.1, 8.4, 8.7, 9.0, 9.3, 9.6, 9.9, 10.2, 10.5, 10.8, 11.1, 11.4, 11.7, 12.0, 12.3, 12.6, 12.9, 13.2, 13.5, 13.8, 14.1, 14.4, 14.7, 15.0, 15.3, 15.6, 15.9, 16.2, 16.5, 16.8, 17.1, 17.4, 17.7, 18.0, 18.3, 18.6, 18.9, 19.2, 19.5, 19.8, 20.1, 20.4, 20.7, 21.0, 21.3, 21.6, 21.9, 22.2, 22.5, 22.8, 23.1, 23.4, 23.7, 24.0, 24.3, 24.6, 24.9, 25.2, 25.5, 25.8, 26.1, 26.4, 26.7, 27.0, 27.3, 27.6, 27.9, 28.2, 28.5, 28.8, 29.1, 29.4, 29.7, 30.0, 30.3, 30.6, 30.9, 31.2, 31.5, 31.8, 32.1, 32.4, 32.7, 33.0, 33.3, 33.6, 33.9, 34.2, 34.5, 34.8, 35.1, 35.4, 35.7, 36.0, 36.3, 36.6, 36.9, 37.2, 37.5, 37.8, 38.1, 38.4, 38.7, 39.0, 39.3, 39.6, 39.9, 40.2, 40.5, 40.8, 41.1, 41.4, 41.7, 42.0, 42.3, 42.6, 42.9, 43.2, 43.5, 43.8, 44.1, 44.4, 44.7, 45.0, 45.3, 45.6, 45.9, 46.2, 46.5, 46.8, 47.1, 47.4, 47.7, 48.0, 48.3, 48.6, 48.9, 49.2, 49.5, 49.8, 50.1, 50.4, 50.7, 51.0, 51.3, 51.6, 51.9, 52.2, 52.5, 52.8, 53.1, 53.4, 53.7, 54.0, 54.3, 54.6, 54.9, 55.2, 55.5, 55.8, 56.1, 56.4, 56.7, 57.0, 57.3, 57.6, 57.9, 58.2, 58.5, 58.8, 59.1, 59.4, 59.7, 60.0, 60.3, 60.6, 60.9, 61.2, 61.5, 61.8, 62.1, 62.4, 62.7, 63.0, 63.3, 63.6, 63.9, 64.2, 64.5, 64.8, 65.1, 65.4, 65.7, 66.0, 66.3, 66.6, 66.9, 67.2, 67.5, 67.8, 68.1, 68.4, 68.7, 69.0, 69.3, 69.6, 69.9, 70.2, 70.5, 70.8, 71.1, 71.4, 71.7, 72.0, 72.3, 72.6, 72.9, 73.2, 73.5, 73.8, 74.1, 74.4, 74.7, 75.0, 75.3, 75.6, 75.9, 76.2, 76.5, 76.8, 77.1, 77.4, 77.7, 78.0, 78.3, 78.6, 78.9, 79.2, 79.5, 79.8, 80.1, 80.4, 80.7, 81.0, 81.3, 81.6, 81.9, 82.2, 82.5, 82.8, 83.1, 83.4, 83.7, 84.0, 84.3, 84.6, 84.9, 85.2, 85.5, 85.8, 86.1, 86.4, 86.7, 87.0, 87.3, 87.6, 87.9, 88.2, 88.5, 88.8, 89.1, 89.4, 89.7, 90.0, 90.3, 90.6, 90.9, 91.2, 91.5, 91.8, 92.1, 92.4, 92.7, 93.0, 93.3, 93.6, 93.9, 94.2, 94.5, 94.8, 95.1, 95.4, 95.7, 96.0, 96.3, 96.6, 96.9, 97.2, 97.5, 97.8, 98.1, 98.4, 98.7, 99.0, 99.3, 99.6, 99.9, 100.2, 100.5, 100.8, 101.1, 101.4, 101.7, 102.0, 102.3, 102.6, 102.9, 103.2, 103.5, 103.8, 104.1, 104.4, 104.7, 105.0, 105.3, 105.6, 105.9, 106.2, 106.5, 106.8, 107.1, 107.4, 107.7, 108.0, 108.3, 108.6, 108.9, 109.2, 109.5, 109.8, 110.1, 110.4, 110.7, 111.0, 111.3, 111.6, 111.9, 112.2, 112.5, 112.8, 113.1, 113.4, 113.7, 114.0, 114.3, 114.6, 114.9, 115.2, 115.5, 115.8, 116.1, 116.4, 116.7, 117.0, 117.3, 117.6, 117.9, 118.2, 118.5, 118.8, 119.1, 119.4, 119.7, 120.0, 120.3, 120.6, 120.9, 121.2, 121.5, 121.8, 122.1, 122.4, 122.7, 123.0, 123.3, 123.6, 123.9, 124.2, 124.5, 124.8, 125.1, 125.4, 125.7, 126.0, 126.3, 126.6, 126.9, 127.2, 127.5, 127.8, 128.1, 128.4, 128.7, 129.0, 129.3, 129.6, 129.9, 130.2, 130.5, 130.8, 131.1, 131.4, 131.7, 132.0, 132.3, 132.6, 132.9, 133.2, 133.5, 133.8, 134.1, 134.4, 134.7, 135.0, 135.3, 135.6, 135.9, 136.2, 136.5, 136.8, 137.1, 137.4, 137.7, 138.0, 138.3, 138.6, 138.9, 139.2, 139.5, 139.8, 140.1, 140.4, 140.7, 141.0, 141.3, 141.6, 141.9, 142.2, 142.5, 142.8, 143.1, 143.4, 143.7, 144.0, 144.3, 144.6, 144.9, 145.2, 145.5, 145.8, 146.1, 146.4, 146.7, 147.0, 147.3, 147.6, 147.9, 148.2, 148.5, 148.8, 149.1, 149.4, 149.7, 150.0, 150.3, 150.6, 150.9, 151.2, 151.5, 151.8, 152.1, 152.4, 152.7, 153.0, 153.3, 153.6, 153.9, 154.2, 154.5, 154.8, 155.1, 155.4, 155.7, 156.0, 156.3, 156.6, 156.9, 157.2, 157.5, 157.8, 158.1, 158.4, 158.7, 159.0, 159.3, 159.6, 159.9, 160.2, 160.5, 160.8, 161.1, 161.4, 161.7, 162.0, 162.3, 162.6, 162.9, 163.2, 163.5, 163.8, 164.1, 164.4, 164.7, 165.0, 165.3, 165.6, 165.9, 166.2, 166.5, 166.8, 167.1, 167.4, 167.7, 168.0, 168.3, 168.6, 168.9, 169.2, 169.5, 169.8, 170.1, 170.4, 170.7, 171.0, 171.3, 171.6, 171.9, 172.2, 172.5, 172.8, 173.1, 173.4, 173.7, 174.0, 174.3, 174.6, 174.9, 175.2, 175.5, 175.8, 176.1, 176.4, 176.7, 177.0, 177.3, 177.6, 177.9, 178.2, 178.5, 178.8, 179.1, 179.4, 179.7, 180.0, 180.3, 180.6, 180.9, 181.2, 181.5, 181.8, 182.1, 182.4, 182.7, 183.0, 183.3, 183.6, 183.9, 184.2, 184.5, 184.8, 185.1, 185.4, 185.7, 186.0, 186.3, 186.6, 186.9, 187.2, 187.5, 187.8, 188.1, 188.4, 188.7, 189.0, 189.3, 189.6, 189.9, 190.2, 190.5, 190.8, 191.1, 191.4, 191.7, 192.0, 192.3, 192.6, 192.9, 193.2, 193.5, 193.8, 194.1, 194.4, 194.7, 195.0, 195.3, 195.6, 195.9, 196.2, 196.5, 196.8, 197.1, 197.4, 197.7, 198.0, 198.3, 198.6, 198.9, 199.2, 199.5, 199.8, 200.1, 200.4, 200.7, 201.0, 201.3, 201.6, 201.9, 202.2, 202.5, 202.8, 203.1, 203.4, 203.7, 204.0, 204.3, 204.6, 204.9, 205.2, 205.5, 205.8, 206.1, 206.4, 206.7, 207.0, 207.3, 207.6, 207.9, 208.2, 208.5, 208.8, 209.1, 209.4, 209.7, 210.0, 210.3, 210.6, 210.9, 211.2, 211.5, 211.8, 212.1, 212.4, 212.7, 213.0, 213.3, 213.6, 213.9, 214.2, 214.5, 214.8, 215.1, 215.4, 215.7, 216.0, 216.3, 216.6, 216.9, 217.2, 217.5, 217.8, 218.1, 218.4, 218.7, 219.0, 219.3, 219.6, 219.9, 220.2, 220.5, 220.8, 221.1, 221.4, 221.7, 222.0, 222.3, 222.6, 222.9, 223.2, 223.5, 223.8, 224.1, 224.4, 224.7, 225.0, 225.3, 225.6, 225.9, 226.2, 226.5, 226.8, 227.1, 227.4, 227.7, 228.0, 228.3, 228.6, 228.9, 229.2, 229.5, 229.8, 230.1, 230.4, 230.7, 231.0, 231.3, 231.6, 231.9, 232.2, 232.5, 232.8, 233.1, 233.4, 233.7, 234.0, 234.3, 234.6, 234.9, 235.2, 235.5, 235.8, 236.1, 236.4, 236.7, 237.0, 237.3, 237.6, 237.9, 238.2, 238.5, 238.8, 239.1, 239.4, 239.7, 240.0, 240.3, 240.6, 240.9, 241.2, 241.5, 241.8, 242.1, 242.4, 242.7, 243.0, 243.3, 243.6, 243.9, 244.2, 244.5, 244.8, 245.1, 245.4, 245.7, 246.0, 246.3, 246.6, 246.9, 247.2, 247.5, 247.8, 248.1, 248.4, 248.7, 249.0, 249.3, 249.6, 249.9, 250.2, 250.5, 250.8, 251.1, 251.4, 251.7, 252.0, 252.3, 252.6, 252.9, 253.2, 253.5, 253.8, 254.1, 254.4, 254.7, 255.0, 255.3, 255.6, 255.9, 256.2, 256.5, 256.8, 257.1, 257.4, 257.7, 258.0, 258.3, 258.6, 258.9, 259.2, 259.5, 259.8, 260.1, 260.4, 260.7, 261.0, 261.3, 261.6, 261.9, 262.2, 262.5, 262.8, 263.1, 263.4, 263.7, 264.0, 264.3, 264.6, 264.9, 265.2, 265.5, 265.8, 266.1, 266.4, 266.7, 267.0, 267.3, 267.6, 267.9, 268.2, 268.5, 268.8, 269.1, 269.4, 269.7, 270.0, 270.3, 270.6, 270.9, 271.2, 271.5, 271.8, 272.1, 272.4, 272.7, 273.0, 273.3, 273.6, 273.9, 274.2, 274.5, 274.8, 275.1, 275.4, 275.7, 276.0, 276.3, 276.6, 276.9, 277.2, 277.5, 277.8, 278.1, 278.4, 278.7, 279.0, 279.3, 279.6, 279.9, 280.2, 280.5, 280.8, 281.1, 281.4, 281.7, 282.0, 282.3, 282.6, 282.9, 283.2, 283.5, 283.8, 284.1, 284.4, 284.7, 285.0, 285.3, 285.6, 285.9, 286.2, 286.5, 286.8, 287.1, 287.4, 287.7, 288.0, 288.3, 288.6, 288.9, 289.2, 289.5, 289.8, 290.1, 290.4, 290.7, 291.0, 291.3, 291.6, 291.9, 292.2, 292.5, 292.8, 293.1, 293.4, 293.7, 294.0, 294.3, 294.6, 294.9, 295.2, 295.5, 295.8, 296.1, 296.4, 296.7, 297.0, 297.3, 297.6, 297.9, 298.2, 298.5, 298.8, 299.1, 299.4, 299.7, 300.0, 300.3, 300.6, 300.9, 301.2, 301.5, 301.8, 302.1, 302.4, 302.7, 303.0, 303.3, 303.6, 303.9, 304.2, 304.5, 304.8, 305.1, 305.4, 305.7, 306.0, 306.3, 306.6, 306.9, 307.2, 307.5, 307.8, 308.1, 308.4, 308.7, 309.0, 309.3, 309.6, 309.9, 310.2, 310.5, 310.8, 311.1, 311.4, 311.7, 312.0, 312.3, 312.6, 312.9, 313.2, 313.5, 313.8, 314.1, 314.4, 314.7, 315.0, 315.3, 315.6, 315.9, 316.2, 316.5, 316.8, 317.1, 317.4, 317.7, 318.0, 318.3, 318.6, 318.9, 319.2, 319.5, 319.8, 320.1, 320.4, 320.7, 321.0, 321.3, 321.6, 321.9, 322.2, 322.5, 322.8, 323.1, 323.4, 323.7, 324.0, 324.3, 324.6, 324.9, 325.2, 325.5, 325.8, 326.1, 326.4, 326.7, 327.0, 327.3, 327.6, 327.9, 328.2, 328.5, 328.8, 329.1, 329.4, 329.7, 330.0, 330.3, 330.6, 330.9, 331.2, 331.5, 331.8, 332.1, 332.4, 332.7, 333.0, 333.3, 333.6, 333.9, 334.2, 334.5, 334.8, 335.1, 335.4, 335.7, 336.0, 336.3, 336.6, 336.9, 337.2, 337.5, 337.8, 338.1, 338.4, 338.7, 339.0, 339.3, 339.6, 339.9, 340.2, 340.5, 340.8, 341.1, 341.4, 341.7, 342.0, 342.3, 342.6, 342.9, 343.2, 343.5, 343.8, 344.1, 344.4, 344.7, 345.0, 345.3, 345.6, 345.9, 346.2, 346.5, 346.8, 347.1, 347.4, 347.7, 348.0, 348.3, 348.6, 348.9, 349.2, 349.5, 349.8, 350.1, 350.4, 350.7, 351.0, 351.3, 351.6, 351.9, 352.2, 352.5, 352.8, 353.1, 353.4, 353.7, 354.0, 354.3, 354.6, 354.9, 355.2, 355.5, 355.8, 356.1, 356.4, 356.7, 357.0, 357.3, 357.6, 357.9, 358.2, 358.5, 358.8, 359.1, 359.4, 359.7, 360.0, 360.3, 360.6, 360.9, 361.2, 361.5, 361.8, 362.1, 362.4, 362.7, 363.0, 363.3, 363.6, 363.9, 364.2, 364.5, 364.8, 365.1, 365.4, 365.7, 366.0, 366.3, 366.6, 366.9, 367.2, 367.5, 367.8, 368.1, 368.4, 368.7, 369.0, 369.3, 369.6, 369.9, 370.2, 370.5, 370.8, 371.1, 371.4, 371.7, 372.0, 372.3, 372.6, 372.9, 373.2, 373.5, 373.8, 374.1, 374.4, 374.7, 375.0, 375.3, 375.6, 375.9, 376.2, 376.5, 376.8, 377.1, 377.4, 377.7, 378.0, 378.3, 378.6, 378.9, 379.2, 379.5, 379.8, 380.1, 380.4, 380.7, 381.0, 381.3, 381.6, 381.9, 382.2, 382.5, 382.8, 383.1, 383.4, 383.7, 384.0, 384.3, 384.6, 384.9, 385.2, 385.5, 385.8, 386.1, 386.4, 386.7, 387.0, 387.3, 387.6, 387.9, 388.2, 388.5, 388.8, 389.1, 389.4, 389.7, 390.0, 390.3, 390.6, 390.9, 391.2, 391.5, 391.8, 392.1, 392.4, 392.7, 393.0, 393.3, 393.6, 393.9, 394.2, 394.5, 394.8, 395.1, 395.4, 395.7, 396.0, 396.3, 396.6, 396.9, 397.2, 397.5, 397.8, 398.1, 398.4, 398.7, 399.0, 399.3, 399.6, 400.0]

BOT OF 1.25 IN OD TBG AT 1759

BOT OF 5.5 IN OD CS AT 1819
ESTIMATED TO BE 319