Form 3160-5 (June 1990)

UNITED STATES

| FORM APPROVED |
|-----------------------------|
| Budget Bureau No. 1004-0135 |
| Expires: March 31, 1993 |

| DEPART | MENT OF | THE INTERIOR |
|--------|---------|--------------|
| BUREAU | OF LAND | MANAGEMENT |

| | A CARLO CONTRACTOR OF THE CONT | 5. Jesse Designation and Serial No. | |
|--|--|--|---|
| SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. | | CE 000045 | |
| | | SF-080245 6. If Indian, Allottee or Tribe Name | _ |
| Use "APPLICATION | FOR PERMIT - " for such proposals. | 6. II Indian, Allottee or Tribe Name | |
| | | | |
| | | 7. If Unit or CA, Agreement Designation | |
| 1. Type of Well | | | |
| Oil Gas Other | | 8. Well Name and No. | _ |
| 2. Name of Operator | Attention: | Hamner #5 | |
| Amoco Production Company | Gail M. Jefferson, Rm 1942 | 9. API Well No. | |
| 3. Address and Telephone No. | | 3004511718 | |
| P.O. Box 800, Denver, Colorado 8020 | 1 (303) 830-6157 | 10. Field and Pool, or Exploratory Area | - |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey De | escription) | Pictured Cliffs | |
| 45005111 47455144 | 0 00 T 00N P 0W | 11. County or Parish, State | |
| 1580FNL 1715FWL | Sec. 28 T 29N R 9W Unit F | San Juan New Mexico | |
| 011501/ 15550551175 | DOW 1 TO MIDIOATE MATURE OF MOTIOE D | | |
| ************************************** | BOX(s) TO INDICATE NATURE OF NOTICE, R | EPORT, OR OTHER DATA | |
| TYPE OF SUBMISSION | TYPE OF ACTION | | _ |
| | M | | |
| Notice of Intent | Abandonment | Change of Plans | |
| Motice of Intent | Recompletion | New Construction | |
| Subsequent Report | Plugging Back | Non-Routine Fracturing | |
| | Casing Repair Altering Casing | Water Shut-Off | |
| Final Abandonment Notice | Other | Conversion to Injection | |
| | (Note: Repo | Dispose Water ort results of multiple completion on Well Completion or | |
| | Recompleti | on Report and Log form. } | |
| | ate all pertinent details, and give pertinent dates, including estimated date of starting epths for all markers and zones pertinent to this work.}* | any proposed work . If well is directionally drilled, give | |
| | ets permission to plug and abandon the above reference | d well per the attached procedures | |
| Amous Froduction Company reques | to permission to play and abandon the above reference | u well per the attached procedures. | |
| If you have any technical questions | please contact Mike Kutas at (303) 830-5159 or myse | elf for any administrative concerns. | |
| / 00 00 0 / 100 4000 | product contact mine nation at 1000, 500 c 100 ci myst | m tot dry dominocidents concerns. | |
| | | | |
| | | | |
| | والمنافقة | Control of the Contro | |
| | and the second s | | |
| | | | |
| | | - a maraell | |
| | וח | F(C)ENVEIN | |
| | | | |
| | III | MAY 1 7 1995 | |
| | _ | Mar. | |
| | | IL GOM. DIV. | |
| | \mathbb{O} | 115 GC 000 D = - | |
| | | DISTI. 3 | |
| | | | |
| 14. I hereby certify that the foregoing is true and correct | - · · · · | and the second second | _ |
| Wa:0411 021 | (a a .) Sr. Admin Sta | # Appt 05-08-1995 | |
| Signed XIII W. | Title SI. AUTIIII. Sta | TI ASSI. Date | _ |
| (This space for Federal or State office use) | | | |
| | | | |
| Approved by Conditions of approval, if any: | Title | Date | |
| | | | |

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States per

representations as to any matter within its jurisdiction.

DISTRICT MANAGER

Hamner #5
Orig. Comp. 5/66
TD= 2285', PBTD = 2206'
Page 2 of 2

- 1. RIH with wireline and cement retainer. Set retainer at 2095'. Test casing integrity to 500#. RU Haliburton and squeeze perfs at 2144' to 2206' with 12 cuft of cement. Drop rubber plug and spot cement plug to surface with 154 cuft cement.
- 2. NDBOP. Cut off casing and wellhead. Install PXA marker according to BLM or State requirements.
- 3. Turn over to John Schwartz for reclamation.
- 4. Rehabilitate location according to BLM or State requirements.

HAMNER 005 51
Location — 28F— 29N— 9W
SINGLE PC
Orig.Completion — 5/66
Last File Update — 1/89 by DDM BOT OF A 675 IN DOUGE 126 \mathbb{Z} PC--ISPF PERF BOT 9 1 1 1 INCO SING 2279 PBTD AT 2279 FT. TOTAL DEPTH 2285 FT. Cathodic Protection - ?