

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other In-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐		5. LEASE DESIGNATION AND SERIAL NO. NM 36479	
2. NAME OF OPERATOR VERYL F. MOORE		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR 2605 HIGHLAND PL, FARMINGTON, NM 87401		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1850' FSL 790' FEL At top prod. interval reported below Sec. 6, T29N, R14W At total depth		8. FARM OR LEASE NAME BUSKEN	
14. PERMIT NO.		9. WELL NO. 1	
DATE ISSUED		10. FIELD AND POOL, OR WILDCAT FRUITLAND	
15. DATE SPUDDED 12-26-83		11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA SEC. 6, T29N, R14W	
16. DATE T.D. REACHED 12-28-83		12. COUNTY OR PARISH SAN JUAN	
17. DATE COMPL. (Ready to prod.) 1-15-84		13. STATE NEW MEXICO	
18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 5314 RKB		19. ELEV. CASINGHEAD 5309	
20. TOTAL DEPTH, MD & TVD 949'		21. PLUG, BACK T.D., MD & TVD 805'	
22. IF MULTIPLE COMPL., HOW MANY*		23. INTERVALS DRILLED BY ROTARY TOOLS X	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 618 to 790		25. WAS DIRECTIONAL SURVEY MADE YES	
26. TYPE ELECTRIC AND OTHER LOGS RUN IES and DENSITY		27. WAS WELL CORED NO	
28. CASING RECORD (Report all strings set in well)			
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE
7"	24#	89	9 3/4
2 7/8	6.4	945	5 7/8
CEMENTING RECORD		AMOUNT PULLED	
50 sks (59 CF) Class B		NONE	
150 Sks (219 CF) 50/50 POZ		NONE	
29. LINER RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*
30. TUBING RECORD			
SIZE	DEPTH SET (MD)	PACKER SET (MD)	
	NONE		
31. PERFORATION RECORD (Interval, size and number) (618, 621, 630, 678, 683, 698, 716, 726, 765, 778, 782 & 790 - P.C.) 12 .39 holes			
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.			
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED	
618 to 790		500 Gal 15% HCL and 833 Gal foamed acid. 26,195 Gal 70 quality foam, 30,000# 10/20 sand.	
33. PRODUCTION			
DATE FIRST PRODUCTION 1-15-84		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) FLOW	
WELL STATUS (Producing or shut-in) S.I.			
DATE OF TEST 2-17-84	HOURS TESTED 3 hrs	CHOKE SIZE 1/2"	PROD'N. FOR TEST PERIOD OIL—BBL. --- GAS—MCF. 26.375 WATER—BBL. 6 GAS-OIL RATIO
FLOW. TUBING PRESS. --	CASING PRESSURE 27	CALCULATED 24-HOUR RATE ---	OIL—BBL. --- GAS—MCF. 211 WATER—BBL. 48 OIL GRAVITY-API (CORR.)
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TO BE SOLD		TEST WITNESSED BY VERYL F. MOORE	
35. LIST OF ATTACHMENTS			

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Veryl F. Moore

TITLE

OPERATOR

DATE

FEB 29 1984

*(See Instructions and Spaces for Additional Data on Reverse Side)

FARMINGTON RESOURCE AREA

BY

Smm

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF: CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CURBION FREQ, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLGIC MARKERS		
FORMATION	TOP	BOTTOM	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
FRUITLAND	330	662			
PICTURE CLIFF	662	815			