1000 RIO BRAZOS ROAD AZTEC, NEW MEXICO

Blackwood & Nichols Company P. O. Box 1237 Durango, Colorado

Re: Plugging Reports

Can	+7	emen	٠
the state of the s		CILICIA	

Form C-103	Notice of Intention to Plug, your Northeast Blanco Unit	#22		
FORM C-105,	Lease	Well	No.	
G-36-31N-7W	was approved September 3, 1976		. Your	
Unit subsequent	S-T-R notice of plugging cannot be approved until a commission	repres	sent a-	
tive has ma	de an inspection of the location to see:			

- (1) all pits have been filled and leveled;
- (2) a steel marker, 4" in diameter and approximately 4' above mean ground level, must be set in concrete, this marker must have the quarter-quarter section or unit designation, section, township and range numbers, which shall be permanently stenciled or welded on the marker;
- (3) the location shall be cleared and cleaned of all junk;
- (4) the dead man wires must be cut.

The above are the minimum requirements.

Please notify us by filling in the blank form below when this work has been done so that our representative will not have to make more than one trip to the location.

OIL CONSERVATION COMMISSION

By AR Kondrick

Fill in below and return:

 $\frac{E-505-6}{Lease}$ $\frac{22}{Well No.}$ $\frac{G-36-3tN-7W}{Unit}$ is ready for your inspection and approval.

7-26-27 2-26-27 Blackwood & Nichols Co., Ltd.
Operator

Name and title

DISTRIBUTION SANTA FE // NEW MEXICO OIL CONSERVATION COMMISSION FILE	Form C-103 Supersedes Old C-102 and C-103 Effective 1-1-65
U.S.G.S. LAND OFFICE OPERATOR	State X Fee State Oil & Gas Lease No. E-505-6
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRIL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" FORM C-101) FOR SUCH PROPOSALS.)	
1. OIL GAS WELL X OTHER-	7. Unit Agreement Name Northeast Blanco Unit No. 1, Sec. 929 8. Farm or Lease Name
2. Name of Operator Blackwood & Nichols Company	Northeast Blanco Unit
P. O. Box 1237, Durango, Colorado 81301	9. Well No. 22 10. Field and Pool, or Wildcat
4. Location of Well UNIT LETTER G 1710 FEET FROM THE N LINE AND 1970 FEET FROM	1
THE E LINE, SECTION 36 TOWNSHIP 31N RANGE 7W NMPM.	
15. Elevation (Show whether DF, RT, GR, etc.) 6212 GL	12. County Rio Arriba
Check Appropriate Box To Indicate Nature of Notice, Report or Otl	ner Data
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK TEMPORARILY ABANDON COMMENCE DRILLING OPNS.	ALTERING CASING PLUG AND ABANDONMENT
PULL OR ALTER CASING CHANGE PLANS CASING TEST AND CEMENT JQB OTHER	
17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including work) SEE RULE 1103.	estimated date of starting any proposed
Set 7" retainer at 4850', squeeze Mesaverde perforations (5063' - 5560 Spot 35 sacks cement plug, 3150' - 3250'. Perforate 7" csg. at 2400'; cement, 100' inside and outside. Perforate 7" casing at 750', cement 100' inside and outside. Spot 20 sacks cement plug in 7" casing at sur Bradenhead (between 7" and 10-3/4" casing) with 25 sacks cement.	cement with 50 sacks with 50 sacks cement,
See attached diagram	
	(376
1-26.17	OIL COM. DIST. 3
18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
side District Manager District Manager	DATE 8-30-76
CONDITIONS OF APPROVAL, IF ANY:	DATE SEP 3 1976

NEBU NO. 22 1710' F/NL - 1970' F/EL Sec. 36-31N-7W Rio Arriba County, New Mexico Elevation 6209' GL Plug and Abandon

