

(SUBMIT IN TRIPLICATE)

Indian Agency Huerfano Tribal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allettee _____

Lease No. 306

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	☒	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 2, 1963

Well No. 1 is located 775' ft. from [N] line and 1850 ft. from [E] line of sec. 36

NE 1/4 Section 36 13N 30W R10E
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Cordova Wildcat Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7387.6' G. L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Rotary drilling equipment will be used to drill to approximately 1950', a Sanotex test. Casing Program: 30' of 13-3/8" cemented to surface. 200' of 9-5/8" cemented to surface. 3400' of 7" cemented with sufficient volume of cement to cover the Mesa Verde. Complete through 1/2" or 5" line from approx. 3300' to total depth, slotted through pay. No drill stem tests or casing anticipated. Mud program will consist of native mud from surface to 3400', and air from 3400' to total depth. Electric logs, etc. will be run prior to setting production casing or abandonment of well. Stimulation treatments such as acidizing or fracturing may be employed in completion.

Verbal approval this date from Mr. R. C. Enlow, Jr.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Humble Oil & Refining Company

Address P. O. Box 3082

Durango, Colorado 81302

By COPY (ORIGINAL SIGNED) B. M. BRADLEY

Title Dist. Supt.



September 9, 1963

HUMBLE OIL AND REFINING COMPANY

Cordeva

Section 36 31 NORTH 2 WEST,
T. 775 Feet from the NORTH line 1850 the EAST
County RIO ARriba G. I. Elevation 7387.6
Name of Production Formation **Sanostes** **Cordeva Wildcat**

I, the undersigned, the only owner of the indicated acreage outlined on the plat, hereby:

1. Agree to ☒ **Unit Agreement**

2. In consideration of the payment of one (1) dollar to the undersigned, I hereby agree to execute and deliver to the undersigned a Unit Agreement, which I have signed and which is attached hereto as **Unit Agreement**.

Unit Agreement

This Unit Agreement is made this 7th day of September, 1963, between the undersigned and the undersigned, who are the only owners of the indicated acreage outlined on the plat, hereby:

Witness

Witness

Section 36

Scale: All distances are in feet. (1 inch = 100 feet)


I hereby certify that the information in Section 36 above is true and complete to the best of my knowledge and belief.

Humble Oil & Refining Company

COPY (ORIGINAL SIGNED) B. M. BRADLEY

P. O. Box 3082

Durango, Colorado 81302



Scale 4 inches equal 1 mile



This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed 7 September 1963

James P. Leese
Registered Professional Engineer
James P. Leese N. Mex. Reg. No. 1463