2 0 Box 1980, Hobbs, NM
2:SEFICE II
2:0 Box 1980, Hobbs, NM
3:SEFICE II
2:0 Drawer DD, Arlessa, NM 88211
2:SEFICE III
3:000 Rio Brazos Rd, Aziec, NM 87410

State of New Mexico

Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY T

Denny &, Four DISTRICT OFFICE AND 1 COPY TO

OIL CONSERVATION DIVERSITY OIL & GAS INSPECTOR TA FE OFFICE

P.O. Box 20\$8

Santa Fe, New Mexico 87504-2088 SEP 11 11 1995

PIT REMEDIATION AND CLOSURE REPORT

		and the second	
Operator: Wil	liams Field Services	Telephone: 801-584-	6999
Address: 295	Chipeta Way Salt L	ake City, UT 84158	
Facility Or:_	ROSA UNIT # 107 G	ρ	
11	1		
Location: Unit	or Qtr/Qtr Sec_NE_SW	Sec 4 T31N R5W County RIC ARRIBA	
: [rator Dehydrator <u>X</u>		
Land Type: BL	M, State, Fee _	, other CARSON NATIONAL FOREST	-
Pit Location:	Pit dimensions: leng	th 16', width 16', depth	41/2'
(Attach diagram)	Reference: wellhead_	χ, other	
	Footage from referenc	e:98	
	Direction from refere	nce: 329 Degrees East North	~
		of West South	
Depth To Ground Water: (Vertical distance from		Less than 50 feet (20 points 50 feet to 99 feet (10 points	s)
contaminants to se high water elevat.		Greater than 100 feet (0 Points	5) 10
ground water)		a figure and the second se	
Wellhead Protec	tion Area.	Ves (20 noints	_ \
(Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)		Yes (20 points No (0 points	
		DIL GOM, DAW. Dist. 3	
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks,			
		200 feet to 1000 feet (10 points Greater than 1000 feet (0 points	
irrigation canals	and ditches)	· •	
		RANKING SCORE (TOTAL POINTS):	10

!		
Date Remediation S	tarted:	Dated Completed:
Remediation Method: (Check all appropriate	Excavation	
sections)	Landfarmed	·
	Other	
Remediation Location (ie. landfarmed onsite	on: Onsite	Offsite
name and location of offsite facility)	,	
General Description	of Remedial Ac	ction:
		with OCD and BLM guidance document.
Ground Water Encoun	tered: No _	X Yes Depth
Final Pit: Closure Sampling: (if multiple samples,	Sample locatio	n <u>Standard Triangle from pit floor.</u>
attach sample results and diagram of sample	Sample depth	3 '
locations and depths)	Sample date	
	Sample Results	
	Benzene (p	pm)
	Total BTE	
		dspace(ppm) O
	TPH <u>5</u>	
Ground Water Sample:	Yes No	Y (If yes, attach sample results)
I HEREBY CERTIFY THE	T THE INCOMAND	ON ABOVE IS TRUE AND COMPLETE TO THE BEST
OF MY KNOWLEDGE AND	BELIEF	ton mooth to those who contribute to the BEST
OF MY KNOWLEDGE AND DATE 9-6-94 SIGNATURE H H	DELIEF	TO THE BEST



AMERICAN WEST **ANALYTICAL LABORATORIES**

ORGANIC ANALYSIS REPORT

Client: Mile High Environmental Date Sampled: June 14, 1994

Date Received: June 21, 1994

Set Description: Fifty-Four Solid Samples

Set Identification #: 18830 Contact: Mark Harvey

Received By: Elona Hayward

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number:

EPA 418.1 (Extraction Infrared Absorption)

Date Extracted:

June 29, 1994

463 West 3600 South Salt Lake City, Utah 84115

Lab Sample ID. Number:

18830-11

Field Sample ID. Number: Vulnerable Area Pits (GOB) Rosa Unit #107 GP/85937

Date Analyzed:

June 30, 1994

Analytical Results

Total Recoverable Petroleum Hydrocarbons

Units = mg/kg (ppm)

(801) 263-8686 Fax (801) 263-8687

Detection Amount Compound: Limit: Detected: 5.0 5.0 Total Recoverable Petroleum Hydrocarbons

< Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Released by:

Laboratory Supervisor

Report Date 7/6/94

1 of 1