


37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof, core intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries);					38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP		TRUE VERTICAL DEPTH
					NAME	MEASURED DEPTH	
OJO ALAMO	2696'	2784'					
KIRTLAND	2784'	3159'					
FRUITLAND	3159'	3272'					
TOP OF COAL	3272'						

ROSA UNIT #343
BASIN FRUITLAND COAL

Spud 6/5/00
Completed 6/30/00

Location:
1365' FSL and 2375' FWL
NE/4 SW/4 Sec 26K, T31N R5W
Rio Arriba, New Mexico
Elevation: 6536' GR

<u>Top</u>	<u>Depth</u>
Ojo Alamo	2696'
Kirtland	2784'
Fruitland	3159'



Hole Size	Casing	Cement	Top of CMT
12-1/4"	9-5/8", 36#	150 sx	Surface
8-3/4"	7", 20#	550 sx	Surface
6-1/4"	5-1/2", 17#	Did not cmt	N/A