

Submit To Appropriate District Office

State Lease - 6 copies

Fee Lease - 5 copies

District I

1625 N. French Dr., Hobbs, NM 87240

District II

811 South First, Artesia, NM 87210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Form C-105
Revised March 25, 1999

WELL API NO.

30-039-26387

5. Indicate Type of Lease

STATE ☐ FEE ☒

State Oil & Gas Lease No. 120782

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐

b. Type of Completion:

NEW ☒ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF. ☐ RESVR. ☐ OTHER ☐

2. Name of Operator

WILLIAMS PRODUCTION COMPANY

3. Address of Operator

P O BOX 3102, MS 37-2 TULSA, OK 74101

4. Well Location

Unit Letter G : 1555 Feet From The NORTH Line and 1520 Feet From The EAST LineSection 19 Township 31N Range 05W NMPM RIO ARRIBA County10. Date Spudded
10/22/0010. Date T.D. Reached
10/30/0011. Date Compl. (Ready to Prod.)
11/10/0012. Elevations (DF& R(B. RT, GR, etc.)
6331' GR

14. Elev. Casinghead

15. Total Depth
6113' MD16. Plug Back T.D.
6088' MD17. If Multiple Compl. How Many
Zones?18. Intervals
Drilled ByRotary Tools
X

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name
4272' - 5983'20. Was Directional Survey Made
Yes21. Type Electric and Other Logs Run
CBL, TMDL

22. Was Well Cored

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9 5/8"	36#	265'	12 1/4"	130 sx	
7"	20#	3683'	8 3/4"	590 sx	

24. LINER RECORD

25. TUBING RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
4 1/2"	3541'	6113'	265 sx		2-3/8"	5949'	

26. Perforation record (interval, size, and number)

Lewis/CH/menefee: 4272', 80', 87', 4600', 08', 22', 29', 38', 4722', 30', 36', 85', 5181', 95', 5200', 5430', 32', 35', 38', 78', 5523', 26', 63', 69', 5608' & 14'. Total 26 (0.38") holes
Point Lookout: 5655', 59', 63', 65', 67', 74', 79', 81', 83', 85', 89', 94', 5701', 03', 14', 17', 19', 21', 36', 38', 41', 46', 60', 64', 99', 5805', 18', 33', 52', 81', 85', 5909', 59' & 83'. Total 34 (0.38") holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
4272' - 5614'	80,000# 20/40 Sand in 1926 bbls slick water
5655' - 5983'	80,000# 20/40 Sand in 1943 bbls slick water

28. PRODUCTION

Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing			Well Status (Prod. or Shut-in) SI waiting on pipeline		
Date of Test 11/16/00	Hours Tested 3 hrs	Choke Size 3/4"	Prod'n For Test Period	Oil - Bbl	Gas - MCF 437	Water - Bbl.	Gas - Oil Ratio
Flow Tubing Press. 264	Casing Pressure 808	Calculated 24- Hour Rate	Oil - Bbl.	Gas - MCF 3,498	Water - Bbl.	Oil Gravity - API - (Corr.)	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Test Witnessed By

To be sold

30. List Attachments

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Signature Tracy Ross

Printed

Name TRACY ROSS

Title Production Analyst

Date 11/26/00

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy _____
T. Salt _____
B. Salt _____
T. Yates _____
T. 7 Rivers _____
T. Queen _____
T. Grayburg _____
T. San Andres _____
T. Glorieta _____
T. Paddock _____
T. Blinebry _____
T. Tubb _____
T. Drinkard _____
T. Abo _____
T. Wolfcamp _____
T. Penn _____
T. Cisco (Bough C) _____

T. Canyon _____
T. Strawn _____
T. Atoka _____
T. Miss _____
T. Devonian _____
T. Silurian _____
T. Montoya _____
T. Simpson _____
T. McKee _____
T. Ellenburger _____
T. Gr. Wash _____
T. Delaware Sand _____
T. Bone Springs _____
T. _____
T. _____
T. _____
T. _____

Northwestern New Mexico

T. Ojo Alamo: 2460'
T. Kirtland: 2583'
T. Picture Cliffs: 3205'
T. Lewis: 3566'
T. Cliff House: 5410'
T. Menefee: 5456'
T. Point Lookout: 5652'
T. Mancos: _____
T. Gallup _____
Base Greenhorn _____
T. Dakota _____
T. Morrison _____
T. Todilto _____
T. Entrada _____
T. Wingate _____
T. Chinle _____
T. Permian _____

T. Penn. "A" _____
T. Penn. "B" _____
T. Penn. "C" _____
T. Penn. "D" _____
T. Leadville _____
T. Madison _____
T. Elbert _____
T. McCracken _____
T. Ignacio Otzte _____
T. Granite _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....

No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

(Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology